

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 11/27/2025	APWS Task ID: CF065E44814441D0BF39AD824D0873E1	APWS Project ID: 3EA9FBA1941C49D78F1739C9406F4DAB
Procedure: RNAV (GPS) RWY 16 AMDT 0E		Enroute: NO	Specialist: Johnson, Timothy		Agreement Number:
Airport ID: 2R9			Airport City: KENEDY		State: TX
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED. TAA SECTOR 254/30 CW 074/30 ALTITUDE CHANGED FROM 2100 TO 2200. CLEARs T-NOTAM 4/9708. CRC REMAINDER CHANGE. CONTACT: CASEY HILL (405) 954-0624. QUALITY 9 CHECKED BEGUE QUALITY 10 CHECKED					

FIPC BASIC FORM						
PROCEDURE: RNAV (GPS) RWY 16 AMDT 0E			AIRPORT NAME: KENEDY RGNL		AIRPORT ID: K2R9	SPECIAL CONTROL NO: OG-06-262-25
FAC ID: K2R916		CITY: KENEDY			ST: TX	ORIG CHART DATE: 11/27/2025
DFL TYPE: PROC/W	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: CF065E44814441D0BF39AD824D0873E1		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					NO	
					CPV COMPLETE?	X
PROCEDURE RESULTS						
INSPECTION DATE: 07/18/2025	CREW #: VN471	N #: N91	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: dustin d hanson @ 07/18/2025 15:31			PRINTED NAME: HANSON, DUSTIN DREW			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		


WAAS CH 87125 W16A	APP CRS 164°	Rwy Ldg TDZE Apt Elev 3218 289 289
--	------------------------	--

RNAV (GPS) RWY 16


KENEDY RGNL (2R9)

RNP APCH - GPS.	MISSED APPROACH: Climb to 2000 direct FORLU and hold.
Procedure NA at night. When local altimeter setting not received, use PEZ altimeter setting and increase all MDAs to 100 feet. Rwy 16 helicopter visibility reduction below 1 SM NA.	

AWOS 3-PT 118.45	HOUSTON CENTER 134.6 322.5	UNICOM 123.0 (CTAF) 0
----------------------------	--------------------------------------	---------------------------------



PROTOTYPE-NOT FOR NAVIGATION



KENEDY, TEXAS

AL-5975 (FAA)

23222




WAAS CH 87125 W16A	APP CRS 164°	Rwy Idg TDZE Apt Elev	3218 289 289
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 16

KENEDY RGNL (2R.9)

RNP APCH.	MISSED APPROACH: Climb to 2000 direct FORLU and hold.
▼ Procedure NA at night. When local alimeter setting not received, use Pleasanton alimeter setting. Rwy 16 helicopter visibility reduction below 1 SM NA.	

AWOS 3-PT 118.45	HOUSTON CENTER 134.6 322.5	UNICOM 123.0 (CTAF) 0
----------------------------	--------------------------------------	---------------------------------





TAA Straight-In 074 CW 254 TOWER (2049)
48-012261

CTC SAN ANTONIO APP WITHIN
20 NM ON 128.05 318.1

2R9

KENEDY RGNL

KENEDY, TX

RNAV (GPS) Rwy 16 ORIG-E
TAA 074 CW 254
500K

TAA Straight-In 074 CW 254 Stepdown TOWER (922)
48-008224

