

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/05/2023	APWS Task ID: D572F1D09C4045AAA371D07B12EDC53C	APWS Project ID: 81461F07E26643F5B398B47F0B4785B7
Procedure: RNAV (GPS) RWY 13 ORIG		Enroute: NO	Specialist: Schones, Christopher		Agreement Number:
Airport ID: KAXN			Airport City: ALEXANDRIA		State: MN
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR KAXN AIRPORT AND RUNWAY. CONTACT: CASIMIR TABAKA (405) 954-7931 QUALITY 9 CHECKED QUALITY 10 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 13 ORIG			AIRPORT NAME: CHANDLER FLD		AIRPORT ID: KAXN	SPECIAL CONTROL NO: BG-08-004-23	
FAC ID: KAXN13		CITY: ALEXANDRIA			ST: MN	ORIG CHART DATE: 10/05/2023	
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER: AC0598		PTS TASK ID: D572F1D09C4045AAA371D07B12EDC53C		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 08/15/2023		CREW #: VN329	N #: N75	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: glen b freeman @ 08/15/2023 20:17			PRINTED NAME: FREEMAN, GLEN BURSON				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: BG-08-004-23, CHANDLER FLD, ALEXANDRIA, MN. RNAV (GPS) RWY 13, ORIG, Completed SAT.							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

FIG

RNAV (GPS) RWY 13

MISSED APPROACH: Climb to 3600 direct WUNYE and hold.

CATEGORY	A	B	C	D
LPV DA	1674-1 250 (300-1)			
LNAV/ VNAV DA	1721-1 297 (300-1)			
LNAV MDA	1800-1 376 (400-1)			
CIRCLING	1900-1 475 (500-1)		1940-1½ 515 (600-1½)	2000-2 575 (600-2)

A diagram showing a vertical line on the left. A line segment extends from the top of this vertical line at an angle of 135° relative to the vertical line.

AUTOMATED AL-14 RNAV (GPS) RWY 13

EFF: FIG

RNAV (GPS) RWY 13

KAXN
ALEXANDRIA, MN
CHANDLER FLD
RNAV (GPS) RWY 13, ORIG
LNAV
1:500K

MMOLY HILPT
TERRAIN+AAO (1831)

Intermediate MMOLY to DONCL
TOWER (1891) 27-002208

LNAV DONCL to TODRT
TERRAIN+AAO (1670)

LNAV DONCL to KAXN:RW13:AER
TREE (1540)

Missed Level Surface
TERRAIN+AAO (1644)

WUNYE MAH
TOWER (2545) 27-001046

NM
FT
2 4 6 8
20000 40000 60000

1" = 6333 feet

KAXN
ALEXANDRIA, MN
CHANDLER FLD
RNAV (GPS) RWY 13, ORIG
LPV
1:100K

DONCL

LPV
TREE (1423) 27-027425

RW13

KAXN

Missed Level Surface
TERRAIN+AAO (1644)

NM
FT
2 4 6 8
20000 40000 60000

1" = 6333 feet

KAXN
ALEXANDRIA, MN
CHANDLER FLD
RNAV (GPS) RWY 13, ORIG
LNAV/VNAV
1:100K


DONCL


LNAV/VNAV DONCL to KAXN:RW13:AER
TREE (1540)


RW13

KAXN

Missed Level Surface
TERRAIN+AAO (1644)







KAXN
ALEXANDRIA, MN
CHANDLER FLD
RNAV (GPS) RWY 13, ORIG
TAA
1:750K