

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 12/31/2020	APWS Task ID: D6F3742BE93A42F688ABD60F24A8B427	APWS Project ID: 736482567ED8436FB766CD3B9B959264
Procedure: NDB RWY 18L AMDT 13A		Enroute: NO	Specialist: Christensen, Richard		Agreement Number:
Airport ID: KMDH	Airport Name: SOUTHERN ILLINOIS		Airport City: CARBONDALE/MURPHYSBORO		State: IL
Facility ID: MDH	Facility Type: NDB	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-1000) MEMO, DATED JUNE 4, 2020, SUBJECT: FLIGHT INSPECTION OF NEW CONTROLLING OBSTACLES. NEW CONTROLLING OBSTACLE; CHART FAS OBST: 550 TREE 374944N/0891430W. CIRCLING UPDATED TO NEW CRITERIA. NEW CIRCLING CONTROLLERS. PENDING DATA USED FOR RUNWAY AND ACTIVE DATA USED FOR AIRPORT. CANCEL NOTAM FDC 9/0878 UPON PUBLICATION. CONTACT WARDELL HENNING: 405-954-9954 <i>Digitally signed by</i> JON DENTON Feb 09, 2021					



FIPC BASIC FORM						
PROCEDURE: NDB RWY 18L AMDT 13A			AIRPORT NAME: SOUTHERN ILLINOIS		AIRPORT ID: KMDH	SPECIAL CONTROL NO: BP-11-053-20
FAC ID: MDH		CITY: CARBONDALE/MURPHYSBORO			ST: IL	ORIG CHART DATE: 04/22/2021
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID:		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					CPV COMPLETE?	
					X	
PROCEDURE RESULTS						
INSPECTION DATE: 02/06/2021	CREW #: VN409	N #: N84	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: patrick murray @ 02/06/2021 17:36			PRINTED NAME: MURRAY, PATRICK MICHAEL			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: Special Number: BG-11-053-20. Southern Illinois, Carbondale/Murphysboro, IL, NDB RWY 18L, Amdt.13A, complete SAT.						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

OLD

CARBONDALE-MURPHYSBORO, ILLINOIS

AL-5091 (FAA)

20086

LOM MD	APP CRS	Rwy Idg	6506
388	182°	TDZE	407
		Apt Elev	411

NDB RWY 18L


SOUTHERN ILLINOIS (MDH)

When local altimeter setting not received, use Williamson Co Rgnl altimeter setting and increase all MDA 40 feet and increase S-18L Cat D visibility ¼ mile.



MISSED APPROACH: Climb to 2100 then climbing right turn to 2400 direct CABBI LOM and hold.

ATIS 119.725	KANSAS CITY CENTER 127.475 346.275	CARBONDALE TOWER ★ 125.35 (CTAF) 322.4	GND CON 121.8	UNICOM 122.95
-----------------	---------------------------------------	---	------------------	------------------



NDB RWY 18L
SOUTHERN ILLINOIS (MDH)

MISSED APPROACH: Climb to 2100 then climbing right turn to 2400 direct CABB LOM and hold.

PROTOTYPE-NOT
FOR NAVIGATION

