

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 12/26/2024	APWS Task ID: DAA275714BE640FE9B1B044A60D01229	APWS Project ID: B9084F0AD91E4A928D813377A154C7EC
Procedure: ILS OR LOC RWY 4 AMDT 9		Enroute: NO	Specialist: Given, Cody		Agreement Number:
Airport ID: KIKK			Airport City: KANKAKEE		State: IL
Facility ID: IKK	Facility Type: ILS	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: CLEAR FDC NOTAM 2/2470. FULL AMENDMENT COMPLETED UTILIZING ACTIVE AIRNAV DATA FOR KIKK RWY 4 AND IKK DME AND PENDING DATA FOR IKK ILS. PROCEDURE REDESIGN: DELETED FEEDERS AT PONTIAC VOR/DME AND ROBERTS VOR/DME; DELETED PROCEDURE TURN; ADDED IF/IAF/HOLD-IN-LIEU AT SEWAY, ADDED NEW FAF/PFAF AT HIRIL DUE TO VORMON DECOMMISSIONING PONTIAC VOR/DME AND ROBERTS VOR/DME. CONTACT: ERIC SUSKI: AJV-A431, 405-954-7331. 10/21/2024: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 10/04/2024. 1. CHANGED MAGVAR EPOCH YEAR FROM "0E 1980" TO " 4W 2025". 2. TERMINAL ROUTES: CHANGED COURSE FROM "038.32" TO "042.32". 3. PROFILE LINE 2: CHANGED FROM "HOLD SW SEWAY/IKK 17.00 DME, RT, 038.17 INBOUND, 2500 FT. IN LIEU OF PT (IF/IAF), MAX 6000" TO "HOLD SW SEWAY/IKK 17.00 DME, RT, 042.32 INBOUND, 2500 FT. IN LIEU OF PT (IF/IAF), MAX 6000". 4. PROFILE LINE 3: CHANGED FAC FROM "038.32" TO "042.32". 5. ADDITIONAL FLIGHT DATA: CHANGED NOTE FROM "HOLD NE, RT, 218.32 INBOUND" TO "HOLD NE, RT, 222.32 INBOUND". 6. PROFILE LINE 2: CHANGED (IF/IAF) TO (IAF). 8260-2: HIRIL 1. FIX MAKE-UP FACILITIES: FAC 1 I-KK CHANGED MAG BRG FROM "218.32" TO "222.32". 8260-2: LUKOW LOM 1. FIX MAKE-UP FACILITIES: FAC 2 I-KK CHANGED MAG BRG FROM "218.32" TO "222.32". 2. HOLDING: PAT 1 RAD/CRS/BRG AND CRS INBOUND CHANGED FROM "218.32" TO "222.32". 3. HOLDING RESTRICTIONS: CHANGED FROM "HOLDING LIMITED TO ESTABLISHED PATTERNS" TO "HOLDING LIMITED TO ESTABLISHED PATTERN(S)". 8260-2: SEWAY 1. FIX MAKE-UP FACILITIES: FAC 1 I-KK CHANGED MAG BRG FROM "218.32" TO "222.32". 2. HOLDING: PAT 2 RAD/CRS/BRG CHANGED FROM "218.17" TO "222.32". 3. HOLDING: PAT 2 CRS INBOUND CHANGED FROM "038.17" TO "042.32". 8260-2: XIYHI 1. FIX MAKE-UP FACILITIES: FAC 1 I-KK CHANGED MAG BRG FROM "218.32" TO "222.32".					

Digitally signed by

ERIC N SUSKI

Oct 29, 2024

QUALITY
39
CHECKED

FIPC BASIC FORM							
PROCEDURE: ILS OR LOC RWY 4 AMDT 9			AIRPORT NAME: GREATER KANKAKEE		AIRPORT ID: KIKK	SPECIAL CONTROL NO: BP-08-172-24	
FAC ID: IKK		CITY: KANKAKEE			ST: IL	ORIG CHART DATE: 12/26/2024	
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: DAA275714BE640FE9B1B044A60D01229		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 09/27/2024		CREW #: VN285	N #: N76	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: michael a greenwood @ 09/27/2024 12:05			PRINTED NAME: GREENWOOD, MICHAEL AARON				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: SAT as proposed.							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:



ILS or LOC RWY 4
GREATER KANKAKEE (IKK)

MALSR


MISSED APPROACH: Climb to 2300 then right turn direct LUKOW LOM and hold.

AWOS-3 128.475	CHICAGO CENTER 132.5 284.7	UNICOM 123.0 (CTAF) 1
--------------------------	--------------------------------------	---------------------------------

PROTOTYPE-NOT
FOR NAVIGATION



CATEGORY	A	B	C	D
S-ILS 4	824-1½ 200 (200-½)			
S-LOC 4	920-1½ 296 (300-½)			
C CIRCLING	1080-1 450 (500-1)	1100-1 470 (500-1)	1140-1½ 510 (600-1½)	1340-2¼ 710 (800-2¼)






LOC I- IKK 108.7	APP CRS 038°	Rwy ldg 5981 TDZE 624 Apt Elev 630
-----------------------------------	------------------------	---

ILS or LOC RWY 4

GREATER KANKAKEE (IKK)

ADF required.		MALSR 	MISSED APPROACH: Climb to 2300 then right turn direct LUKOW LOM and hold.
 Circling to Rwy 16, 34 NA at night. For inop ALS, increase S-LOC 4 Cat C/D visibility to ¾ SM.			
AWOS-3 128.475	CHICAGO CENTER 132.5 284.7	UNICOM 123.0 (CTAF) 	



CATEGORY	A	B	C	D
S-ILS 4	824-½ 200 (200-½)			
S-LOC 4	920-½ 296 (300-½)	920-¾ 296 (300-¾)		
CIRCLING	1080-1 450 (500-1)	1100-1 470 (500-1)	1140-1½ 510 (600-1½)	1340-2¼ 710 (800-2¼)

EC-3, 21 MAR 2024 to 18 APR 2024

EC-3, 21 MAR 2024 to 18 APR 2024

