

RADIO FIX AND HOLDING DATA RECORD

NAME: BOILER VORTAC

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 403322.22N/0870409.75W

TYPE:

AIRSPACE DOCKET: 23-ASO-19

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	BOILER	BVT	VORTAC	H						45000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	NW	BVT	VORTAC	323.00	143.00	R	1	2400 14000	4 10
2	SE	BVT	VORTAC	135.00	315.00	R	1	14000 45000	10 29

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	WINDMILL (18-055364)	404016.01N/0870830.23W	1364	4D
2	265	TOWER (18-001280)	403248.00N/0865059.00W	1169	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PATTERN 2 ATC REQUESTED.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: 1E 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MEARZ			KEYE	INDIANAPOLIS	IN (US)
DP	MEARZ			KHFY	INDIANAPOLIS	IN (US)
DP	MEARZ			KIND	INDIANAPOLIS	IN (US)
DP	MEARZ			KMQJ	INDIANAPOLIS	IN (US)
DP	MEARZ			KTYQ	INDIANAPOLIS	IN (US)
DP	MEARZ			KUMP	INDIANAPOLIS	IN (US)
DP	MEARZ			KGEZ	SHELBYVILLE	IN (US)
EN ROUTE	J89					(US)
EN ROUTE	V227					(US)
EN ROUTE	V399					(US)
EN ROUTE	V51					(US)
EN ROUTE	V7					(US)
IAP	ILS OR LOC RWY 21	1		KDNV	DANVILLE	IL (US)
IAP	RNAV (GPS) RWY 9			KFKR	FRANKFORT	IN (US)
IAP	ILS OR LOC RWY 10	1	1	KLAF	LAFAYETTE	IN (US)
IAP	VOR-A	1	1	KLAF	LAFAYETTE	IN (US)
IAP	RNAV (GPS) RWY 9			KGGP	LOGANSPOET	IN (US)
IAP	RNAV (GPS) RWY 36			KRZL	RENSSELAER	IN (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 24

DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

1. ADDED AIRSPACE DOCKET: 23-ASO-19.
2. FIX USE: REMOVED DP INDY KIND INDIANAPOLIS IN (US).
3. FIX USE: REMOVED ENROUTE V97 (US).
4. FIX USE: KDNV ILS OR LOC RWY 21: ADDED FAC 1.
5. FIX USE: KLAF ILS OR LOC RWY 10: ADDED FAC 1.
6. FIX USE: KLAF VOR-A: ADDED FAC 1, PAT 1.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A33

NAME: RYAN PIPKIN

APPROVED BY:

DATE: 05/08/2025

OFFICE: AJV-A33

NAME: JOHN BORDY

SIGNATURE:

Digitally signed by

ERIC N SUSKI

Jan 28, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: HOOSIER VORTAC STATE: IN COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 390837.76N/0863646.87W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	HOOSIER	OOM	VORTAC	L						17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	S	OOM	VORTAC	183.00	003.00	L	1	2500 14000	4 10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-000192)	390119.00N/0863559.00W	1238	4D

REASON FOR NONSTANDARD HOLDING:

PAT 1 TRAFFIC SEPARATION

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 ASSIGNED FACILITY MAG VAR: 2W 1990.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	DAWNN			KEYE	INDIANAPOLIS	IN (US)
DP	HOOSIER			KEYE	INDIANAPOLIS	IN (US)
DP	DAWNN			KHFY	INDIANAPOLIS	IN (US)
DP	HOOSIER			KHFY	INDIANAPOLIS	IN (US)
DP	DAWNN			KIND	INDIANAPOLIS	IN (US)
DP	HOOSIER			KIND	INDIANAPOLIS	IN (US)
DP	DAWNN			KMQJ	INDIANAPOLIS	IN (US)
DP	HOOSIER			KMQJ	INDIANAPOLIS	IN (US)
DP	DAWNN			KTYQ	INDIANAPOLIS	IN (US)
DP	HOOSIER			KTYQ	INDIANAPOLIS	IN (US)
DP	DAWNN			KUMP	INDIANAPOLIS	IN (US)
DP	HOOSIER			KUMP	INDIANAPOLIS	IN (US)
DP	DAWNN			KGEZ	SHELBYVILLE	IN (US)
DP	HOOSIER			KGEZ	SHELBYVILLE	IN (US)
EN ROUTE	V221					IN (US)
EN ROUTE	V305					IN (US)
IAP	VOR RWY 13			KBFR	BEDFORD	IN (US)
IAP	ILS OR LOC/DME RWY 35		1	KBMG	BLOOMINGTON	IN (US)
IAP	RNAV (GPS) RWY 17			KBMG	BLOOMINGTON	IN (US)
IAP	RNAV (GPS) RWY 24			KBMG	BLOOMINGTON	IN (US)
IAP	RNAV (GPS) RWY 35			KBMG	BLOOMINGTON	IN (US)
IAP	RNAV (GPS) RWY 6			KBMG	BLOOMINGTON	IN (US)
STAR	RACRY			KIND	INDIANAPOLIS	IN (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 17 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

FIX USE: REMOVED DP INDY KIND INDIANAPOLIS IN (US).

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A33 NAME: RYAN PIPKIN

APPROVED BY: DATE: 05/08/2025 OFFICE: AJV-A33 NAME: JOHN BORDY

SIGNATURE:

Digitally signed by

ERIC N SUSKI

Jan 28, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: MARION VOR/DME

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 402935.99N/0854045.30W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	MARION	MZZ	VOR/DME	L						17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SW	MZZ	VOR/DME	247.00	067.00	L	1		2400 6000	4 5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-000030)	403313.00N/0853845.00W	1150	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED

ASSIGNED FACILITY MAG VAR: 3W 1985

REASON FOR NON-STANDARD HOLDING PAT 1: ATC REQUESTED NON-STANDARD HOLDING.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MEARZ			KEYE	INDIANAPOLIS	IN (US)
DP	MEARZ			KHFY	INDIANAPOLIS	IN (US)
DP	MEARZ			KIND	INDIANAPOLIS	IN (US)
DP	MEARZ			KMQJ	INDIANAPOLIS	IN (US)
DP	MEARZ			KTYQ	INDIANAPOLIS	IN (US)
DP	MEARZ			KUMP	INDIANAPOLIS	IN (US)
DP	MEARZ			KGEZ	SHELBYVILLE	IN (US)
EN ROUTE	V11					IN (US)
EN ROUTE	V214					IN (US)
IAP	RNAV (GPS) RWY 12			KAID	ANDERSON	IN (US)
IAP	ILS OR LOC RWY 32			KFWA	FORT WAYNE	IN (US)
IAP	ILS OR LOC RWY 5			KFWA	FORT WAYNE	IN (US)
IAP	ILS RWY 5 (CAT II)			KFWA	FORT WAYNE	IN (US)
IAP	ILS OR LOC RWY 23		1	KOKK	KOKOMO	IN (US)
IAP	RNAV (GPS) RWY 23			KOKK	KOKOMO	IN (US)
IAP	RNAV (GPS) RWY 27			KGGP	LOGANSPO	IN (US)
IAP	ILS OR LOC RWY 4			KMZZ	MARION	IN (US)
IAP	RNAV (GPS) RWY 15			KMZZ	MARION	IN (US)
IAP	VOR RWY 15		1	KMZZ	MARION	IN (US)
IAP	RNAV (GPS) RWY 14			KMIE	MUNCIE	IN (US)
IAP	VOR RWY 21			KMIE	MUNCIE	IN (US)
IAP	RNAV (GPS) RWY 1			I76	PERU	IN (US)
IAP	VOR-A			KIWH	WABASH	IN (US)
STAR	CLANG			KEYE	INDIANAPOLIS	IN (US)
STAR	CLANG			KIND	INDIANAPOLIS	IN (US)
STAR	CLANG			KMQJ	INDIANAPOLIS	IN (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 23

DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

FIX USE: REMOVED DP INDY KIND INDIANAPOLIS IN (US).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A33

NAME: RYAN PIPKIN

APPROVED BY:

DATE: 05/08/2025

OFFICE: AJV-A33

NAME: JOHN BORDY

SIGNATURE:

Digitally signed by

ERIC N SUSKI

Jan 28, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: ROSEWOOD VORTAC STATE: OH COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 401716.08N/0840235.15W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	ROSEWOOD	ROD	VORTAC	H						45000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	NW	ROD	VORTAC	310.00	130.00	R	1	3000 6000	4 5
2	NE	ROD	VORTAC	063.00	243.00	R	1	2800 6000	4 5
3	NE	ROD	VORTAC	064.96	244.96	R	1	3000 6000	4 5
4	W	ROD	VORTAC	248.49	068.49	R	1	3000 6000	4 5
5	SW		WP	244.00	064.00	R		3000 6000	5 6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
2	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
3	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
4	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
5	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETE.
 ASSIGNED FACILITY MAGVAR: 5W/1995.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	GATEWAY			KALN	ALTON/ST LOUIS	IL (US)
DP	GATEWAY			KBLV	BELLEVILLE	IL (US)
DP	GATEWAY			KCPs	CAHOKIA/ST LOUIS	IL (US)
DP	MAREO			KEYE	INDIANAPOLIS	IN (US)
DP	MAREO			KHfY	INDIANAPOLIS	IN (US)
DP	MAREO			KIND	INDIANAPOLIS	IN (US)
DP	MAREO			KMQJ	INDIANAPOLIS	IN (US)
DP	MAREO			KTYQ	INDIANAPOLIS	IN (US)
DP	MAREO			KUMP	INDIANAPOLIS	IN (US)
DP	MAREO			KGEZ	SHELBYVILLE	IN (US)
DP	CINCINNATI			KCVG	COVINGTON	KY (US)
DP	GATEWAY			KSTL	ST LOUIS	MO (US)
DP	GATEWAY			KSUS	ST LOUIS	MO (US)
DP	DAYTON			KDAY	DAYTON	OH (US)
EN ROUTE	J149					(US)
EN ROUTE	J152					(US)
EN ROUTE	J43					(US)
EN ROUTE	V210					(US)
EN ROUTE	V277					(US)
EN ROUTE	V47					(US)
IAP	ILS OR LOC RWY 5			KFWA	FORT WAYNE	IN (US)
IAP	ILS RWY 5 (CAT II)			KFWA	FORT WAYNE	IN (US)
IAP	RNAV (GPS) RWY 25		5	KEDJ	BELLEFONTAINE	OH (US)
IAP	RNAV (GPS) RWY 7		5	KEDJ	BELLEFONTAINE	OH (US)
IAP	VOR RWY 25	1	4	KEDJ	BELLEFONTAINE	OH (US)
IAP	VOR RWY 7		4	KEDJ	BELLEFONTAINE	OH (US)
IAP	RNAV (GPS)-A			3I7	DAYTON	OH (US)
IAP	ILS OR LOC RWY 18			KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 24L			KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 24R			KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 6L	1	2	KDAY	DAYTON	OH (US)
IAP	ILS RWY 6L (CAT II & III)		2	KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 18			KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 24L			KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) Z RWY 24R			KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 36			KFDY	FINDLAY	OH (US)
IAP	ILS OR LOC RWY 29			KHAO	HAMILTON	OH (US)
IAP	RNAV (GPS) RWY 4			I95	KENTON	OH (US)
IAP	ILS OR LOC RWY 28			KAOH	LIMA	OH (US)
IAP	RNAV (GPS) RWY 26			I17	PIQUA	OH (US)
IAP	VOR RWY 26	1	2	I17	PIQUA	OH (US)
IAP	RNAV (GPS) RWY 10			KSCA	SIDNEY	OH (US)
IAP	RNAV (GPS) RWY 28			KSCA	SIDNEY	OH (US)

QUALITY
23
CHECKED

IAP	VOR-A	3	KSCA	SIDNEY	OH (US)
IAP	HI-ILS Y OR LOC Y RWY 25		KTOL	TOLEDO	OH (US)
IAP	HI-ILS Y OR LOC Y RWY 7		KTOL	TOLEDO	OH (US)
IAP	HI-TACAN RWY 25		KTOL	TOLEDO	OH (US)
IAP	HI-TACAN RWY 7		KTOL	TOLEDO	OH (US)
IAP	RNAV (GPS) RWY 20		I74	URBANA	OH (US)
IAP	VOR-A	1	I74	URBANA	OH (US)
IAP	RNAV (GPS) RWY 27		KVES	VERSAILLES	OH (US)
IAP	VOR-A		KAXV	WAPAKONETA	OH (US)
STAR	WATSN (RNAV)		KORD	CHICAGO	IL (US)
STAR	CLANG		KEYE	INDIANAPOLIS	IN (US)
STAR	CLANG		KIND	INDIANAPOLIS	IN (US)
STAR	CLANG		KMQJ	INDIANAPOLIS	IN (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 41

DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

FIX USE: REMOVED DP INDY KIND INDIANAPOLIS IN (US).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A33

NAME: RYAN PIPKIN

APPROVED BY:

DATE: 05/08/2025

OFFICE: AJV-A33

NAME: JOHN BORDY

SIGNATURE:

Digitally signed by

ERIC N SUSKI

Jan 28, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: TERRE HAUTE VORTAC STATE: IN COUNTRY: US ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 392920.18N/0871456.46W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	TERRE HAUTE	TTH	VORTAC	H							45000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	NE	TTH	VORTAC	049.00	229.00	R	1		2300	6000	4	5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-001906)	393223.56N/0870719.76W	993	2C
1	310	TOWER (18-000890)	393014.00N/0872637.00W	1249	3C

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RADAR-1	KHUF	TERRE HAUTE	IN (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAGVAR: E2 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ROCKY			KEYE	INDIANAPOLIS	IN (US)
DP	ROCKY			KHUF	INDIANAPOLIS	IN (US)
DP	ROCKY			KIND	INDIANAPOLIS	IN (US)
DP	ROCKY			KMQJ	INDIANAPOLIS	IN (US)
DP	ROCKY			KTYQ	INDIANAPOLIS	IN (US)
DP	ROCKY			KUMP	INDIANAPOLIS	IN (US)
DP	ROCKY			KGEZ	SHELBYVILLE	IN (US)
EN ROUTE	V14					(US)
EN ROUTE	V171					(US)
EN ROUTE	V192					(US)
EN ROUTE	V50					(US)
EN ROUTE	V7					(US)
IAP	RNAV (GPS) RWY 22			1H8	CASEY	IL (US)
IAP	RNAV (GPS) RWY 27			KPRG	PARIS	IL (US)
IAP	RNAV (GPS) RWY 27			0I2	BRAZIL	IN (US)
IAP	RNAV (GPS) RWY 4			KCFJ	CRAWFORDSVILLE	IN (US)
IAP	RNAV (GPS) RWY 36			KGPC	GREENCASTLE	IN (US)
IAP	ILS OR LOC RWY 5		1	KHUF	TERRE HAUTE	IN (US)
IAP	RADAR-1		1	KHUF	TERRE HAUTE	IN (US)
IAP	RNAV (GPS) RWY 23			KHUF	TERRE HAUTE	IN (US)
IAP	RNAV (GPS) RWY 5			KHUF	TERRE HAUTE	IN (US)
IAP	VOR RWY 5		1	KHUF	TERRE HAUTE	IN (US)

REQUIRED CHARTING: DP, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 30 DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

FIX USE: REMOVED DP INDY KIND INDIANAPOLIS IN (US).

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A33 NAME: RYAN PIPKIN

APPROVED BY: DATE: 05/08/2025 OFFICE: AJV-A33 NAME: JOHN BORDY

SIGNATURE:

Digitally signed by

ERIC N SUSKI

Jan 28, 2025

QUALITY
23
CHECKED