

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/12/2025	APWS Task ID: DC1B896BE1C4470D8582BD4C75322944	APWS Project ID: 9468664479644FC0B1B584A3E364313E
Procedure: ILS OR LOC RWY 36R AMDT 9		Enroute: NO	Specialist: Krueger, Zachary		Agreement Number:
Airport ID: KCVG			Airport City: COVINGTON		State: KY
Facility ID: EEI	Facility Type: ILS	Flight Inspection Remark Type: Hold FC Slot			
Procedure Comments: ACTIVE DATA USED FOR KCVG AND FOR I-EEI. FULL AMDT IAW FPT FOR AIRPORT MODERNIZATION. ESV(S): (1): COVINGTON (EEI) DME (1). CONTACT ERIC SUSKI: 405-954-7331 04/24/2025: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 02/28/2025. PBN REQUIREMENTS NOTE: DELETED WUGVO AND ZAMKU. ADDED BRCAT AND RUPPP. QUALITY 16 CHECKED QUALITY 38 CHECKED QUALITY 39 CHECKED					

FIPC BASIC FORM						
PROCEDURE: ILS OR LOC RWY 36R AMDT 9			AIRPORT NAME: CINCINNATI/NORTHERN KENTUCKY		AIRPORT ID: KCVG	SPECIAL CONTROL NO: AP-01-224-25
FAC ID: EEI		CITY: COVINGTON			ST: KY	ORIG CHART DATE: 06/12/2025
DFL TYPE: PROC/AR	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.5	REIMB. NUMBER:	PTS TASK ID: DC1B896BE1C4470D8582BD4C75322944		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT	
					YES	NO
					CPV COMPLETE? ☒ X	
PROCEDURE RESULTS						
INSPECTION DATE: 02/26/2025	CREW #: VN526	N #: N73	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: eric l geyer @ 03/06/2025 06:13			PRINTED NAME: GEYER, ERIC LEE			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: Cincinnati/Northern Kentucky INTL, Covington, KY, ILS OR LOC RWY 36R AMDT 9. SAT. Modernization project with multiple new feeder legs. Comments: SIAP points need to be corrected to match Form F Need a note on approach plate to advise the dangers of selecting "approach mode" to early while on an RNAV leg greater than 90 degrees. For example, "Use caution arming "approach mode" when greater than 90 degrees from localizer course. The FMS may transfer to and guide on back course signal while on the RNAV leg."						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

FIPC BASIC FORM								
PROCEDURE: ILS OR LOC RWY 36R AMDT 9			AIRPORT NAME: CINCINNATI/NORTHERN KENTUCKY		AIRPORT ID: KCVG	SPECIAL CONTROL NO: AP-01-224-25		
FAC ID: EEI		CITY: COVINGTON			ST: KY	ORIG CHART DATE: 06/12/2025		
DFL TYPE: PROC/AR	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.5	REIMB. NUMBER:		PTS TASK ID: DC1B896BE1C4470D8582BD4C75322944			
PREFLIGHT NOTES								
REVIEWER:					DATE:			
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT			
							YES	NO
					CPV COMPLETE?		X	
PROCEDURE RESULTS								
INSPECTION DATE: 02/26/2025		CREW #: VN526	N #: N73	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT		
FLIGHT INSPECTOR SIGNATURE: eric l geyer @ 02/26/2025 12:01			PRINTED NAME: GEYER, ERIC LEE				NOTAM INITIATED? ☐ YES ☒ NO	
FLIGHT INSPECTOR REMARKS: Cincinnati/Northern Kentucky INTL, Covington, KY, ILS OR LOC RWY 36R AMDT 9. SAT. Modernization project with multiple new feeder legs. Comments: SIAP points need to be corrected to match Form F								
IN-FLIGHT OBSTACLE REPORT								
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:	

ESV Details

Originating Office :AJV-5430		Airspace Docket Number :		Request Type :Revision		
Facility Data						
Chart Name:KCVG ILS OR LOC RWY 36R		City:COVINGTON		Ident:EEI		State:KY
Type/Class: DME		Frequency: M1127		Reference Number: 24117221		
Extended Service Volume Data: (Original Record)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 955717 - 006	186		21	70	70	
Requirement: 080623E GRANDFATHERED: KYKAT ILS OR LOC RWY 36R KCVG. Approved. Pend. Flight Chk/Inspect @ the req. dist. and MIN ALT. 080729 AVN-150						
Signature:Sweeting Dexter		Routing Symbol:				Date:07/30/2008
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 955717 - 006	186		22	70	70	
Requirement: 080623E GRANDFATHERED: KYKAT ILS OR LOC RWY 36R KCVG. Approved. Pend. Flight Chk/Inspect @ the req. dist. and MIN ALT. 080729 AVN-150						
Signature:Sweeting Dexter		Routing Symbol:AJV-A431				Date:11/27/2024
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 955717 - 006	186		22	70	70	APPROVE
Requirement/Remarks: 080623E GRANDFATHERED: KYKAT ILS OR LOC RWY 36R KCVG. Approved. Pend. Flight Chk/Inspect @ the req. dist. and MIN ALT. 080729 AVN-150 APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Love John		Routing Symbol:			Date:11/27/2024	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 955717 - 006	186		22	70	70	APPROVE
Requirement/Remarks: 080623E GRANDFATHERED: KYKAT ILS OR LOC RWY 36R KCVG. Approved. Pend. Flight Chk/Inspect @ the req. dist. and MIN ALT. 080729 AVN-150 APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:12/02/2024	
Extended Service Volume Data: (FIFO)						




ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 955717 - 006	186					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

LOC/DME I-EEI	APP CRS	Rwy Idg	10000
110.35	006°	TDZE	896
Chan 40 (Y)		Apt Elev	896

ILS or LOC RWY 36R
CINCINNATI/NORTHERN KENTUCKY INTL (CVG)

RNP APCH - GPS. From FECTA or SPOOD or DAWGY or WUGVO or ZAMKU. DME or RADAR required. RADAR required for procedure entry at KYKAT.	ALSF-2	MISSED APPROACH: Climb to 1500 then climbing right turn to 4000 direct FLM VOR/DME and hold.
Simultaneous approach authorized. For inop ALS, increase S-LOC 36R Cat C and D visibility to 1 1/2 SM.		

D-ATIS	CINCINNATI APP CON	CINCINNATI TOWER	GND CON	CLNC DEL	CPDLC
ARR 134.375 DEP 135.3	119.7 363.15 (090°-269°) 123.875 363.15 (270°-089°)	118.975 360.85 (RWY 18L/36R) 118.3 (RWYS 09/27, 18C/36C) 133.325 (RWY 18R/36L)	121.7	127.175	



ILS or LOC RWY 36R
CINCINNATI/NORTHERN KENTUCKY INTL (CVG)

MISSED APPROACH: Climb to 1500 then climbing right turn to 3000 via CVG R-059 to MOAKS Int/CVG 29 DME and hold.

FALMOUTH
FLM 
117.0
Chan 117

FALMOUTH
7.0 FLM 
Chan 117

(IAF) KYKAT
 I-EEI 20.8
 RADAR

6000
 006°
 186°
 7000
 287°
 (16.3)

FALMOUTH
 17.0 FLM
 Chan 117

1500
 3000
 CVG
 R-059

MOAKS
 △

VGS1 and ILS glidepath not coincident
 (VGS1 Angle 3.00/TCH 70).

KYKAT
 I-EEI 20.8
 RADAR

NUYLI I-EEI 17.6
 RADAR

LAPER I-EEI 14.5
 RADAR

TROYF I-EEI 6.3
 RADAR

I-EEI 3
 IM

I-EEI 1.8

0.1 1.1 NM 3.3 NM 5 NM 3.1 NM 3.1 NM 3.1 NM

2400 4000 5000 6000 7000

006°


Procedure
 Turn
 NA

GS 3.00°
 TCH 55


CATEGORY	A	B	C	D
S-ILS 36R		1096/18	200 (200-½)	
S-LOC 36R	1360/24	464 (500-½)	1360/50	464 (500-1)
CIRCLING	1460-1	564 (600-1)	1560-1¾ 664 (700-1¾)	1560-2 664 (700-2)


SE-1, 05 SEP 2024 to 03 OCT 2024

CINCINNATI/NORTHERN KENTUCKY INTL (KCVG)
COVINGTON, KY
ILS OR LOC RWY 36R AMDT 9
ILS FINAL
1:100K



CINCINNATI//NORTHERN KENTUCKY INTL (KCVG)
COVINGTON, KY
ILS OR LOC RWY 36R AMDT 9
LOC FINAL
1:100K





CINCINNATI//NOTHERN KENTUCKY INTL (KCVG)
COVINGTON, KY
ILS OR LOC RWY 36R AMDT 9
CIRCLING
1:100K

Circling CAT A/B CONTROL_TOWER (1159)
21-001297


Circling CAT C/D TOWER (1257)
21-070299

TROYF


LAPER

WUGVO_[UD]

CINCINNATI/NORTHERN KENTUCKY INTL (KCVG)
 COVINGTON, KY
 ILS OR LOC RWY 36R AMDT 9
 FECTA INITIAL, SPOOD, INITIAL, DAWGY INITIAL
 1:500K



CINCINNATI/NORTHERN KENTUCKY INTL (KCVG)
COVINGTON, KY
ILS OR LOC RWY 36R AMDT 9
ZAMKU INITIAL, WUGVU INITIAL, STRAIGHT INITIAL
1:500K



CINCINNATI//NOTHERN KENTUCKY INTL (KCVG)
COVINGTON, KY
ILS OR LOC RWY 36R AMDT 9
ILS MISSED / MISSED HOLDING
1:500K

Missed Level Surface TOWER (1714)
39-000369

LOC GENVE to KCVG:RW36R:AER TOWER (1109)
21-001615

LOC GENVE 7:1 Excluded Obs AAO (1145)

LOC TROYF to GENVE AAO (1129)

ZAMKU [UD]

LAPER

TROYE

WUIGVO UDI

JOBUR_[UD].

NUYLI

FECTA

SNPP

24

DAYW

SP00

FLM_2 TOWER (1440)
21-001033

CTC LEXINGTON-APP WITHIN
20 NM ON 120.75 298.9

CINCINNATI//NORTHERN KENTUCKY
INTL (KCVG)
COVINGTON, KY
ILS OR LOC RWY 36R AMDT 9
ILS RUPPP AND BRCAT INITIALS
1:500K

Initial BASJA to LAPER/Initial JOBUR to LAPER/Initial MAGTV to LAPER/Initial NUYLI to LAPER/Initial WUGVO to LAPER/Initial ZAMKU to LAPER TOWER (1237)
21-001669

Initial BRCAT to ZAMKU TOWER (1180)
21-020422

Initial RUPPP to WUGVO TOWER (1221)
21-091186

