

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Segment	Estimated Chart Date: 11/27/2025	APWS Task ID: DC93DCCB29934A36BB3D521E3983E230	APWS Project ID: BEB91ED63C324E3E97D8570012503258
Procedure: J14 IRW VORTAC, OK TO VUZ VORTAC, AL		Enroute: YES	Specialist: Garrity, Michael		Agreement Number:
Airport ID:			Airport City:		State:
Facility ID:	Facility Type:	Flight Inspection Remark Type: Hold FC Slot			
Procedure Comments: LIT VORTAC RELOCATION AIRSPACE DOCKET # 23-ASO-4 AIRWAY STARTING POINT: WILL ROGERS (IRW) VORTAC, OK: 352130.95N/0973633.22W ESV(S): (8): LITTLE ROCK (LIT) VTAC (4); VULCAN (VUZ) VTAC (2); WILL ROGERS (IRW) VTAC (2) CONTACT: ALLAN WILL, TEAM 2 SUBTEAM-C MANAGER, 405.954.6102 07/23/25: THIS IS AN UPDATED COPY OF THE FORMS DEVELOPED ON 01/30/25. 8260-16 IRW TO LIT: 1. CHANGED MRA/MEA FROM 18000 TO 21000 - IRW UNSAT BELOW 21000 PER FC RESULTS DATED 6/25/2025. 2. ADDED GNSS MEA 18000 - IRW UNSAT BELOW 21000 PER FC RESULTS DATED 6/25/2025. 8260-16 LIT TO VUZ: 1. CHANGED MRA/MEA FROM 18000 TO 22000 - LIT UNSAT BELOW 22000 PER FC RESULTS DATED 6/25/2025. 2. ADDED GNSS MEA 18000 - LIT UNSAT BELOW 22000 PER FC RESULTS DATED 6/25/2025. 8260-2 JMUCK 1. FIX MAKE-UP: CHANGED LIT MRA FROM 18000 TO 22000 - PER FC RESULTS ON 6/25/2025. 2. ESV: CHANGED LIT ESV MIN ALTITUDE FROM 18000 TO 22000 - PER FC RESULTS ON 6/25/2025. 3. REMARKS: ADDED LITTLE ROCK (FAC 1) AND SIDON (FAC 2) USED TO ESTABLISH FIX COORDINATES. 4. FIX USE: ADDED FAC 2 TO J14. 10/09/25: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 07/30/25. 8260-2 CARIN 1. UNCANCELLED FIX. 2. REMOVED J14 FROM FIX USE. 3. CHANGED CONTROLLER TO CONTROLLER HIGH IN REQUIRED CHARTING. 8260-2 VULCAN VORTAC 1. REMOVED Q30 AND Q116 FROM FIX USE.					



FIPC BASIC FORM							
PROCEDURE: J14 IRW VORTAC, OK TO VUZ VORTAC, AL			AIRPORT NAME:		AIRPORT ID:	SPECIAL CONTROL NO: OP-06-044-25	
FAC ID: J14		CITY:			ST: OK	ORIG CHART DATE: 11/27/2025	
DFL TYPE: PROC/R	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.7	REIMB. NUMBER:		PTS TASK ID: DC93DCCB29934A36BB3D521E3983E230		
PREFLIGHT NOTES							
REVIEWER: jonathan r weaver					DATE: 06/26/2025		
COMMENTS:					CHECK ONE:		
					☒ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 06/25/2025		CREW #: VN530	N #: N90	INSTRUMENT PROCEDURE STATUS: ☐ SAT ☒ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: jonathan r weaver @ 06/26/2025 08:01			PRINTED NAME: WEAVER, JONATHAN RICHARD				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: LIT VTAC/V R276 at KOMMA Sat at 21,000T LIT VTAC/T R276 at KOMMA unsat for multiple unlocks beyond 113DME at 21,000T. R105 Fix displacement unsat at 18,000T. Sat at 22,000T. IRW VTAC/T R090 at KOMMA unsat at 18,000T. Sat at 21,000T. IRW VTAC/V R090 at KOMMA unsat at 18,000T. Sat at 21,000T.							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

ESV Details

Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:J14 New INT		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: H-VOR		Frequency: M115.1		Reference Number: 23032053		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191353 - 020	105		136	180	450	
Requirement: J14 New INT (LIT ReLo)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/14/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 020	105		136	180	450	APPROVE
Requirement/Remarks: J14 New INT (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/15/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 020	105		136	180	450	APPROVE
Requirement/Remarks: J14 New INT (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/15/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 020	105					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:J14 New INT		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: TACAN		Frequency: M1185		Reference Number: 23032054		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191246 - 028	105		136	180	450	
Requirement: J14 New INT (LIT ReLo)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/14/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 028	105		136	180	450	APPROVE
Requirement/Remarks: J14 New INT (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/22/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 028	105		136	180	450	APPROVE
Requirement/Remarks: J14 New INT (LIT ReLo)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/22/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 028	105					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:KOMMA J14		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: H-VOR		Frequency: M115.1		Reference Number: 24058554		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191353 - 030	276		126	180	183	
Requirement: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATION						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:05/06/2024
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 030	276		126	180	183	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:05/07/2024	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 030	276		126	180	183	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:05/08/2024	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191353 - 030	276					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:KOMMA J14		City:LITTLE ROCK		Ident:LIT		State:AR
Type/Class: TACAN		Frequency: M1185		Reference Number: 24058555		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 191246 - 040	276		126	180	183	
Requirement: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATION						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:05/06/2024
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 040	276		126	180	183	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:05/07/2024	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 040	276		126	180	183	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:05/08/2024	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 191246 - 040	276					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:J14 New INT		City:BIRMINGHAM		Ident:VUZ		State:AL
Type/Class: H-VOR		Frequency: M114.4		Reference Number: 23032051		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 700506 - 063	282		135	180	450	
Requirement: J14 New INT (COP)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/14/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 700506 - 063	282		135	180	450	APPROVE
Requirement/Remarks: J14 New INT (COP)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Demas Tariku		Routing Symbol:			Date:03/21/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 700506 - 063	282		135	180	450	APPROVE
Requirement/Remarks: J14 New INT (COP)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/22/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 700506 - 063	282					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details


Originating Office :AJV-E24		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:J14 New INT		City:BIRMINGHAM		Ident:VUZ		State:AL
Type/Class: TACAN		Frequency: M1178		Reference Number: 23032052		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 701368 - 068	282		135	180	450	
Requirement: J14 New INT (COP)						
Signature:Lewis Jerry		Routing Symbol:AJV-E24				Date:03/14/2023
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 701368 - 068	282		135	180	450	APPROVE
Requirement/Remarks: J14 New INT (COP)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Demas Tariku		Routing Symbol:			Date:03/21/2023	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 701368 - 068	282		135	180	450	APPROVE
Requirement/Remarks: J14 New INT (COP)APPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:03/22/2023	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 701368 - 068	282					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	


ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:KOMMA J14		City:OKLAHOMA CITY		Ident:IRW		State:OK
Type/Class: H-VOR		Frequency: M114.1		Reference Number: 24058552		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 850103 - 040	90		146	180	450	
Requirement: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATION						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:05/06/2024
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 850103 - 040	90		146	180	450	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:05/07/2024	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 850103 - 040	90		146	180	450	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:05/08/2024	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 850103 - 040	90					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	

ESV Details

Originating Office :AJV-5433		Airspace Docket Number :		Request Type :Establish		
Facility Data						
Chart Name:KOMMA J14		City:OKLAHOMA CITY		Ident:IRW		State:OK
Type/Class: TACAN		Frequency: M1175		Reference Number: 24058553		
Extended Service Volume Data: (Requesting Officer)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	
FAA 850104 - 062	90		146	180	450	
Requirement: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATION						
Signature:Garrity Michael		Routing Symbol:AJV-A423				Date:05/06/2024
Extended Service Volume Data: (FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 850104 - 062	90		146	180	450	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Bowers Michael		Routing Symbol:			Date:05/07/2024	
Extended Service Volume Data: (Super FMO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 850104 - 062	90		146	180	450	APPROVE
Requirement/Remarks: KOMMA NEW DL TURN FOR J14 BETWEEN IRW AND NEW LIT LOCATIONAPPROVED. FREQ. PROTECTION & FIELD STRENGTH. PENDING FLIGHT INSPECT @ REQUIRED. DIST. & MIN ALT..						
Signature:Hughes Dennis		Routing Symbol:			Date:05/08/2024	
Extended Service Volume Data: (FIFO)						
ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 850104 - 062	90					
Requirement/Remarks:						
Signature:		Routing Symbol:			Date:	





NEW LOCATION OF LIT VORTAC

LITTLE ROCK (LIT) VORTAC
MAG VAR = 0
TRUE RADIAL = 105
MAGNETIC RADIAL = 105
DISTANCE TO DL = 135 NM

ADD DL TURN AT JMUCK
(104.8635 - 102.9380 = 1.9255 DEGREES)

VULCAN (VUZ) VORTAC
MAG VAR = 2E
TRUE RADIAL = 284
MAGNETIC RADIAL = 282
DISTANCE TO DL = 135 NM