

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 04/17/2025	APWS Task ID: DD0455E546144E87BD6E0C4B2DA5F53F	APWS Project ID: 4F01674EE2FC45CD9B1F4C37C450FB96
Procedure: COPTER RNAV (GPS) Y RWY 14 AMDT 1		Enroute: NO	Specialist: Johnsen, Daniel		Agreement Number:
Airport ID: 1B9			Airport City: MANSFIELD		State: MA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:

Major amendment using active data for 1B9 airport and runways.

Contact Allan Will, AJV-A423, (405) 954-6103.



WAAS CH 50444 W14B	APP CRS 139°	Rwy ldg TDZE 121 Apt Elev 123	2991
--	------------------------	---	-------------

OLD


COPTER RNAV (GPS) Y RWY 14

MANSFIELD MUNI (1B9)

RNP APCH - GPS.
 Procedure NA at night. Use Taunton altimeter setting.

MISSED APPROACH: Climbing left turn to 2000 direct BURDY and hold.



AWOS-3PT 118.675	TAN ASOS 132.675	BOSTON APP CON 124.1	UNICOM 123.0 (CTAF)
----------------------------	----------------------------	--------------------------------	-------------------------------



NE-1, 05 SEP 2024 to 03 OCT 2024

NE-1, 05 SEP 2024 to 03 OCT 2024

Limit final and missed approach to 70K.
 Increase to 90K upon reaching the missed approach altitude; maintain 90K while in holding.



CATEGORY	COPTER		
LP MDA	520-1	399	(400-1)
LNAV MDA	580-1	459	(500-1)

COPTER RNAV (GPS) Y RWY 14

WAAS CH 50444 W14B	APP CRS 139°	Rwy Idg TDZE 121 Apt Elev 123	2991
--	------------------------	---	-------------

COPTER RNAV (GPS) Y RWY 14

MANSFIELD MUNI (1B9)

RNP APCH - GPS.

▼ VDP NA when using OWD altimeter setting. Rwy 14 helicopter visibility reduction below 3/4 SM NA. When local altimeter setting not received, use OWD altimeter setting and increase all MDAs 40 feet.

MISSED APPROACH: Climbing left turn to 2000 direct BURDY and hold.



AWOS-3PT
118.675

BOSTON APP CON
124.1



UNICOM
123.0 (CTAF) 0

PROTOTYPE-NOT FOR NAVIGATION



Procedure NA for arrivals at MILIS on V3 and T224 northeast bound.



Increase to 90K upon reaching the missed approach altitude; maintain 90K while in holding.



ELEV 123	TDZE 121
----------	----------



CATEGORY	COPTER	
LP MDA	480-1	359 (400-1)
LNAV MDA	540-1	419 (500-1)

MIRL Rwy 14-32 0

MANSFIELD MUNI (K1B9)
MANSFIELD, MA
COPTER RNAV (GPS) Y RWY 14, A1
SCALE 1:500,000

MILIS INITIAL & INTERMEDIATE
637 MSL AAO

WAXAL INITIAL
657 MSL AAO


LNAV FINAL
274 MSL TOWER 25-024612


BURDY HOLDING
470 MSL AAO

FEEDER WOONS
792 MSL TOWER 44-000006

MA LVL SFC
355 MSL AAO

LNAV 7:1 EXCLUDED
351 MSL AAO






7:1 EXCLUDED
341 MSL TOWER 25-076364

MANSFIELD MUNI (K1B9)
MANSFIELD, MA
COPTER RNAV (GPS) Y RWY 14, A1
LP FINAL
SCALE 1:100,000

FINAL
230 MSL TREE 25-037795



MANSFIELD MUNI (K1B9)
MANSFIELD, MA
COPTER RNAV (GPS) Y RWY 14, A1
LNAV FINAL
SCALE 1:100,000

FINAL
274 MSL TOWER 25-024612

LNAV 7:1 EXCLUDED
351 MSL AAO