

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 04/17/2025	APWS Task ID: DD0455E546144E87BD6E0C4B2DA5F53F	APWS Project ID: 4F01674EE2FC45CD9B1F4C37C450FB96
Procedure: COPTER RNAV (GPS) Y RWY 14 AMDT 1		Enroute: NO	Specialist: Johnsen, Daniel		Agreement Number:
Airport ID: 1B9			Airport City: MANSFIELD		State: MA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: Major amendment using active data for 1B9 airport and runways. Contact Allan Will, AJV-A423, (405) 954-6103. 4/9/25: This is an updated copy of the form developed on 9/5/24. 1. Added "CHART NOTE: PROCEDURE NA AT NIGHT" – failed night evaluation. 8260-2: Removed fix MILIS. QUALITY 38 CHECKED QUALITY 39 CHECKED					

WAAS
CH **50444**
W14B

APP CRS
139°

Rwy Idg
TDZE **121**
Apt Elev **123**

OLD

COPTER RNAV (GPS) Y RWY 14


MANSFIELD MUNI (1B9)

RNP APCH - GPS.

Procedure NA at night. Use Taunton altimeter setting.

MISSED APPROACH: Climbing left turn to 2000 direct BURDY and hold.

AWOS-3PT 118.675	TAN ASOS 132.675	BOSTON APP CON 124.1	UNICOM 123.0 (CTAF) 0
----------------------------	----------------------------	--------------------------------	---------------------------------



Limit final and missed approach to 70K.

Increase to 90K upon reaching the missed approach altitude; maintain 90K while in holding.

ZODED		2700	139°	HASUM	1500	5.70° TCH 40	RWY 14
3 NM				2.2 NM			
CATEGORY	COPTER						
LP MDA	520-1 399 (400-1)						
LNAV MDA	580-1 459 (500-1)						

ELEV 123

TDZE 121

MIRL Rwy 14-32 0

WAAS CH 50444 W14B	APP CRS 139°	Rwy Idg 2991 TDZE 121 Apt Elev 123
--	------------------------	---

COPTER RNAV (GPS) Y RWY 14

RNP APCH - GPS.


T VDP NA when using OWD altimeter setting. Rwy 14 helicopter visibility reduction below $\frac{3}{4}$ SM NA. When local altimeter setting not received, use OWD altimeter setting and

A increase all MDAs 40 feet.

MISSED APPROACH: Climbing left turn to 2000 direct BURDY and hold.

AWOS-3PT 118.675	BOSTON APP CON 124.1	UNICOM 123.0 (CTAF) 0
----------------------------	--------------------------------	--

PROTOTYPE-NOT
FOR NAVIGATION



Increase to 90K upon reaching the missed approach altitude; maintain 90K while in holding.

MISSED APCH FIX

4 NM


012°

192°


(176°T)

(356°T)

BURDY



CATEGORY	COPTER	
LP MDA	480-1	359 (400-1)
LNAV MDA	540-1	419 (500-1)



MANSFIELD MUNI (K1B9)
MANSFIELD, MA
COPTER RNAV (GPS) Y RWY 14, A1
SCALE 1:500,000

MILIS INITIAL & INTERMEDIATE
637 MSL AAO

WAXAL INITIAL
657 MSL AAO


LNAV FINAL
274 MSL TOWER 25-024612


BURDY HOLDING
470 MSL AAO

FEEDER WOONS
792 MSL TOWER 44-000006

MA LVL SFC
355 MSL AAO

LNAV 7:1 EXCLUDED
351 MSL AAO






MANSFIELD MUNI (K1B9)
MANSFIELD, MA
COPTER RNAV (GPS) Y RWY 14, A1
LP FINAL
SCALE 1:100,000

7:1 EXCLUDED
341 MSL TOWER 25-076364

FINAL
230 MSL TREE 25-037795



MANSFIELD MUNI (K1B9)
MANSFIELD, MA
COPTER RNAV (GPS) Y RWY 14, A1
LNAV FINAL
SCALE 1:100,000

FINAL
274 MSL TOWER 25-024612

LNAV 7:1 EXCLUDED
351 MSL AAO