




Flight Procedures Cover Page	Task Action: P-NOTAM	Task Type: IAP	Estimated Chart Date: 04/17/2025	APWS Task ID: DFC35A9ED40E4EF4A9C3D89DB2EDD6B0	APWS Project ID: F272847EC02145CA95CE92B437C0ADDB
Procedure: RNAV (GPS) RWY 12 AMDT 2A		Enroute: NO	Specialist: Armentrout, Britney		Agreement Number:
Airport ID: 9D9			Airport City: HASTINGS		State: MI
Facility ID:	Facility Type:	Flight Inspection Remark Type:			
Procedure Comments: ACTIVE AIRNAV DATA USED. CLEARs NOTAM FDC 3/4281. PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION. CONTACT RAKE MCGRAW AJV-A422 405-954-8711. QUALITY 38 CHECKED QUALITY 32 CHECKED Digitally signed by PABLO ORTIZ-JR Dec 23, 2024					

WAAS CH 53326 W12A	APP CRS 129°	Rwy Idg TDZE Apt Elev 800
--	------------------------	--

RNAV (GPS) RWY 12
HASTINGS (9D9)

NA	Circling NA to Rwy's 9,18, 27 and 36. Baro-VNAV NA. DME/DME RNP-0.3 NA. Use Grand Rapids altimeter setting; when not received, use Ionia altimeter setting: increase LPV DA to 1102 feet; increase LNAV/VNAV DA to 1260 feet and all visibilities ½ SM; increase all MDA 20 feet, and LNAV visibility Cat C ⅓ SM.	MISSED APPROACH: Climb to 3000 direct DERRE and hold.
-----------	---	--

GRR ASOS 118.725	GREAT LAKES APP CON * 128.4 257.6	UNICOM 123.075 (CTAF) 0
----------------------------	---	-----------------------------------



CATEGORY	A	B	C	D
LPV DA	1087-1	287 (300-1)		NA
LNAV/VNAV DA	1245-1½	445 (500-1½)		NA
LNAV MDA	1240-1	440 (500-1)	1240-1¼ 440 (500-1¼)	NA
CIRCLING	1380-1 580 (600-1)	1420-1 620 (700-1)	1440-1¾ 640 (700-1¾)	NA

