

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name       |                           | Number          | STAR Computer Code | Superseded Number | Dated      | Effective Date                          |
|--------------------|---------------------------|-----------------|--------------------|-------------------|------------|-----------------------------------------|
| BAZBL (RNAV)       |                           | TWO             | BAZBL.BAZBL2       | ONE               | 10/31/2024 |                                         |
| TRANSITION ROUTES: |                           |                 |                    |                   |            |                                         |
| Transition Name    | Transition Computer Codes | From FIX/NAVAID | To FIX/NAVAID      | Course            | Distance   | MEA MOCA MAA Crossing Altitudes / Fixes |
| BGOHH              | BGOHH.BAZBL2              | BGOHH           | BGOHH              |                   |            |                                         |
|                    |                           |                 | MUFNN              | 094.05            | 54.48      | 8000 3100                               |
|                    |                           |                 | HOMRN              | 093.19            | 77.76      | 8000 3100                               |
|                    |                           |                 | GOHAN              | 134.54            | 09.28      | 8000 3000                               |
|                    |                           |                 | BAZBL              | 134.60            | 06.00      | 8000 3000                               |
| ELLVR              | ELLVR.BAZBL2              | ELLVR           | ELLVR              |                   |            |                                         |
|                    |                           |                 | GOZDA              | 162.12            | 28.19      | 8000 3100 AT/BELOW FL230                |
|                    |                           |                 | HOMRN              | 135.22            | 34.20      | 8000 3100                               |
|                    |                           |                 | GOHAN              | 134.54            | 09.28      | 8000 3000                               |
|                    |                           |                 | BAZBL              | 134.60            | 06.00      | 8000 3000                               |
| GOZDA              | GOZDA.BAZBL2              | GOZDA           | GOZDA              |                   |            | AT/BELOW FL230                          |
|                    |                           |                 | HOMRN              | 135.22            | 34.20      | 8000 3100                               |
|                    |                           |                 | GOHAN              | 134.54            | 09.28      | 8000 3000                               |
|                    |                           |                 | BAZBL              | 134.60            | 06.00      | 8000 3000                               |
| HOMRN              | HOMRN.BAZBL2              | HOMRN           | HOMRN              |                   |            |                                         |
|                    |                           |                 | GOHAN              | 134.54            | 09.28      | 8000 3000                               |
|                    |                           |                 | BAZBL              | 134.60            | 06.00      | 8000 3000                               |
| ILEXY              | ILEXY.BAZBL2              | ILEXY           | ILEXY              |                   |            |                                         |
|                    |                           |                 | BEANE              | 062.97            | 37.33      | 8000 3000                               |
|                    |                           |                 | TEDYP              | 080.98            | 12.95      | 8000 3000                               |
|                    |                           |                 | BAZBL              | 081.11            | 06.00      | 8000 3000                               |
| MUFNN              | MUFNN.BAZBL2              | MUFNN           | MUFNN              |                   |            |                                         |
|                    |                           |                 | HOMRN              | 093.19            | 77.76      | 8000 3100                               |
|                    |                           |                 | GOHAN              | 134.54            | 09.28      | 8000 3000                               |
|                    |                           |                 | BAZBL              | 134.60            | 06.00      | 8000 3000                               |
| STYCK              | STYCK.BAZBL2              | STYCK           | STYCK              |                   |            | AT/BELOW FL190                          |



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

|                 |                           |                 |               |                    |          |                   |      |     |                            |                |
|-----------------|---------------------------|-----------------|---------------|--------------------|----------|-------------------|------|-----|----------------------------|----------------|
| Arrival Name    |                           |                 | Number        | STAR Computer Code |          | Superseded Number |      |     | Dated                      | Effective Date |
| BAZBL (RNAV)    |                           |                 | TWO           | BAZBL.BAZBL2       |          | ONE               |      |     | 10/31/2024                 |                |
| Transition Name | Transition Computer Codes | From FIX/NAVAID | To FIX/NAVAID | Course             | Distance | MEA               | MOCA | MAA | Crossing Altitudes / Fixes |                |
|                 |                           |                 | HOMRN         | 216.89             | 23.20    | 8000              | 3100 |     |                            |                |
|                 |                           |                 | GOHAN         | 134.54             | 09.28    | 8000              | 3000 |     |                            |                |
|                 |                           |                 | BAZBL         | 134.60             | 06.00    | 8000              | 3000 |     |                            |                |

ARRIVAL ROUTE DESCRIPTION:

LANDING DWH/T78/CXO/6R3: FROM BAZBL ON TRACK 129.22/12.97 TO MPORT, THEN ON TRACK 136.80/9.00 TO MTRSS, THEN ON TRACK 136.80. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING IAH RWY 8L/R, 9, 15L/R, 26L/R, 27, 33L/R: FROM BAZBL ON TRACK 129.22/12.97 TO MPORT, THEN ON TRACK 136.81/31.27 TO DOMNO, THEN ON TRACK 086.92/13.36 TO SKLER, THEN ON TRACK 086.92. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: GOZDA, HOMRN, MUFNN TRANSITIONS- DO NOT FILE-TO BE ASSIGNED BY ATC.

NOTE: IAH LANDING EAST EXPECT RADAR VECTORS PRIOR TO DOMNO.

NOTE: LANDING IAH: TURBOPROP AND PISTON AIRCRAFT ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT ARNNE: HOLD NW, RT, 134.93 INBOUND, 15 NM LEGS.

CHART HOLDING AT BGOHH: HOLD W, RT, 094.05 INBOUND, 12 NM LEGS.

CHART HOLDING AT ELLVR: HOLD N, RT, 162.12 INBOUND, 12 NM LEGS.

CHART HOLDING AT MUFNN: HOLD W, RT, 094.05 INBOUND, 12 NM LEGS.

COMMUNICATIONS:

AIRPORTS SERVED:

| AIRPORT ID | CITY      | STATE |
|------------|-----------|-------|
| 6R3        | CLEVELAND | TX    |
| CXO        | HOUSTON   | TX    |
| DWH        | HOUSTON   | TX    |
| IAH        | HOUSTON   | TX    |
| T78        | LIBERTY   | TX    |

LOST COMMUNICATIONS PREFERENCES:



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| BAZBL (RNAV) | TWO    | BAZBL.BAZBL2       | ONE               | 10/31/2024 |                |

**REMARKS:**  
LOWEST ASSIGNED ATC ALTITUDE AT MTRSS AND SKLER, 4000.  
2049 MSL TWR (48-001922 DRIVES 3100 FT MOCA VALUES AND 1982 MSL TWR (48-004538) DRIVES 3000 FT MOCA VALUES FOR ENROUTE TRANSITIONS.  
8260-17.2 PDF EDIT TO REMOVE +4000 ALTITUDE RESTRICTION AT SKLER.

**ADDITIONAL FLIGHT DATA:**  
DME/DME ASSESSMENT: SAT (RNP 2.0)  
MAG VAR: IAH 03E/2015  
CHART AT MTRSS TERMINUS: LDG DWH/T78/CXO/6R3  
CHART AT SKLER TERMINUS: LDG IAH RWY 8L/R, 9, 15L/R, 26L/R, 27, 33L/R

|                                                        |                      |              |                             |       |
|--------------------------------------------------------|----------------------|--------------|-----------------------------|-------|
| <b>FLIGHT INSPECTED BY:</b>                            | <b>ORGANIZATION:</b> | <b>DATE:</b> | Flight Inspected Signature: | _____ |
| <b>DEVELOPED BY:</b>                                   |                      |              | Developed By Signature:     | _____ |
| DAVE MULLINAX, SUPPORT MANAGER AIRSPACE AND PROCEDURES | TCHU1-ZHU            | 06/10/2026   | Approved By Signature:      | _____ |
| <b>APPROVED BY:</b>                                    |                      |              |                             |       |
| TARA MARTINELLI (MANAGER)                              | AJV-A421             |              |                             |       |

**CHANGES:**  
1. ADDED GOZDA ENROUTE TRANSITION.  
2. REFORMATTED ATC ASSIGNED ONLY NOTES AND ADDED GOZDA.  
3. ADDED ASSIGNED ALTITUDES TO REMARKS.  
4. ADDED OBST DATA TO REMARKS.  
5. REFORMATTED ARRIVAL INSTRUCTIONS.


**REASONS:**  
1. ATC REQUEST.  
3. AFS MEMO DATED 18 JULY 2023.  
4. INFORMATION FOR FUTURE DEVELOPMENT.  
2, 5. EASIER READABILITY.

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| BAZBL (RNAV) | TWO    | BAZBL.BAZBL2       | ONE               | 10/31/2024 |                |


Graphic Depiction 1



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name        | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|---------------------|--------|--------------------|-------------------|------------|----------------|
| BAZBL (RNAV)        | TWO    | BAZBL.BAZBL2       | ONE               | 10/31/2024 |                |
| Graphic Depiction 2 |        |                    |                   |            |                |




FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| BAZBL (RNAV) | TWO    | BAZBL.BAZBL2       | ONE               | 10/31/2024 |                |

Graphic Depiction 3



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>BAZBL (RNAV) | Number<br>TWO            |          | STAR Computer Code<br>BAZBL.BAZBL2 |                     | Superseded Number<br>ONE |                      | Dated<br>10/31/2024 |              | Effective Date |
|------------------------------|--------------------------|----------|------------------------------------|---------------------|--------------------------|----------------------|---------------------|--------------|----------------|
| <u>FIX/NAVAID</u>            | <u>LAT/LONG</u>          | <u>C</u> | <u>FO/FB</u>                       | <u>LEG<br/>TYPE</u> | <u>TC</u>                | <u>DIST<br/>(NM)</u> | <u>ALTITUDE</u>     | <u>SPEED</u> | <u>REMARKS</u> |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| BGOHH                        | 310527.74N / 0984802.34W | Y        |                                    | IF                  |                          |                      |                     |              | BGOHH.BAZBL2   |
| MUFNN                        | 305830.18N / 0974508.67W | Y        | FB                                 | TF                  | 097.05                   | 54.48                |                     |              |                |
| HOMRN                        | 304934.68N / 0961521.47W | Y        | FB                                 | TF                  | 096.19                   | 77.76                |                     |              |                |
| GOHAN                        | 304242.74N / 0960805.46W | Y        | FB                                 | TF                  | 137.54                   | 09.28                |                     |              |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y        | FB                                 | TF                  | 137.60                   | 06.00                |                     |              |                |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| ELLVR                        | 314229.22N / 0965016.05W | Y        |                                    | IF                  |                          |                      |                     |              | ELLVR.BAZBL2   |
| GOZDA                        | 311510.96N / 0964149.42W | Y        | FB                                 | TF                  | 165.12                   | 28.19                | AT/BELOW FL230      |              |                |
| HOMRN                        | 304934.68N / 0961521.47W | Y        | FB                                 | TF                  | 138.22                   | 34.20                |                     |              |                |
| GOHAN                        | 304242.74N / 0960805.46W | Y        | FB                                 | TF                  | 137.54                   | 09.28                |                     |              |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y        | FB                                 | TF                  | 137.60                   | 06.00                |                     |              |                |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| GOZDA                        | 311510.96N / 0964149.42W | Y        |                                    | IF                  |                          |                      | AT/BELOW FL230      |              | GOZDA.BAZBL2   |
| HOMRN                        | 304934.68N / 0961521.47W | Y        | FB                                 | TF                  | 138.22                   | 34.20                |                     |              |                |
| GOHAN                        | 304242.74N / 0960805.46W | Y        | FB                                 | TF                  | 137.54                   | 09.28                |                     |              |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y        | FB                                 | TF                  | 137.60                   | 06.00                |                     |              |                |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| HOMRN                        | 304934.68N / 0961521.47W | Y        |                                    | IF                  |                          |                      |                     |              | HOMRN.BAZBL2   |
| GOHAN                        | 304242.74N / 0960805.46W | Y        | FB                                 | TF                  | 137.54                   | 09.28                |                     |              |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y        | FB                                 | TF                  | 137.60                   | 06.00                |                     |              |                |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| ILEXY                        | 302110.00N / 0970445.46W | Y        |                                    | IF                  |                          |                      |                     |              | ILEXY.BAZBL2   |
| BEANE                        | 303618.52N / 0962514.77W | Y        | FB                                 | TF                  | 065.97                   | 37.33                |                     |              |                |



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>BAZBL (RNAV) |                          | Number<br>TWO |              | STAR Computer Code<br>BAZBL.BAZBL2 |           | Superseded Number<br>ONE |                 | Dated<br>10/31/2024 | Effective Date |
|------------------------------|--------------------------|---------------|--------------|------------------------------------|-----------|--------------------------|-----------------|---------------------|----------------|
| <u>FIX/NAVAID</u>            | <u>LAT/LONG</u>          | <u>C</u>      | <u>FO/FB</u> | <u>LEG<br/>TYPE</u>                | <u>TC</u> | <u>DIST<br/>(NM)</u>     | <u>ALTITUDE</u> | <u>SPEED</u>        | <u>REMARKS</u> |
| TEDYP                        | 303739.32N / 0961019.19W | Y             | FB           | TF                                 | 083.98    | 12.95                    |                 |                     |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y             | FB           | TF                                 | 084.11    | 06.00                    |                 |                     |                |
| En Route Transition          |                          |               |              |                                    |           |                          |                 |                     |                |
| MUFNN                        | 305830.18N / 0974508.67W | Y             |              | IF                                 |           |                          |                 |                     | MUFNN.BAZBL2   |
| HOMRN                        | 304934.68N / 0961521.47W | Y             | FB           | TF                                 | 096.19    | 77.76                    |                 |                     |                |
| GOHAN                        | 304242.74N / 0960805.46W | Y             | FB           | TF                                 | 137.54    | 09.28                    |                 |                     |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y             | FB           | TF                                 | 137.60    | 06.00                    |                 |                     |                |
| En Route Transition          |                          |               |              |                                    |           |                          |                 |                     |                |
| STYCK                        | 310726.45N / 0955804.65W | Y             |              | IF                                 |           |                          | AT/BELOW FL190  |                     | STYCK.BAZBL2   |
| HOMRN                        | 304934.68N / 0961521.47W | Y             | FB           | TF                                 | 219.89    | 23.20                    |                 |                     |                |
| GOHAN                        | 304242.74N / 0960805.46W | Y             | FB           | TF                                 | 137.54    | 09.28                    |                 |                     |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y             | FB           | TF                                 | 137.60    | 06.00                    |                 |                     |                |
| Common Route                 |                          |               |              |                                    |           |                          |                 |                     |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y             |              | IF                                 |           |                          |                 |                     | BAZBL.BAZBL2   |
| MPORT                        | 302931.68N / 0955217.22W | Y             | FB           | TF                                 | 132.22    | 12.97                    |                 |                     |                |
| Common Route                 |                          |               |              |                                    |           |                          |                 |                     |                |
| BAZBL                        | 303816.18N / 0960324.10W | Y             |              | IF                                 |           |                          |                 |                     | BAZBL.BAZBL2   |
| MPORT                        | 302931.68N / 0955217.22W | Y             | FB           | TF                                 | 132.22    | 12.97                    |                 |                     |                |
| MTRSS                        | 302238.06N / 0954534.32W | Y             | FO           | TF                                 | 139.80    | 09.00                    |                 |                     |                |
| K6R3,KCXO,KDWH,<br>KT78      |                          |               |              | FM                                 | 139.80    |                          |                 |                     |                |



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name                                                                    |                          | Number   |              | STAR Computer Code        |           | Superseded Number          |                 | Dated        | Effective Date |
|---------------------------------------------------------------------------------|--------------------------|----------|--------------|---------------------------|-----------|----------------------------|-----------------|--------------|----------------|
| BAZBL (RNAV)                                                                    |                          | TWO      |              | BAZBL.BAZBL2              |           | ONE                        |                 | 10/31/2024   |                |
| <u>FIX/NAVAID</u>                                                               | <u>LAT/LONG</u>          | <u>C</u> | <u>FO/FB</u> | <u>LEG</u><br><u>TYPE</u> | <u>TC</u> | <u>DIST</u><br><u>(NM)</u> | <u>ALTITUDE</u> | <u>SPEED</u> | <u>REMARKS</u> |
| Runway Transition                                                               |                          |          |              |                           |           |                            |                 |              |                |
| MPORT                                                                           | 302931.68N / 0955217.22W | Y        |              | IF                        |           |                            |                 |              |                |
| DOMNO                                                                           | 300533.28N / 0952901.63W | Y        | FB           | TF                        | 139.81    | 31.27                      |                 |              |                |
| SKLER                                                                           | 300533.56N / 0951337.25W | Y        | FO           | TF                        | 089.92    | 13.36                      |                 |              |                |
| KIAH:RWY 8L,RWY 8R,RWY 9,RWY 15L,RWY 15R,RWY 26L,RWY 26R,RWY 27,RWY 33L,RWY 33R |                          |          |              | FM                        | 089.92    |                            |                 |              |                |

