

Flight Procedures Cover Page	Task Action: Abbreviated Amendment	Task Type: IAP	Estimated Chart Date: 10/02/2025	APWS Task ID: E7EBEBD41CF94E0499A87A5C7CF131B0	APWS Project ID: A4E453CD895F4F0DA73D475BC0179F2E
Procedure: LOC RWY 24 AMDT 1A		Enroute: NO	Specialist: Ferreira, Giorgia		Agreement Number:
Airport ID: KLNP			Airport City: WISE		State: VA
Facility ID:	Facility Type:	Flight Inspection Remark Type:			

Procedure Comments:
LNP, VA *** 28 Day Tracker Review #26193 *** RW24 VGSI TCH changed from 36.4 to 31.9. --
Clear NOTAMs FDC 4/2505 and FDC 4/1307.
Contact David Danner (405)954-5077.

8260-2 JUBTO
07/10/2025: THIS IS A CORRECT COPY OF THE FORM APPROVED ON 06/26/2025.
FIX USE: ADDED PAT 1 TO KLNP RNAV (GPS) RWY 24.




LOC I-OWN 110.7 Chan 44	APP CRS 242°	Rwy Ldg TDZE Apt Elev 5131 2685 2685
---	------------------------	--


LOC RWY 24
LONESOME PINE (LNP)


RNP APCH - GPS.	ODALS 	MISSED APPROACH: Climb to 3300 then climbing right turn to 4600 direct JUBTO INT/12.6 DME and hold.
DME required.		
Rwy 24 helicopter visibility reduction below 1 SM NA. NA Procedure NA at night.		

AWOS-3 118.6	INDIANAPOLIS CENTER 126.575 257.85	UNICOM 123.0 (CTAF) 0
------------------------	--	---------------------------------



ELEV 2685	TDZE 2685
-----------	-----------



3300 		4600 		JUBTO INT		VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 32).		One Minute Holding Pattern	
Use I-OWN DME when on the localizer course.									
									
CATEGORY	A		B		C		D		
S-LOC 24	3160-1 475 (500-1)				3160-1¼ 475 (500-1¼)				
 CIRCLING	3240-1 555 (600-1)		3360-1 675 (700-1)		3380-2 695 (700-2)		3580-2¾ 895 (900-2¾)		

LOC I-OWN
110.7
Chan **44**

APP CRS
242°

Rwy Idg
TDZE
Apt Elev
5131
2684
2684

OLD

LOC RWY 24
LONESOME PINE (LNP)

DME required. RNAV 1-GPS required.


NA

Circling to Rwy 6 NA at night. Rwy 24 helicopter visibility reduction below ¾ SM NA.


ODALS

MISSED APPROACH: Climb to 3300 then climbing right turn to 4600 direct JUBTO and hold.

AWOS-3 118.6	INDIANAPOLIS CENTER 126.575 257.85	UNICOM 123.0 (CTAF) 0
------------------------	--	--



ELEV 2684	TDZE 2684
-----------	-----------



3300

4600

JUBTO INT

Use I-OWN DME when on the localizer course.

JUBTO INT I-OWN 12.6

CUXOR I-OWN 4

I-OWN 2.3

I-OWN 0.9

3700

6000

4600

1.4 NM

1.7 NM

8.6 NM

CATEGORY	A	B	C	D
S-LOC 24	3160-1	476 (500-1)	3160-1¼	476 (500-1¼)
CIRCLING	3240-1 556 (600-1)	3360-1 676 (700-1)	3360-2 676 (700-2)	3560-2¾ 876 (900-2¾)

NE-3, 20 MAR 2025 to 17 APR 2025

NE-3, 20 MAR 2025 to 17 APR 2025

AIRPORT ID: KLNP
AIRPORT NAME: LONESOME PINE
CITY/STATE: WISE, VA
PROCEDURE: LOC RWY 24
AMDT: 1A
SCALE: 1:100,000
FINAL

Missed Level Surface AAO (3166)

LOC CUXOR to KLNP RW24 AER VEG (2856)

