Flight Procedures Cover Page	Task Action: Amendment	Task Type: DVA	Estimated Chart Date: 10/02/2025	APWS Task ID: EA7F9CB714E440F4B9FF300A5F609F27	APWS Project ID: 82E0857AE77847D5B225CFCEF4CDA6B7
		Enroute: NO	Specialist: Strobach, Ronald		Agreement Number:
Airport ID: S50			Airport City: AUBURN		State: WA
Facility ID:	Facility Type:	Flight Inspection Remark Type:			

Procedure Comments:

ACTIVE AIRNAV DATA USED FOR KS50 AND RUNWAY.

CANCELS T-NOTAM 4/5682.

RWY NUMBERS CHANGED FROM RWY 16/34 TO RWY 17/35.

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.

CONTACT CASIMIR L. TABAKA, AJV-A432, 405-954-7931.



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND **DIVERSE VECTOR AREA (RADAR VECTORS)**

25051 ASTORIA, OR (CON'T)

ASTORIA RGNL (AST) (CON'T)
Rwy 26 (CON'T), tree 5241' from DER, 1316' left of centerline, 165' MSL. Trees beginning 5434' from DER, 1603' left of centerline, up to 171' MSL.

Tree 5893' from DER, 1752' left of centerline, 173' MSL.

Trees beginning 6051' from DER, 1803' left of centerline, up to 174' AGL/182' MSL.

Antenna 1 NM from DER, 1558' right of centerline, 164' AGL/173' MSL.

Rwy 32, vehicles, trees, fence beginning 2' from DER, 231' left of centerline, up to 46' MSL.

AUBURN, WA

AUBURN MUNI (\$50)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 16MAY24 (24137) (FAA)

TAKEOFF MINIMUMS:

Use VAMPS (RNAV) DEPARTURE.

TAKEOFF OBSTACLE NOTES:

Rwy 17, buildings, fences, trees, signs beginning 15' from DER, on centerline, up to 36' AGL/102' MSL.

Fences beginning 57' from DER, 157' left of centerline, up to 7' AGL/72' MSL.

Building 88' from DER, 342' left of centerline, 25' AGL/90' MSL

Poles, vegetation, building beginning 111' from DER, 124' left of centerline, up to 35' AGL/102' MSL

Sign, antenna, buildings, poles, tree beginning 176' from DER, 48' left of centerline, up to 40' AGL/108' MSL.

Tree 232' from DER, 319' right of centerline, 39' AGL/106' MSL

Trees, poles, signs, buildings, antenna beginning 237' from DER, 5' right of centerline, up to 60' AGL/130' MSL.

Poles, trees, buildings beginning 254' from DER, 46' left of centerline, up to 40' AGL/109' MSL

Trees, poles, vegetation, buildings, signs beginning 440' from DER, 43' left of centerline, up to 44' AGL/113' MSL.

Building 1353' from DER, 167' left of centerline, 46' AGL/118' MSL

Buildings beginning 1353' from DER, 161' left of centerline, up to 53' AGL/126' MSL. Trees beginning 1710' from DER, 229' right of centerline, up to 105' AGL/173' MSL.

Tree 1732' from DER, 327' left of centerline, 57' AGL/130' MSL

Tree 2682' from DER, 1176' left of centerline, 90' AGL/165' MSL.

Rwy 35, buildings, trees beginning 6' from DER, 262' left of centerline, up to 45' AGL/97' MSL.

Buildings beginning 76' from DER, 324' right of centerline, up to 19' AGL/73' MSL.

Tree 321' from DER, 561' right of centerline, 43' AGL/95' MSL.

Trees, poles beginning 321' from DER, 115' right of centerline, up to 48' AGL/102' MSL.

Trees beginning 325' from DER, 454' left of centerline, up to 58' AGL/113' MSL

Trees, poles, building beginning 329' from DER, 14' left of centerline, up to 61' AGL/117' MSL.

Buildings, trees, pole beginning 394' from DER, 72' right of centerline, up to 47' AGL/103' MSL. Trees beginning 692' from DER, 570' right of centerline, up to 50' AGL/107' MSL.

Tree 887 from DER, 557' right of centerline, 54' AGL/109' MSL. Vertical point 1440' from DER, 318' right of centerline, 77' AGL/128' MSL

Transmission line 1450' from DER, 487' right of centerline, 105' AGL/156' MSL. Transmission line 1458' from DER, 518' left of centerline, 102' AGL/154' MSL

Transmission line beginning 1561' from DER, 479' right of centerline, up to 137' AGL/192' MSL

Transmission line, vertical point, tree beginning 1578' from DER, 368' left of centerline, up to 122' AGL/176' MSL.

DIVERSE VECTOR AREA (RADAR VECTORS)

AMDT 1 10NOV16 (16315) (FAA)

Rwy 16, heading as assigned by ATC; requires minimum climb of 270' per NM to 1000.

Rwy 34, heading as assigned by ATC; requires minimum climb of 390' per NM to 800.

AURORA, OR

AURORA STATE (UAO)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 3 15DEC11 (11349) (FAA)

TAKEOFF MINIMUMS:

Rwy 17, std. w/min. climb of 292'per NM to 2100 or 1500-21/2 for climb in visual conditions.

Rwy 35, std. w/min. climb of 312 per NM to 2100 or 1500-21/2 for climb in visual conditions.

DEPARTURE PROCEDURE:

Rwy 17, climbing right turn, thence ... Or for climb in visual conditions cross Aurora State airport at or above 1500 thence ... Rwy 35, climbing left turn, thence ... Or for climb in visual conditions cross Aurora State airport at or above 1500 thence Aircraft departing on V23 intercept BTG R-175 and climb on course. All others proceed direct UBG VOR/DME and Hold (hold South, left turns, 003° Inbound) continue climb in hold to cross UBG VOR/DME at or above MEA for direction of flight before proceeding on course

TAKEOFF OBSTACLE NOTES:

Rwy 17, trees beginning 31' from DER, 246' right of centerline, up to 87' AGL/316' MSL.

Tree 2270' from DER, 836' left of centerline, 87' AGL/303' MSL

Vehicle on road 254' from DER, 349' left of centerline, 16' AGL/209' MSL.

Rwy 35, trees beginning 30' from DER, 163' left of centerline, up to 65' AGL/329' MSL.

Vehicle on road 212' from DER, 390' left of centerline, 16' AGL/212' MSL.

Trees 973' from DER, 281' right of centerline, up to 65' AGL/253' MSL.





20 MAR 2025 to 17 APR 2025



