

DME DME Assessment Results for EMZOH4 path RGOOD_HIRMO

Results Summary	
Flyability:	Completed
DME/DME:	Completed - No Critical DMEs
Name:	Mark A-CTR Tellier
Project File:	C:\Users\Mark A-CTR Tellier\Desktop\Projects - TM\OAK\KOAK EMZOH PTT32873 -TM101 - DMEdme.tgs
Output File:	C:\Users\Mark A-CTR Tellier\Desktop\Projects - TM\OAK\ESV\EMZOH\KOAK [IFPA] EMZOH4 20240908_1628 PDT\RGOOD_HIRMO\KOAK EMZOH4 RNAV STAR RGOOD HIRMO 20240908_1628 PDT.pdf
Procedure Name:	EMZOH4
Software: DmeDmePlugin:	7.3.3
Date/Time:	09/08/2024 16:28 PDT
Databases:	MITRE 3DEP 3 arcsec

Failures
No Failures

Warnings
No Warnings

Informational
No Informational

Notes For Flight Check
None

Flight Plan							
Name	Type	Lat/Lon	Altitude (ft)	VNAV Mode	Ground Speed (kts)	Turn Type	Leg Type
RGOOD	WP	N35° 54' 32.01", W119° 50' 40.77"	22000	VNAV	280	FLY_BY	TF
EMZOH	WP	N36° 32' 07.99", W120° 35' 37.79"	22000	VNAV	280	FLY_BY	TF
MYJAW	WP	N36° 46' 26.36", W120° 51' 30.06"	22000	VNAV	280	FLY_BY	TF
SKIZM	WP	N37° 07' 54.63", W121° 15' 24.76"	15000	VNAV	280	FLY_BY	TF
EMAAA	WP	N37° 19' 06.65", W121° 21' 39.83"	11000	VNAV	280	FLY_BY	TF
WNDML	WP	N37° 30' 18.32", W121° 27' 56.75"	9000	VNAV	240	FLY_BY	TF
FOOTO	WP	N37° 41' 29.64", W121° 34' 15.31"	7000	VNAV	240	FLY_BY	TF
KEENR	WP	N37° 53' 50.51", W121° 44' 09.87"	7000	VNAV	240	FLY_BY	TF
LOHGN	WP	N37° 54' 54.79", W121° 57' 33.96"	6000	VNAV	200	FLY_BY	TF
WHYEE	WP	N37° 55' 14.63", W122° 02' 36.22"	5000	VNAV	200	FLY_BY	TF
HIRMO	WP	N37° 55' 39.54", W122° 08' 54.06"	4000	VNAV	200	FLY_OVER	TF

DME DME Assessment Results for EMZOH4 path RGOOD_HIRMO

Flyability	
Flight Type:	RNAV STAR
Selected Airport:	KOAK [IFPA]
Climb Gradient:	None assigned
Speeds:	200 Ground Speed to 11000 FT
	240 Ground Speed to 18000 FT
	260 Ground Speed to 24000 FT
	340 Ground Speed above 24000 FT
Descent During a Turn:	Allowed
VNAV Mode:	Flight Plan

DME/DME	
RNP:	RNP 2
Flight Mode:	Manual
Line of Sight (DTED Level 0 Max):	Evaluated
Inertial Drift:	Enabled
Initial Drift:	0.558 NM
INS Drift Rate:	8.0 NM/Hour
Range Mode:	OSV
RNP Edges:	Evaluated
Min DME Range:	3.0 NM
DME Types:	DME, VOR-DME, VORTAC
DME Include Angles:	30 to 150
Critical DMEs:	Allowed
DoD Facilities:	Not included
Foreign Facilities:	Not included
High DMEs:	Included
Low DMEs:	Included
Terminal DMEs:	Included
Flight Check DMEs:	Not selected
Higher Altitudes:	Not Evaluated
Near Maximum Altitude:	Not Evaluated
Automatic ESVs:	Not enabled
Disabled DMEs:	None

DME DME Assessment Results for EMZOH4 path RGOOD_HIRMO

DME/DME (Continued)										
DMEs Used										
#	Name	Lat/Lon	MAGVAR	Range	Type	Source	Critical	Status	Time	Distance
1	LIN	N38° 04' 28.49", W121° 00' 13.89"	17.0 E	130	DH	IFPA	NO	Enabled		
2	SWR	N39° 10' 49.16", W120° 16' 10.60"	16.0 E	130	DH	IFPA	NO	Enabled		
3	SFO	N37° 37' 10.15", W122° 22' 26.02"	17.0 E	40	L	IFPA	NO	Enabled		
4	EHF	N35° 29' 04.40", W119° 05' 50.26"	14.0 E	130	H	IFPA	NO	Enabled		
5	PMD	N34° 37' 53.03", W118° 03' 49.76"	15.0 E	130	H	IFPA	NO	Enabled		
6	OAK	N37° 43' 33.33", W122° 13' 24.93"	17.0 E	130	DH	IFPA	NO	Enabled		
7	SAU	N37° 51' 19.20", W122° 31' 21.91"	17.0 E	40	L	IFPA	NO	Enabled		
8	RZS	N34° 30' 34.32", W119° 46' 15.56"	14.0 E	130	H	IFPA	NO	Enabled		
9	PXN	N36° 42' 55.65", W120° 46' 43.26"	16.0 E	40	L	IFPA	NO	Enabled		
10	MOD	N37° 37' 38.55", W120° 57' 28.33"	17.0 E	130	DH	IFPA	NO	Enabled		
11	OSI	N37° 23' 33.65", W122° 16' 54.63"	17.0 E	40	L	IFPA	NO	Enabled		
12	SAC	N38° 26' 37.46", W121° 33' 05.95"	17.0 E	130	H	IFPA	NO	Enabled		
13	AVE	N35° 38' 49.11", W119° 58' 42.98"	16.0 E	130	DH	IFPA	NO	Enabled		
14	HYP	N37° 13' 09.96", W120° 24' 00.79"	15.0 E	40	L	IFPA	NO	Enabled		
15	SGD	N38° 10' 45.70", W122° 22' 23.35"	17.0 E	130	H	IFPA	NO	Enabled		
16	WVI	N36° 56' 21.13", W121° 47' 07.60"	0.0 E	40	L	IFPA	NO	Enabled		
17	SJC	N37° 22' 28.96", W121° 56' 40.81"	16.0 E	40	L	IFPA	NO	Enabled		
18	LHS	N34° 40' 58.70", W118° 34' 36.98"	15.0 E	130	H	IFPA	NO	Enabled		
19	GVO	N34° 31' 52.75", W120° 05' 27.92"	16.0 E	130	H	IFPA	NO	Enabled		
20	CCR	N38° 02' 41.71", W122° 02' 42.75"	17.0 E	25	T	IFPA	NO	Enabled		
21	TTE	N35° 54' 46.98", W119° 01' 14.91"	16.0 E	130	DH	IFPA	NO	Enabled		
22	SNS	N36° 39' 49.81", W121° 36' 11.46"	17.0 E	130	H	IFPA	NO	Enabled		
23	PYE	N38° 04' 47.12", W122° 52' 04.18"	17.0 E	130	DH	IFPA	NO	Enabled		

DME DME Assessment Results for EMZOH4 path RGOOD_HIRMO

Flight Check DME Selection						
Distance [NM]	Selected DMEs					Alternate
0.0	EHF [IFPA]	AVE [IFPA]	TTE [IFPA]	RZS [IFPA]	GVO [IFPA]	SNS [IFPA]
6.3	AVE [IFPA]	TTE [IFPA]	GVO [IFPA]	EHF [IFPA]	SNS [IFPA]	MOD [IFPA]
58.4	MOD [IFPA]	SNS [IFPA]	LIN [IFPA]	AVE [IFPA]	SAC [IFPA]	TTE [IFPA]
98.8	SJC [IFPA]	MOD [IFPA]	OAK [IFPA]	SNS [IFPA]	LIN [IFPA]	PXN [IFPA]
103.0	OAK [IFPA]	MOD [IFPA]	SJC [IFPA]	LIN [IFPA]	PXN [IFPA]	WVI [IFPA]
105.2	OAK [IFPA]	MOD [IFPA]	SJC [IFPA]	LIN [IFPA]	SNS [IFPA]	WVI [IFPA]
105.4	OAK [IFPA]	MOD [IFPA]	SJC [IFPA]	LIN [IFPA]	WVI [IFPA]	PYE [IFPA]
113.9	OAK [IFPA]	LIN [IFPA]	SJC [IFPA]	MOD [IFPA]	PYE [IFPA]	
121.4	OAK [IFPA]	LIN [IFPA]	PYE [IFPA]	MOD [IFPA]		
121.7	OAK [IFPA]	LIN [IFPA]	PYE [IFPA]	MOD [IFPA]	SJC [IFPA]	
123.7	OAK [IFPA]	LIN [IFPA]	PYE [IFPA]	MOD [IFPA]		
123.9	OAK [IFPA]	LIN [IFPA]	PYE [IFPA]	MOD [IFPA]	SJC [IFPA]	
127.7	PYE [IFPA]	LIN [IFPA]	OAK [IFPA]	SWR [IFPA]	MOD [IFPA]	
167.5	SJC [IFPA]	LIN [IFPA]	SAU [IFPA]	OSI [IFPA]	PYE [IFPA]	CCR [IFPA]
168.1	SJC [IFPA]	SAU [IFPA]	CCR [IFPA]	PYE [IFPA]	OSI [IFPA]	SFO [IFPA]

Inertial Drift Segments			
#	Start Location	End Location	Length [NM]

Available DMEs by Waypoints			
Waypoint Before	Waypoint After	DME List	Suggested DMEs
RGOOD	EMZOH	LIN [IFPA], EHF [IFPA], PMD [IFPA], OAK [IFPA], RZS [IFPA], MOD [IFPA], LHS [IFPA], GVO [IFPA], TTE [IFPA], SAC [IFPA], SNS [IFPA], AVE [IFPA]	
EMZOH	MYJAW	LIN [IFPA], EHF [IFPA], OAK [IFPA], SGD [IFPA], MOD [IFPA], GVO [IFPA], TTE [IFPA], SAC [IFPA], SNS [IFPA], PYE [IFPA], AVE [IFPA]	
MYJAW	SKIZM	LIN [IFPA], EHF [IFPA], OAK [IFPA], PXN [IFPA], MOD [IFPA], SAC [IFPA], AVE [IFPA], HYP [IFPA], SGD [IFPA], WVI [IFPA], SJC [IFPA], TTE [IFPA], SNS [IFPA], PYE [IFPA]	
SKIZM	EMAAA	LIN [IFPA], OAK [IFPA], SJC [IFPA], WVI [IFPA], SGD [IFPA], PXN [IFPA], MOD [IFPA], SAC [IFPA], SNS [IFPA], PYE [IFPA], AVE [IFPA]	
EMAAA	WNDML	LIN [IFPA], OAK [IFPA], SJC [IFPA], WVI [IFPA], MOD [IFPA], PYE [IFPA]	
WNDML	FOOTO	LIN [IFPA], SWR [IFPA], OAK [IFPA], SJC [IFPA], MOD [IFPA], PYE [IFPA]	
FOOTO	KEENR	LIN [IFPA], SWR [IFPA], SFO [IFPA], OAK [IFPA], SJC [IFPA], SGD [IFPA], MOD [IFPA], SAC [IFPA], PYE [IFPA]	
KEENR	LOHGN	LIN [IFPA], SFO [IFPA], SWR [IFPA], OAK [IFPA], SGD [IFPA], SAU [IFPA], SJC [IFPA], MOD [IFPA], CCR [IFPA], OSI [IFPA], SAC [IFPA], PYE [IFPA]	
LOHGN	WHYEE	LIN [IFPA], SFO [IFPA], SWR [IFPA], OAK [IFPA], SJC [IFPA], SGD [IFPA], SAU [IFPA], MOD [IFPA], CCR [IFPA], OSI [IFPA], PYE [IFPA]	
WHYEE	HIRMO	LIN [IFPA], SFO [IFPA], SWR [IFPA], OAK [IFPA], SJC [IFPA], SAU [IFPA], SGD [IFPA], MOD [IFPA], CCR [IFPA], OSI [IFPA], PYE [IFPA]	


DME DME Assessment Results for EMZOH4 path RGOOD_HIRMO

User Data Files								
#	File Name							
None								
User DMEs								
#	Name	Lat/Lon	MAGVAR	Range	Elevation [ft]	Frequency	Replaces	Status
None								



DME DME Assessment Results for EMZOH4 path RGOOD_HIRMO

Graphic Depiction 1



DME DME Assessment Results for EMZOH4 path MYNEE_SHRPP_

Results Summary

Flyability:	Completed
DME/DME:	Completed - No Critical DMEs
Name:	Mark A-CTR Tellier
Project File:	C:\Users\Mark A-CTR Tellier\Desktop\Projects - TM\OAK\KOAK EMZOH PTT32873 -TM101 - DMEdme.tgs
Output File:	C:\Users\Mark A-CTR Tellier\Desktop\Projects - TM\OAK\ESV\EMZOH\KOAK [IFPA] EMZOH4 20240908_1628 PDT\MYNEE_SHRPP_KOAK EMZOH4 RNAV STAR MYNEE SHRPP 20240908_1628 PDT.pdf
Procedure Name:	EMZOH4
Software: DmeDmePlugin:	7.3.3
Date/Time:	09/08/2024 16:28 PDT
Databases:	MITRE 3DEP 3 arcsec

Failures

No Failures

Warnings

No Warnings

Informational

No Informational

Notes For Flight Check

None

Flight Plan

Name	Type	Lat/Lon	Altitude (ft)	VNAV Mode	Ground Speed (kts)	Turn Type	Leg Type
MYNEE	WP	N37° 28' 51.63", W121° 41' 10.45"	7000	VNAV	200	FLY_BY	TF
SHRPP_	WP	N37° 29' 42.39", W121° 45' 03.13"	6200	VNAV	200	FLY_OVER	TF

Flyability

Flight Type:	RNAV STAR
Selected Airport:	KOAK [IFPA]
Climb Gradient:	None assigned
Speeds:	200 Ground Speed to 11000 FT
	240 Ground Speed to 18000 FT
	260 Ground Speed to 24000 FT
	340 Ground Speed above 24000 FT
Descent During a Turn:	Allowed
VNAV Mode:	Flight Plan

DME DME Assessment Results for EMZOH4 path MYNEE_SHRPP_

DME/DME	
RNP:	RNP 2
Flight Mode:	Manual
Line of Sight (DTED Level 0 Max):	Evaluated
Inertial Drift:	Enabled
Initial Drift:	0.558 NM
INS Drift Rate:	8.0 NM/Hour
Range Mode:	OSV
RNP Edges:	Evaluated
Min DME Range:	3.0 NM
DME Types:	DME, VOR-DME, VORTAC
DME Include Angles:	30 to 150
Critical DMEs:	Allowed
DoD Facilities:	Not included
Foreign Facilities:	Not included
High DMEs:	Included
Low DMEs:	Included
Terminal DMEs:	Included
Flight Check DMEs:	Not selected
Higher Altitudes:	Not Evaluated
Near Maximum Altitude:	Not Evaluated
Automatic ESVs:	Not enabled
Disabled DMEs:	None

DME/DME (Continued)										
DMEs Used										
#	Name	Lat/Lon	MAGVAR	Range	Type	Source	Critical	Status	Time	Distance
1	LIN	N38° 04' 28.49", W121° 00' 13.89"	17.0 E	130	DH	IFPA	NO	Enabled		
2	SFO	N37° 37' 10.15", W122° 22' 26.02"	17.0 E	40	L	IFPA	NO	Enabled		
3	SWR	N39° 10' 49.16", W120° 16' 10.60"	16.0 E	130	DH	IFPA	NO	Enabled		
4	OAK	N37° 43' 33.33", W122° 13' 24.93"	17.0 E	130	DH	IFPA	NO	Enabled		
5	SJC	N37° 22' 28.96", W121° 56' 40.81"	16.0 E	40	L	IFPA	NO	Enabled		
6	MOD	N37° 37' 38.55", W120° 57' 28.33"	17.0 E	130	DH	IFPA	NO	Enabled		
7	OSI	N37° 23' 33.65", W122° 16' 54.63"	17.0 E	40	L	IFPA	NO	Enabled		
8	PYE	N38° 04' 47.12", W122° 52' 04.18"	17.0 E	130	DH	IFPA	NO	Enabled		

Flight Check DME Selection						
Distance [NM]	Selected DMEs					Alternate
0.0	PYE [IFPA]	LIN [IFPA]	OAK [IFPA]	SFO [IFPA]	SJC [IFPA]	SWR [IFPA]
1.1	OAK [IFPA]	LIN [IFPA]	SJC [IFPA]	SFO [IFPA]	SWR [IFPA]	MOD [IFPA]

Inertial Drift Segments			
#	Start Location	End Location	Length [NM]

Available DMEs by Waypoints			
Waypoint Before	Waypoint After	DME List	Suggested DMEs
MYNEE	SHRPP_	LIN [IFPA], SFO [IFPA], SWR [IFPA], OAK [IFPA], SJC [IFPA], MOD [IFPA], OSI [IFPA], PYE [IFPA]	

DME DME Assessment Results for EMZOH4 path MYNEE_SHRPP

User Data Files


#	File Name
None	

User DMEs

#	Name	Lat/Lon	MAGVAR	Range	Elevation [ft]	Frequency	Replaces	Status
None								


DME DME Assessment Results for EMZOH4 path MYNEE_SHRPP_

DME Error



DME DME Assessment Results for EMZOH4 path MYNEE_SHRPP_

Graphic Depiction 1



DME DME Assessment Results for EMZOH4 path SKIZM_MYSHN

Results Summary

Flyability:	Completed
DME/DME:	Completed - No Critical DMEs
Name:	Mark A-CTR Tellier
Project File:	C:\Users\Mark A-CTR Tellier\Desktop\Projects - TM\OAK\KOAK EMZOH PTT32873 -TM101 - DMEdme.tgs
Output File:	C:\Users\Mark A-CTR Tellier\Desktop\Projects - TM\OAK\ESV\EMZOH\KOAK [IFPA] EMZOH4 20240908_1628 PDT\SKIZM_MYSHN\KOAK EMZOH4 RNAV STAR SKIZM MYSHN 20240908_1628 PDT.pdf
Procedure Name:	EMZOH4
Software: DmeDmePlugin:	7.3.3
Date/Time:	09/08/2024 16:28 PDT
Databases:	MITRE 3DEP 3 arcsec

Failures

No Failures

Warnings

No Warnings

Informational

No Informational

Notes For Flight Check

None

Flight Plan

Name	Type	Lat/Lon	Altitude (ft)	VNAV Mode	Ground Speed (kts)	Turn Type	Leg Type
SKIZM	WP	N37° 07' 54.63", W121° 15' 24.76"	15000	VNAV	280	FLY_BY	TF
MYRIB	WP	N37° 22' 33.92", W121° 32' 29.08"	9000	VNAV	240	FLY_BY	TF
MYHIP	WP	N37° 26' 23.69", W121° 36' 51.51"	7000	VNAV	240	FLY_BY	TF
MYNEE	WP	N37° 28' 51.63", W121° 41' 10.45"	7000	VNAV	200	FLY_BY	TF
MYSHN	WP	N37° 31' 53.46", W121° 46' 29.30"	6200	VNAV	200	FLY_BY	TF

Flyability

Flight Type:	RNAV STAR
Selected Airport:	KOAK [IFPA]
Climb Gradient:	None assigned
Speeds:	200 Ground Speed to 11000 FT
	240 Ground Speed to 18000 FT
	260 Ground Speed to 24000 FT
	340 Ground Speed above 24000 FT
Descent During a Turn:	Allowed
VNAV Mode:	Flight Plan

DME DME Assessment Results for EMZOH4 path SKIZM_MYSHN

DME/DME	
RNP:	RNP 2
Flight Mode:	Manual
Line of Sight (DTED Level 0 Max):	Evaluated
Inertial Drift:	Enabled
Initial Drift:	0.558 NM
INS Drift Rate:	8.0 NM/Hour
Range Mode:	OSV
RNP Edges:	Evaluated
Min DME Range:	3.0 NM
DME Types:	DME, VOR-DME, VORTAC
DME Include Angles:	30 to 150
Critical DMEs:	Allowed
DoD Facilities:	Not included
Foreign Facilities:	Not included
High DMEs:	Included
Low DMEs:	Included
Terminal DMEs:	Included
Flight Check DMEs:	Not selected
Higher Altitudes:	Not Evaluated
Near Maximum Altitude:	Not Evaluated
Automatic ESVs:	Not enabled
Disabled DMEs:	None

DME/DME (Continued)										
DMEs Used										
#	Name	Lat/Lon	MAGVAR	Range	Type	Source	Critical	Status	Time	Distance
1	LIN	N38° 04' 28.49", W121° 00' 13.89"	17.0 E	130	DH	IFPA	NO	Enabled		
2	SWR	N39° 10' 49.16", W120° 16' 10.60"	16.0 E	130	DH	IFPA	NO	Enabled		
3	SFO	N37° 37' 10.15", W122° 22' 26.02"	17.0 E	40	L	IFPA	NO	Enabled		
4	OAK	N37° 43' 33.33", W122° 13' 24.93"	17.0 E	130	DH	IFPA	NO	Enabled		
5	PXN	N36° 42' 55.65", W120° 46' 43.26"	16.0 E	40	L	IFPA	NO	Enabled		
6	MOD	N37° 37' 38.55", W120° 57' 28.33"	17.0 E	130	DH	IFPA	NO	Enabled		
7	OSI	N37° 23' 33.65", W122° 16' 54.63"	17.0 E	40	L	IFPA	NO	Enabled		
8	SAC	N38° 26' 37.46", W121° 33' 05.95"	17.0 E	130	H	IFPA	NO	Enabled		
9	AVE	N35° 38' 49.11", W119° 58' 42.98"	16.0 E	130	DH	IFPA	NO	Enabled		
10	SJC	N37° 22' 28.96", W121° 56' 40.81"	16.0 E	40	L	IFPA	NO	Enabled		
11	WVI	N36° 56' 21.13", W121° 47' 07.60"	0.0 E	40	L	IFPA	NO	Enabled		
12	SGD	N38° 10' 45.70", W122° 22' 23.35"	17.0 E	130	H	IFPA	NO	Enabled		
13	SNS	N36° 39' 49.81", W121° 36' 11.46"	17.0 E	130	H	IFPA	NO	Enabled		
14	PYE	N38° 04' 47.12", W122° 52' 04.18"	17.0 E	130	DH	IFPA	NO	Enabled		

DME DME Assessment Results for EMZOH4 path SKIZM_MYSHN


Flight Check DME Selection						
Distance [NM]	Selected DMEs					Alternate
0.0	SJC [IFPA]	MOD [IFPA]	SNS [IFPA]	OAK [IFPA]	LIN [IFPA]	PXN [IFPA]
5.9	OAK [IFPA]	MOD [IFPA]	SJC [IFPA]	SNS [IFPA]	LIN [IFPA]	WVI [IFPA]
9.1	SJC [IFPA]	LIN [IFPA]	OAK [IFPA]	MOD [IFPA]	WVI [IFPA]	PYE [IFPA]
11.6	SJC [IFPA]	LIN [IFPA]	OAK [IFPA]	MOD [IFPA]	PYE [IFPA]	
30.7	OAK [IFPA]	LIN [IFPA]	SJC [IFPA]	SFO [IFPA]	SWR [IFPA]	OSI [IFPA]

Inertial Drift Segments			
#	Start Location	End Location	Length [NM]

Available DMEs by Waypoints			
Waypoint Before	Waypoint After	DME List	Suggested DMEs
SKIZM	MYRIB	LIN [IFPA], OAK [IFPA], SJC [IFPA], WVI [IFPA], SGD [IFPA], PXN [IFPA], MOD [IFPA], OSI [IFPA], SAC [IFPA], SNS [IFPA], PYE [IFPA], AVE [IFPA]	
MYRIB	MYHIP	LIN [IFPA], SWR [IFPA], SFO [IFPA], OAK [IFPA], SJC [IFPA], MOD [IFPA], OSI [IFPA], PYE [IFPA]	
MYHIP	MYNEE	LIN [IFPA], SWR [IFPA], SFO [IFPA], OAK [IFPA], SJC [IFPA], MOD [IFPA], OSI [IFPA], PYE [IFPA]	
MYNEE	MYSHN	LIN [IFPA], SFO [IFPA], SWR [IFPA], OAK [IFPA], SJC [IFPA], MOD [IFPA], OSI [IFPA], PYE [IFPA]	

User Data Files								
#	File Name							
None								
User DMEs								
#	Name	Lat/Lon	MAGVAR	Range	Elevation [ft]	Frequency	Replaces	Status
None								

DME DME Assessment Results for EMZOH4 path SKIZM_MYSHN



DME DME Assessment Results for EMZOH4 path SKIZM_MYSHN

Graphic Depiction 1

