

RADIO FIX AND HOLDING DATA RECORD

NAME: ASICU

STATE: OR

COUNTRY: US

ICAO REGION CODE: K1

LATITUDE/LONGITUDE: 441750.63N/1205529.23W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 11

FAC

PAT

AIRPORT IDENT
KS39

CITY
PRINEVILLE

STATE
OR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

UPDATED FIX USE, USE TITLE FROM RNAV (GPS) RWY 10 TO RNAV (GPS) RWY 11 @ KS39.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: HEIDI SNIDER

APPROVED BY:

DATE: 05/07/2021

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZSE
ATC FACILITY:
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: BOTTL

STATE: OR

COUNTRY: US

ICAO REGION CODE: K1

LATITUDE/LONGITUDE: 442201.01N/1212821.48W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	295.30	313.30	10.02	10.00		7000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V165	1				(US)
IAP	RNAV (GPS) Y RWY 16			KBDN	BEND	OR (US)
IAP	VOR RWY 16	1		KBDN	BEND	OR (US)
IAP	RNAV (GPS) RWY 11			S39	PRINEVILLE	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

FIX USE - REMOVED IAP RDM VOR-A.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN BRUNO

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A432

NAME: CASIMIR TABAKA

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: CFPGB

STATE: OR

COUNTRY: US

ICAO REGION CODE: K1

LATITUDE/LONGITUDE: 441742.05N/1205449.75W

TYPE: CNF

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 11

FAC

PAT

AIRPORT IDENT
S39

CITY
PRINEVILLE

STATE
OR (US)

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

UPDATED FIX LOCATION 70 FT SOUTHEAST.

UPDATED FIX USE TITLE FROM RNAV (GPS) RWY 10 TO RNAV (GPS) RWY 11.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: HEIDI SNIDER

APPROVED BY:

DATE: 05/07/2021

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZSE
ATC FACILITY:
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: DESCHUTES VORTAC STATE: OR COUNTRY: US ICAO REGION CODE: K1

LATITUDE/LONGITUDE: 441509.94N/1211812.79W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH						45000

FIX RESTRICTIONS:

MCA V121 10400 WESTBOUND
MCA V595 7900 SOUTHWEST BOUND
MCA V165 9300 NORTHWEST BOUND

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	W	DSD	VORTAC	262.00	082.00	L	1	7000 17500	8 20
2	NW		WP	308.96	128.96	L		6000 10000	6 10
3	W		WP	265.50	085.50	L		7100 14000	9 11
4	NW	DSD	VORTAC	315.75	135.75	L	1	7000 17500	8 16
5	N	DSD	VORTAC	347.55	167.55	R	1	6100 17500	7 13

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	442354.50N/1213800.31W	6636	6C
1	310	AAO	440957.07N/1214616.56W	10285	6C
2	200	AAO	441515.00N/1211812.00W	4285	4E
3	230	AAO	442354.00N/1213803.00W	6628	4B
4	230	AAO	442818.00N/1212800.00W	4318	4E
4	310	AAO	442918.00N/1212839.00W	4784	4E
5	230	AAO	441512.00N/1211812.00W	4318	4B
5	310	AAO	442912.00N/1212845.00W	4813	4B

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
3	230	150
4	310	150
5	310	170

REASON FOR NONSTANDARD HOLDING:

PAT 1 TERRAIN
PAT 2 TERRAIN
PAT 3 TERRAIN
PAT 4 TERRAIN AND IAW 8260.19I 8-6-6 G(6)

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	REDMOND	KRDM	REDMOND	OR (US)
4	VOR RWY 16	KBDN	BEND	OR (US)
5	TAKEOFF MINIMUMS	KBDN	BEND	OR (US)
5	BEND (OBSTACLE)	KBDN	BEND	OR (US)
5	TAKEOFF MINIMUMS AND OBSTACLE DP	S33	MADRAS	OR (US)
5	TAKEOFF MINIMUMS	KRDM	REDMOND	OR (US)
5	VOR-A	KRDM	REDMOND	OR (US)

REMARKS:

200 KIAS HOLDING AT 6000 UTILIZED WITH PAT 2 WITH NO IMPACT TO MILITARY OPERATIONS PER FPT/ATC
PAT 1 OBSTACLE IS 11085 FT INTO SECONDARY.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAGNETIC VARIATION/YEAR: E18/1990.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	BEND (OBSTACLE)		5	KBDN	BEND	OR (US)
DP	TAKEOFF MINIMUMS		5	KBDN	BEND	OR (US)
DP	EUGENE			KEUG	EUGENE	OR (US)
DP	KINGSLEY			KLMT	KLAMATH FALLS	OR (US)
DP	TAKEOFF MINIMUMS AND OBSTACLE DP		5	S33	MADRAS	OR (US)
DP	CHISM (RNAV)			KHIO	PORTLAND	OR (US)
DP	CASCADE (RNAV)			KPDY	PORTLAND	OR (US)
DP	PORTLAND			KPDY	PORTLAND	OR (US)
DP	DESCHUTES (RNAV)			S39	PRINEVILLE	OR (US)
DP	REDMOND		1	KRDM	REDMOND	OR (US)

DP	TAKEOFF MINIMUMS	5	KRDM	REDMOND	OR (US)
DP	SALEM		KSLE	SALEM	OR (US)
DP	TAKEOFF MINIMUMS		S21	SUNRIVER	OR (US)
EN ROUTE	J159				(US)
EN ROUTE	T261				(US)
EN ROUTE	V121				(US)
EN ROUTE	V165				(US)
EN ROUTE	V25				(US)
EN ROUTE	V269				(US)
EN ROUTE	V536				(US)
EN ROUTE	V595				(US)
IAP	RNAV (GPS) RWY 34	2	KBDN	BEND	OR (US)
IAP	RNAV (GPS) Z RWY 16		KBDN	BEND	OR (US)
IAP	VOR RWY 16	4	KBDN	BEND	OR (US)
IAP	RNAV (GPS) RWY 11	3	S39	PRINEVILLE	OR (US)
IAP	RNAV (GPS) RWY 29	3	S39	PRINEVILLE	OR (US)
IAP	ILS OR LOC RWY 23		KRDM	REDMOND	OR (US)
IAP	JUNIPER VISUAL RWY 23		KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 29		KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Z RWY 29		KRDM	REDMOND	OR (US)
IAP	VOR-A	1	5	KRDM	OR (US)
IAP	RNAV (GPS) RWY 18		S21	SUNRIVER	OR (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 31

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. PATTERNS: REV 30 PAT 1 PATTERN NUMBER UPDATED TO PAT 5 AND HOLDING MIN CHANGED TO 6100.
2. PATTERNS: REV 30 PAT 2 PATTERN NUMBER UPDATED TO PAT 1.
3. PATTERNS: REV 30 PAT 3 PATTERN NUMBER UPDATED TO PAT 2.
4. PATTERNS: REV 30 PAT 4 PATTERN NUMBER UPDATED TO PAT 3.
5. PATTERNS: REV 30 PAT 5 PATTERN NUMBER UPDATED TO PAT 4.
6. PROCEDURES REQUIRING CLIMB-IN-HOLD: ADDED VOR-A AT KRDM.
7. CONTROLLING OBSTRUCTIONS: PAT 3 UPDATED CONTROLLER FOR 230 PATTERN AIRSPEED.
8. CONTROLLING OBSTRUCTIONS: PAT 5 UPDATED CONTROLLERS FOR BOTH 230 AND 310 PATTERN AIRSPEEDS.
9. FIX USE: REMOVED RNAV (RNP) Z RWY 23 PROCEDURE AT KRDM.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: BRYANT SMITH

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A443

NAME: ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: HERBS

STATE: OR

COUNTRY: US

ICAO REGION CODE: K1

LATITUDE/LONGITUDE: 442507.23N/1211651.75W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	347.55	005.55	10.03	10.00		6100	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T261					(US)
EN ROUTE	T355					(US)
EN ROUTE	V25	1				(US)
IAP	RNAV (GPS) Y RWY 16			KBDN	BEND	OR (US)
IAP	RNAV (GPS) Z RWY 16			KBDN	BEND	OR (US)
IAP	VOR RWY 16	1		KBDN	BEND	OR (US)
IAP	RNAV (GPS) RWY 11			S39	PRINEVILLE	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 13

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

FIX USE - REMOVED IAP RDM VOR-A.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN BRUNO

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A432

NAME: CASIMIR TABAKA

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: HORRN

STATE: OR

COUNTRY: US

ICAO REGION CODE: K1

LATITUDE/LONGITUDE: 442851.03N/1213832.73W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	295.29	313.29	20.02	20.00		12500	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V165	1				(US)
IAP	RNAV (GPS) Y RWY 16			KBDN	BEND	OR (US)
IAP	VOR RWY 16	1		KBDN	BEND	OR (US)
IAP	RNAV (GPS) RWY 11			S39	PRINEVILLE	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 5			KRDM	REDMOND	OR (US)
IAP	VOR-A	1		KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 08/10/2023

REASON FOR REVISION:

1. FIX MAKE-UP: UPDATED DME FROM 20.00 TO 20.02.
2. FIX USE: UPDATED KBDN USE TITLE FROM "VOR/DME RWY 16" TO "VOR RWY 16".
3. FIX USE: UPDATED AIRPORT IDENT FROM KS39 TO S39.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: PATRICK COMBS

APPROVED BY:

DATE: 08/10/2023

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: RUVHE

STATE: OR

COUNTRY: US

ICAO REGION CODE: K1

LATITUDE/LONGITUDE: 441926.38N/1210251.24W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 11

FAC

PAT

AIRPORT IDENT
KS39

CITY
PRINEVILLE

STATE
OR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

UPDATED FIX USE, USE TITLE FROM RNAV (GPS) RWY 10 TO RNAV (GPS) RWY 11 @ KS39.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: HEIDI SNIDER

APPROVED BY:

DATE: 05/07/2021

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZSE
ATC FACILITY:
OTHER: