

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 01/22/2026	APWS Task ID: EC92682334694E72AB71D78A86B6ADF4	APWS Project ID: 87BD55A07AB941298A54BD897862E690
Procedure: RNAV (GPS) RWY 11 AMDT 3A		Enroute: NO	Specialist: Ulvestad, Arthur		Agreement Number:
Airport ID: S39			Airport City: PRINEVILLE		State: OR
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: PENDING AIRPORT DATA USED. RWY RENUMBERING FROM 15/33 TO 16/34. NEW CRC REMAINDER B2CC1D42. CONTACT: RAKE MCGRAW 405-954-8711 QUALITY 23 CHECKED QUALITY 8 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 11 AMDT 3A			AIRPORT NAME: PRINEVILLE		AIRPORT ID: KS39	SPECIAL CONTROL NO: SG-09-202-25	
FAC ID: KS3911.03		CITY: PRINEVILLE			ST: OR	ORIG CHART DATE: 01/22/2026	
DFL TYPE: PROC/W	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: EC92682334694E72AB71D78A86B6ADF4		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 10/09/2025		CREW #: VN568	N #: N91	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: russell roslewski @ 10/09/2025 15:29			PRINTED NAME: ROSLEWSKI, RUSSELL BRIAN				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

PRINEVILLE, OREGON

AL-9340 (FAA)

FIG


WAAS CH 60936 W11A	APP CRS 093°	Rwy Ldg TDZE Apt Elev 5405 3246 3251
--	------------------------	--

RNAV (GPS) RWY 11

PRINEVILLE (S39)

RNP APCH-GPS.	MISSED APPROACH: Climb to 5100 then climbing right turn to 7100 direct DSD VORTAC and hold.
⚠ Circling NA for Cat D south of Rwy 11-29. ⚠ Rwy 11 helicopter visibility reduction below $\frac{3}{4}$ SM NA. Circling Rwy 16 NA at night.	*Missed approach requires minimum climb of 215 feet per NM to 5400.

AWOS-3PT 118.325	SEATTLE CENTER 126.15 269.475	UNICOM 122.7 (CTAF) ①
----------------------------	---	---------------------------------



7 NM Holding Pattern		IVVIB	5100	7100	DSD
		RUVHE	5200	ASICU	0.7 NM to ASICU
		ASICU	3.00°	TCH 40	
CATEGORY	A	B	C	D	
LP MDA*	3660-1	414 (500-1)	3660-1 $\frac{1}{8}$	414 (500-1 $\frac{1}{8}$)	
LP MDA	3760-1	514 (600-1)	3760-1 $\frac{3}{8}$	514 (600-1 $\frac{3}{8}$)	
LNAV MDA	3900-1	654 (700-1)	3900-1 $\frac{7}{8}$	654 (700-1 $\frac{7}{8}$)	
CIRCLING	3960-1 709 (800-1)	4040-1 789 (800-1)	4040-2 $\frac{1}{4}$ 789 (800-2 $\frac{1}{4}$)	4040-2 $\frac{1}{2}$ 789 (800-2 $\frac{1}{2}$)	

MIRL Rwy 11-29 ①
LIRL Rwy 16-34 ①

AUTOMATED AL-9340 RNAV (GPS) RWY 11

NW-1

19 AUG 2025

COMPILER: CG

REVIEWER:

DBL CHKR:

EFF: FIG


PRINEVILLE, OREGON

Amdt 3A FIG


44°17'N-120°54'W


PRINEVILLE (S39)

RNAV (GPS) RWY 11




KS39
PRINEVILLE
PRINEVILLE, OR
RNAV (GPS) RWY 29 AMDT 3A
MISSED APP HOLD
1:500K






KS39
PRINEVILLE
PRINEVILLE, OR
RNAV (GPS) RWY 11 AMDT 3A
LP CG 215/5400 FINAL
1:100K



KS39
PRINEVILLE
PRINEVILLE, OR
RNAV (GPS) RWY 11 AMDT 3A
LP FINAL
1:100K



KS39
PRINEVILLE
PRINEVILLE, OR
RNAV (GPS) RWY 11 AMDT 3A
LNAV FINAL
1:100K

LNAV RUVHE to FTP POLE (3631)
41-082832

Missed Level Surface AAO (5417)

ASICU

KS39
PRINEVILLE, OR
RNAV (GPS) RWY 11 AMDT 3A
CIRCLING
1:100K

Circling CAT B/C TRANSMISSION_LINE (3732)
41-082577

Circling CAT A TREE (3642)
41-084777

Circling CAT D AAO (3632)

