

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 08/07/2025	APWS Task ID: EF60E9E2380F41BC85D9D3F10E491AA6	APWS Project ID: 2B53445AEEDB4F0BB0E22DCCE71947D2
Procedure: ILS OR LOC RWY 32 AMDT 9		Enroute: NO	Specialist: Gorman, Barbara		Agreement Number:
Airport ID: KSBY			Airport City: SALISBURY		State: MD
Facility ID: SBY	Facility Type: ILS	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR AIRPORT AND RUNWAY. VORMON PROJECT: SBY VOR DECOMMISSIONING REMOVE NOTAM FDC 4/5626. CONTACT: CASIMIR TABAKA: 405-954-7931 5/28/2025: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 1/6/2025. ADDED CHART NOTE: SIMULTANEOUS RECEPTION OF I-SBY LOC AND SBY DME REQUIRED. QUALITY 10 CHECKED QUALITY 38 CHECKED					


FIPC BASIC FORM								
PROCEDURE: ILS OR LOC RWY 32 AMDT 9			AIRPORT NAME: SALISBURY-OCEAN CITY WICOMICO		AIRPORT ID: KSBY	SPECIAL CONTROL NO: YP-04-058-25		
FAC ID: SBY		CITY: SALISBURY			ST: MD	ORIG CHART DATE: 08/07/2025		
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER: AC0721	PTS TASK ID: EF60E9E2380F41BC85D9D3F10E491AA6				
PREFLIGHT NOTES								
REVIEWER:					DATE:			
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT			
							YES	NO
					CPV COMPLETE?		X	
PROCEDURE RESULTS								
INSPECTION DATE: 05/23/2025	CREW #: VN484	N #: N66	INSTRUMENT PROCEDURE STATUS: ☐ SAT ☒ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT			
FLIGHT INSPECTOR SIGNATURE: jeremy r virts @ 05/23/2025 13:23			PRINTED NAME: VIRTS, JEREMY RYAN				NOTAM INITIATED? ☐ YES ☒ NO	
FLIGHT INSPECTOR REMARKS: Sat w/changes: need to add note "Simultaneous reception of I-SBY LOC and SBY DME required"								
IN-FLIGHT OBSTACLE REPORT								
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:			

LOC I-SBY 108.7	APP CRS 319°	Rwy Idg TDZE Apt Elev	6400 53 53
---------------------------	------------------------	-----------------------------	---------------------------------------

ILS or LOC RWY 32
SALISBURY-OCEAN CITY WICOMICO RGNL (SBY)

▼ When local altimeter setting not received, use Georgetown altimeter setting: increase DA to 305 feet; increase all MDA 60 feet and S-LOC 32 Cat C and Circling Cat D visibility ¼ SM.	MALSR A5	MISSED APPROACH: Climb to 700 then climbing right turn to 2000 on heading 170° and on SBY VORTAC R-140 to COLBE INT/SBY VORTAC 6.6 DME and hold.
---	-------------	--

ASOS 118.325	PATUXENT APP CON★ 127.95 314.0	SALISBURY TOWER★ 119.425 (CTAF) 0	GND CON 123.775	CLNC DEL 123.775	CLNC DEL 118.55 (when twr closed)	UNICOM 122.95
------------------------	--	--	---------------------------	----------------------------	--	-------------------------



TWR 128

REIL Rwy 5, 14 and 23

MIRL Rwy 5-23

HIRL Rwy 14-32

FAF to MAP 5.9 NM

Knots	60	90	120	150	180
Min:Sec	5:54	3:56	2:57	2:22	1:58

700	2000	SBY R-140	COLBE INT	COLBE INT SBY (6.6)	One Minute Holding Pattern
*LOC only					
*SBY					
SBY (0.8)					
SBY (1.8)					
1 NM					
4.9 NM					
139°					
2000					
GS 3.00°					
TCH 54					
CATEGORY	A	B	C	D	
S-ILS 32	253-½ 200 (200-½)				
S-LOC 32	420-½ 367 (400-½)				
CIRCLING	480-1 427 (500-1)	520-1 467 (500-1)	560-1½ 507 (600-1½)	420-¾ 367 (400-¾)	



