

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/02/2025	APWS Task ID: F55BE62EFB06442AABA5FD721E0B77EC	APWS Project ID: DCD2253DF8E946B6A92CF89EBE6A66EC
Procedure: RNAV (GPS) Y RWY 16 AMDT 4		Enroute: NO	Specialist: Swinson, Robert		Agreement Number:
Airport ID: KBLI			Airport City: BELLINGHAM		State: WA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA USED FOR KBLI AIRPORT AND RUNWAYS. WHATCOM VORTAC VOR MON DECOMMISSION. CONTACT CASIMIR TABAKA, AJV-A432, 405-202-7857. QUALITY 9 CHECKED BEGUE QUALITY 41 CHECKED					

WAAS CH 45999 W16A	APP CRS 164°	Rwy Idg TDZE 163 Apt Elev 171
--	------------------------	---



OLD

RNAV (GPS) Y RWY 16

BELLINGHAM INTL (BLI)

RNP APCH. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -10°C or above 54°C. #RVR 1800 authorized with use of FD or AP or HUD to DA.	MALSR 	MISSED APPROACH: Climb to 700 then climbing right turn to 2000 direct TECUV and hold.
---	---------------------------------	--

ATIS 134.45	VICTORIA TERMINAL APP CON 132.7 290.8	BELLINGHAM TOWER ★ 124.9 (CTAF) 0 379.3	GND CON 127.4 379.3	UNICOM 122.95
-----------------------	---	---	-------------------------------	-------------------------



4 NM Holding Pattern	SECOG	WUGUT	700	2000	TECUV
6000 2000	344° 164°	164° 2000			
GP 3.00° TCH 51					
	6 NM	4.5 NM	1.1 NM		
CATEGORY	A	B	C	D	
LPV DA #		363/24	200 (200-½)		
LNAV/VNAV DA		491/30	328 (400-¾)		
LNAV MDA	560/24	397 (400-½)	560/35	397 (400-¾)	
CIRCLING	640-1	469 (500-1)	900-2 729 (800-2)	1160-3 989 (1000-3)	

BELLINGHAM, WASHINGTON



AL-45 (FAA)

FIG

WAAS CH 45999 W16A	APP CRS 164°	Rwy Ldg 6700 TDZE 163 Apt Elev 171
--	------------------------	---

RNAV (GPS) Y RWY 16 BELLINGHAM INTL (BLI)

RNP APCH - GPS.		MALSR 	MISSED APPROACH: Climb to 700 then climbing right turn to 2000 direct TECUV and hold.		
For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -10°C or above 54°C . *RVR 1800 authorized with use of FD or AP or HUD to DA. (NA when using FHR altimeter setting.)					
ATIS 134.45	VICTORIA TERMINAL APP CON 132.7	BELLINGHAM TOWER★ 124.9 (CTAF) 0 379.3		GND CON 127.4 379.3	UNICOM 122.95


 REIL Rwy 34 0
 HIRL Rwy 16-34 0

BELLINGHAM, WASHINGTON

Amdt 4 FIG

48°48'N-122°32'W

BELLINGHAM INTL (BLI)

RNAV (GPS) Y RWY 16

AUTOMATED AL-45 RNAV (GPS) Y RWY 16

NW-1

17 JUN 2025

COMPILER: CG

REVIEWER:

DBL CHKR:

EFF: FIG

[illegible]

AIRPORT ID: KBLI
AIRPORT NAME: BELLINGHAM INTL
CITY/STATE: BELLINGHAM/WASHINGTON
PROC ID: RNAV (GPS) Y RWY 16
AMDT: 4
SCALE: 1:100,000
LNAV/VNAV

MISSED LNAV/VNAV HAT TOWER (325)
53-000846

LNAV/VNAV TREE (303)
53-077136

AIRPORT ID: KBLI
 AIRPORT NAME: BELLINGHAM INTL
 CITY/STATE: BELLINGHAM/WASHINGTON
 PROC ID: RNAV (GPS) Y RWY 16
 AMDT: 4
 SCALE: 1:100,000
 LNAV, CIRCLING

LNAV WUGUT TREE (303)
 53.077136

CIRCLING CAT C TREE (553)
 53.077570

CIRCLING CAT A/B TREE (331)
 53.077038

CIRCLING CAT D AA0 (834)

WUGUT

RW16

KBLI

CIRCLING CAT D AAO (834)

Sequence	NM	FT
50000	~50,000	~50,000
100000	~100,000	~50,000
150000	~150,000	~50,000
200000	~200,000	~50,000
250000	~250,000	~50,000
300000	~280,000	~50,000

