

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 07/09/2026	APWS Task ID: F76C81961AB64927BCE1FFE210DB8852	APWS Project ID: 58E4B162806B47F19680A740034C1779
Procedure: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 1		Enroute: NO	Specialist: Gorman, Barbara		Agreement Number:
Airport ID: 1K1			Airport City: BENTON		State: KS
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:
PENDING DATA USED FOR AIRPORT AND RUNWAYS FOR K1K1.
NEW ICA IMPLEMENTED IAW 8260.46K.
CONTACT CASIMIR TABAKA 405 202 7857.



26022

BELOIT, KS (CON'T)**MORITZ MEML (K61) (CON'T)**

Rwy 35 (CON'T), pole, vehicles on road, fence, beginning 545' from DER, 48' right of centerline, up to 25' AGL/1452' MSL.
 Pole, terrain, vehicles on road, fence, beginning 550' from DER, 23' left of centerline, up to 32' AGL/1465' MSL.
 Tree, poles, beginning 723' from DER, 471' left of centerline, up to 36' AGL/1466' MSL.
 Tree 780' from DER, 484' left of centerline, 1472' MSL.
 Trees, vehicles on road, buildings, fences, poles, beginning 800' from DER, 133' left of centerline, up to 43' AGL/1476' MSL.

BENTON, KS**LLOYD STEARMAN FLD (1K1)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 29JUL10 (21112) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 35, vehicle on road beginning 20' from DER, left and right of centerline, up to 15' AGL/1384' MSL.
 Tree 2689' from DER, 1125' left of centerline, 100' AGL/1489' MSL.

BLAIR, NE**BLAIR EXEC (BTA)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG-A 12JUN25 (25163) (FAA)

DEPARTURE PROCEDURE:

Rwy 13, climb on a heading between 314° CW to 124° from DER or min climb of 239'/NM to 3000 for headings 125° through 313°.

TAKEOFF OBSTACLE NOTES:

Rwy 13, NAVAID, light poles beginning 9' from DER, 29' right of centerline, up to 2' AGL/1300' MSL.

Light poles beginning 10' from DER, 60' left of centerline, up to 1300' MSL.

Terrain 46' from DER, 402' right of centerline, 1301' MSL.

Tree 141' from DER, 489' left of centerline, 1303' MSL.

Tree 1528' from DER, 751' left of centerline, 1339' MSL.

Pole 1928' from DER, 415' left of centerline, 1350' MSL.

Tree, poles beginning 2018' from DER, 171' left of centerline, up to 1358' MSL.

Tree 2213' from DER, 841' left of centerline, 1359' MSL.

Rwy 31, NAVAID, light poles beginning 9' from DER, 29' left of centerline, up to 2' AGL/1319' MSL.

Light poles, terrain beginning 9' from DER, 29' right of centerline, up to 1319' MSL.

Terrain 140' from DER, 362' right of centerline, 1322' MSL.

Terrain 183' from DER, 452' right of centerline, 1323' MSL.

Trees beginning 699' from DER, 583' left of centerline, up to 1350' MSL.

Trees beginning 864' from DER, 574' left of centerline, up to 35' AGL/1353' MSL.

Tree 1274' from DER, 571' left of centerline, 32' AGL/1354' MSL.

Pole 1631' from DER, 891' right of centerline, 35' AGL/1363' MSL.

Trees beginning 1653' from DER, 22' left of centerline, up to 1375' MSL.

Tree 1818' from DER, 401' right of centerline, 1376' MSL.

Tree 1911' from DER, 491' right of centerline, 1377' MSL.

Trees beginning 1996' from DER, 562' right of centerline, up to 1378' MSL.

Trees beginning 2299' from DER, 162' right of centerline, up to 1384' MSL.

Tree 2507' from DER, 177' left of centerline, 1382' MSL.

BROKEN BOW, NE**BROKEN BOW MUNI/KEITH GLAZE FLD (BBW)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMD T 4 05DEC19 (19339) (FAA)

TAKEOFF MINIMUMS:

Rwy 14, 400-2¼ or std. w/min. climb of 240' per NM to 3100.

Rwy 32, std. w/min. climb of 310' per NM to 3000 or 1100-3 for VCOA.

VCOA:

Rwy 32, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Broken Bow Muni/Keith Glaze Field at or above 3500' before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 14, vehicle on road 10' from DER, 487' right of centerline, 2532' MSL.

Buildings beginning 12' from DER, 463' left of centerline, up to 19' AGL/2544' MSL.

Building 56' from DER, 512' left of centerline, 24' AGL/2549' MSL.

Building, general utility pole, pole, tree beginning 202' from DER, 170' left of centerline, up to 43' AGL/2572' MSL.

Tree 1568' from DER, 20' left of centerline, 2575' MSL.

Tree 1606' from DER, 90' right of centerline, 2573' MSL.

Tree 1628' from DER, 107' left of centerline, 2576' MSL.

Tree 1659' from DER, 21' left of centerline, 2579' MSL.

Building 2574' from DER, 567' right of centerline, 66' AGL/2599' MSL.

Tree 2831' from DER, 1243' right of centerline, 2605' MSL.

Tower 2.2 NM from DER, 1858' right of centerline, 305' AGL/2931' MSL.

CON'T

19 FEB 2026 to 19 MAR 2026

19 FEB 2026 to 19 MAR 2026