

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 01/22/2026	APWS Task ID: F9755C713D554C2E8A5E67C36A34FC4F	APWS Project ID: 1505627D40D44DDE9DCF61DB4F563250
Procedure: VOR-A AMDT 7	Enroute: NO	Specialist: Bruno, John	Agreement Number:		
Airport ID: KRDM	Airport City: REDMOND	State: OR			
Facility ID: DSD	Facility Type: VORTAC	Flight Inspection Remark Type: Hold FC Slot			

Procedure Comments:

Active data used for KRDM and DSD VORTAC.
 Modified arc to 8 miles. Increased All Circling Mins to 4600 per ATC request to deconflict traffic. Changed Missed routing.
 Contact Casimir Tabaka 405-202-7857

12/3/25: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 10/29/25

1. 8260-5 and 8260-2 FIX NAME ALINA CHANGED TO ZIBIP - ALINA IN USE IN THE NETHERLANDS.



VORTAC DSD 117.6 Chan 123	APP CRS 071°	Rwy Ldg TDZE Apt Elev N/A N/A 3080
---	------------------------	--




VOR-A
ROBERTS FLD (RDM)

When local altimeter setting not received, use Bend altimeter setting and increase all MDA 80 feet and visibility Cats C and D ¼ mile.
-17°C




MISSED APPROACH: Climb to 4100 then climbing right turn to 7900 on heading 220° and on DSD VORTAC R-143 to DSD VORTAC and hold.

ATIS 119.025	SEATTLE CENTER 126.15 269.475	REDMOND TOWER* 124.5 (CTAF) 0 256.8	GND CON 121.8	UNICOM 122.95
------------------------	---	---	-------------------------	-------------------------



NW-1, 10 JUL 2025 to 07 AUG 2025

NW-1, 10 JUL 2025 to 07 AUG 2025



CATEGORY	A	B	C	D	FAF to MAP 6.1 NM					
CIRCLING	3660-1	580 (600-1)	3660-1½ 580 (600-1½)	3760-2¼ 680 (700-2¼)	Knots	60	90	120	150	180
					Min:Sec	6:06	4:04	3:03	2:26	2:02

VORTAC DSD 117.6 Chan 123	APP CRS 071°	Rwy Ldg TDZE Apt Elev 3082	N/A N/A 3082
---	------------------------	--	---


VOR-A
ROBERTS FLD (R.D.M)

DME required.



⚠ When local altimeter setting not received, use BDN altimeter setting and increase all MDAs 100 feet.

MISSED APPROACH: Climb to 4600 then climbing left turn to 7900 on heading 235° and on DSD VORTAC R-021 to DSD VORTAC and hold, continue climb-in-hold to 7900.


ATIS 119.025	SEATTLE CENTER 126.15 269.475	REDMOND TOWER* 124.5 (CTAF) 0 256.8	GND CON 121.8	UNICOM 122.95
------------------------	---	---	-------------------------	-------------------------



PROTOTYPE-NOT FOR NAVIGATION




ELEV 3082 **D**




REIL Rwy 5, 11, and 29
HIRL Rwy 5-23
MIRL Rwy 11-29

CATEGORY	A		B		C		D	
CIRCLING	4600-1¼ 1518 (1600-1¼)		4600-1½ 1518 (1600-1½)		4600-3		1518 (1600-3)	
	FAF to MAP 6.1 NM							
	Knots	60	90	120	150	180		
	Min:Sec	6:06	4:04	3:03	2:26	2:02		

**RDM
VOR-A AMDT 7
100K**



**RDM
VOR-A AMDT 7
500K**



RDM
VOR-A AMDT 7
MISSED / HOLDING / CIH



CIH TERRAIN+AAO (4813)

CAUTION
CONGESTED AREA - INTENSIVE
FLIGHT TRAINING IN THE VICINITY
OF OSD VORTAC BELOW 8000 MSL

CIH TERRAIN+AAO (4318)

MISSED HOLDING
TERRAIN+AAO (4318)

Misled Level Surface
TERRAIN+AAO (3376)

CAUTION
INTENSIVE FLIGHT TRAINING
AT OR BELOW 17,500 MSL 123.5
SEE SUPPLEMENT SPECIAL NOTICES

INTENSIVE FLIGHT TRAINING AT OR
BELOW 17,500 MSL 123.3
SEE SUPPLEMENT SPECIAL NOTICES