

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 08/07/2025	APWS Task ID: FB9C287287434C7CB1ED667F555E677F	APWS Project ID: B5AC9DB15E2B4D26A3529D5F6ED3CFC5
Procedure: RNAV (GPS) RWY 1 AMDT 1		Enroute: NO	Specialist: Hardison, Dustin		Agreement Number:
Airport ID: 4V9			Airport City: NELIGH		State: NE
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:
ACTIVE AIRNAV DATA USED.

CLEARs NOTAM !FDC 4/0477 4V9 IAP ANTELOPE COUNTY, NELIGH, NE. RNAV (GPS) RWY 1, ORIG-A... CIRCLING RWY 13/31 NA AT NIGHT. 2403221605-2603221605EST

CONTACT RAKE MCGRAW AJV-A422 405-954-8711.



FIG



RNAV (GPS) RWY 1

ANTELOPE COUNTY (4V9)


A Baro-VNAV NA and VDP NA when using BVN altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -18°C or above 54°C. Circling to Rwy 13, 31 NA at night. When local altimeter setting not received, use BVN altimeter setting and increase all LPV DA to 2032 feet; increase LNAV/VNAV DA to 2227 feet and all visibilities ¼ SM. Increase all MDAs 60 feet.

MISSED APPROACH: Climb to 4400 direct MODPY and hold, continue climb-in-hold to 4400.

AWOS-3PT 119.275	MINNEAPOLIS CENTER 128.0 257.95	UNICOM 122.8 (CTAF) ①
----------------------------	---	---------------------------------



CATEGORY		A	B	C	D
LPV	DA	1974- ³ / ₄	200 (200- ³ / ₄)		NA
LNAV/ VNAV	DA	2169-1 ¹ / ₈	395 (400-1 ¹ / ₈)		NA
LNAV	MDA	2220-1	446 (500-1)		NA
CIRCLING		2260-1 486 (500-1)	2380-1 606 (700-1)		NA



AUTOMATED AL-10382 RNAV (GPS) RWY 1

NC-2

7 APR 2025

COMPILER: CG

REVIEWER:

DBL CHKR:

EFF: FIG

ANTELOPE COUNTY (4V9)

RNAV (GPS) RWY 1

NELIGH, NEBRASKA

AL-10382 (FAA)

24305

WAAS CH 72914 W01A	APP CRS 008°	Rwy Idg 3700 TDZE 1774 Apt Elev 1774
--	------------------------	---

OLD

RNAV (GPS) RWY 1

ANTELOPE COUNTY (4V9)

T Baro-VNAV NA. DME/DME RNP-0.3 NA. Use Albion altimeter setting; when not received, use Norfolk altimeter setting and increase all DA/MDA 40 feet and LNAV/VNAV all Cats visibility $\frac{1}{4}$ mile.


MISSED APPROACH: Climb to 4400 direct
MODPY and hold.

AWOS-3PT
119.275

MINNEAPOLIS CENTER
128.0 257.95



UNICOM
122.8 (CTAF) **L**

MISSED APCH FIX



ELEV 1774	D	TDZE 1774
-----------	----------	-----------

MIRL Rwy 1-19 and 13-31 L



CATEGORY	A	B	C	D
LPV DA	2181-1½	407 (500-1½)	NA	
LNAV/ VNAV DA	2197-1½	423 (500-1½)	NA	
LNAV MDA	2320-1	546 (600-1)	NA	
 CIRCLING	2360-1 586 (600-1)	2440-1 666 (700-1)	NA	

NELIGH, NEBRASKA

Orig-A 08OCT20


42°07'N-98°02'W

ANTFLOPF COUNTY (4V9)

RNAV (GPS) RWY 1

NC-2, 26 DEC 2024 to 23 JAN 2025

K4V9
 ANTELOPE COUNTY
 NELIGH, NE
 RNAV (GPS) RWY 1 AMDT 1
 TAA 30NM
 1:750,000



TAA Left Base 097 CW 188 WINDMILL (2633)
 31-043736

TAA Straight-In 278 CW 097 Stepdown WINDMILL (2633)
 31-043736

TAA Right Base 188 CW 278 TOWER (2704)
 31-000300

TAA Straight-In 278 CW 097 TOWER (3610)
 31-000596

FT IN 50000 100000 150000 200000 250000 1000000 2000000 3000000

K4V9
ANTELOPE COUNTY
NELIGH, NE
RNAV (GPS) RWY 1
AMD 1
1:500,000

MODPY_CIH TERRAIN+AAO (2172)
TP_T14P111291

MODPY WINDMILL (2423)
31-039697

MODPY

Missed Level Surface WINDMILL (2532)
31-039706

MODPY_CIH WINDMILL (2532)
31-039706

AMDIZ

BIMPY

LNAV OCOBO to K4V9:RW01:AER TERRAIN+VEG (1957)
TP182

LNAV FERUG to OCOBO TERRAIN+AAO (2172)
TP120

OCOBO

FERUG

Initial CAGOD to HEMED WINDMILL (2577)
31-023770

Initial PLACA to HEMED/
Intermediate HEMED to FERUG
WINDMILL (2560)
31-023491

CAGOD

HEMED

PLACA

HEMED_1 WINDMILL (2567)
31-023609

