

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 07/09/2026	APWS Task ID: FE178CBB8604446BBDCBC00FE63BD636	APWS Project ID: 0EFEBFEEC0BF4CFFB6500C8B0BCF9737
Procedure: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 8		Enroute: NO	Specialist: Krueger, Zachary		Agreement Number:
Airport ID: KPWM			Airport City: PORTLAND		State: ME
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: AMNDT COMPLETED USING ACTIVE AIRPORT AND RWY DATA. ORW VOR MON AND UPDATED IAW OTHER SID'S AT KPWM. CONTACT: RAKE MCGRAW (AJV-A422) 405.954.8711. QUALITY 23 CHECKED					



26022

**PLYMOUTH, MA (CON'T)****PLYMOUTH MUNI (PYM) (CON'T)**

Rwy 15 (CON'T), tree 4029' from DER, 1048' left of centerline, 68' AGL/239' MSL.

Trees beginning 4040' from DER, 1146' left of centerline, up to 75' AGL/242' MSL.

Trees beginning 4188' from DER, 1295' left of centerline, up to 83' AGL/245' MSL.

Tree 4284' from DER, 1572' left of centerline, 86' AGL/246' MSL.

Trees beginning 4558' from DER, 736' right of centerline, up to 74' AGL/252' MSL.

Tree 4558' from DER, 117' left of centerline, 71' AGL/249' MSL.

Trees beginning 4595' from DER, 12' left of centerline, up to 72' AGL/257' MSL.

Tree 4632' from DER, 180' right of centerline, 84' AGL/253' MSL.

Trees beginning 4656' from DER, 78' right of centerline, up to 83' AGL/256' MSL.

Tree 4690' from DER, 96' left of centerline, 75' AGL/261' MSL.

Trees beginning 4709' from DER, 83' left of centerline, up to 79' AGL/266' MSL.

Tree 4742' from DER, 518' right of centerline, 82' AGL/259' MSL.

Tree 4778' from DER, 429' right of centerline, 85' AGL/260' MSL.

Trees beginning 4787' from DER, 17' right of centerline, up to 80' AGL/261' MSL.

Trees beginning 4791' from DER, 86' right of centerline, up to 89' AGL/263' MSL.

Rwy 24, electrical system 5' from DER, 10' right of centerline, 1' AGL/136' MSL.

Pole 5' from DER, 10' left of centerline, 1' AGL/136' MSL.

Poles, trees beginning 806' from DER, 619' right of centerline, up to 56' AGL/186' MSL.

Trees, pole beginning 1247' from DER, 613' right of centerline, up to 72' AGL/198' MSL.

Trees, pole beginning 1427' from DER, 581' right of centerline, up to 82' AGL/207' MSL.

Tree 1460' from DER, 876' left of centerline, 63' AGL/189' MSL.

Tree 1504' from DER, 887' left of centerline, 190' MSL.

Trees beginning 1725' from DER, 532' right of centerline, up to 84' AGL/211' MSL.

Trees beginning 1836' from DER, 910' left of centerline, up to 74' AGL/197' MSL.

Trees beginning 1881' from DER, 495' right of centerline, up to 89' AGL/213' MSL.

Trees beginning 1956' from DER, 938' left of centerline, up to 83' AGL/204' MSL.

Trees beginning 1968' from DER, 394' right of centerline, up to 93' AGL/216' MSL.

Trees beginning 2174' from DER, 605' left of centerline, up to 98' AGL/215' MSL.

Trees beginning 2312' from DER, 478' left of centerline, up to 106' AGL/222' MSL.

Trees beginning 2477' from DER, 376' right of centerline, up to 94' AGL/219' MSL.

Trees beginning 2949' from DER, 395' right of centerline, up to 102' AGL/223' MSL.

Trees beginning 3044' from DER, 475' right of centerline, up to 106' AGL/225' MSL.

Trees beginning 3251' from DER, 202' right of centerline, up to 111' AGL/228' MSL.

Rwy 33, pole 2' from DER, 457' left of centerline, 20' AGL/162' MSL.

Terrain 22' from DER, 238' right of centerline, 146' MSL.

Light poles, vehicles on road beginning 40' from DER, 255' left of centerline, up to 34' AGL/175' MSL.

Pole, vehicles on road, trees beginning 72' from DER, 268' left of centerline, up to 38' AGL/180' MSL.

Stacks, buildings beginning 123' from DER, 337' right of centerline, up to 20' AGL/167' MSL.

Buildings, stack beginning 268' from DER, 301' right of centerline, up to 168' MSL.

Poles, electrical system beginning 595' from DER, 457' right of centerline, up to 36' AGL/178' MSL.

Trees, electrical system, pole beginning 700' from DER, 68' left of centerline, up to 47' AGL/189' MSL.

Trees, electrical system, buildings, poles beginning 700' from DER, 56' right of centerline, up to 72' AGL/211' MSL.

Tree 786' from DER, 577' left of centerline, 202' MSL.

Trees beginning 798' from DER, 134' left of centerline, up to 67' AGL/210' MSL.

Tree 828' from DER, 430' left of centerline, 70' AGL/215' MSL.

Trees, pole beginning 843' from DER, 16' left of centerline, up to 77' AGL/221' MSL.

Tree 920' from DER, 525' right of centerline, 74' AGL/218' MSL.

Trees, poles beginning 929' from DER, 8' right of centerline, up to 77' AGL/223' MSL.

Trees beginning 2183' from DER, 558' right of centerline, up to 73' AGL/234' MSL.

Trees beginning 2362' from DER, 153' left of centerline, up to 81' AGL/223' MSL.

Trees beginning 2375' from DER, 106' left of centerline, up to 76' AGL/227' MSL.

Trees, electrical system beginning 2379' from DER, 11' right of centerline, up to 82' AGL/240' MSL.

Trees, pole beginning 2492' from DER, 23' right of centerline, up to 77' AGL/242' MSL.

Trees beginning 2509' from DER, 25' left of centerline, up to 85' AGL/238' MSL.

Trees beginning 3544' from DER, 39' left of centerline, up to 106' AGL/242' MSL.

PORTLAND, ME**PORTLAND INTL JETPORT (PWM)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 7 10DEC15 (15344) (FAA)

TAKEOFF MINIMUMS:

Rwy 11, 300-1¼ or std. w/min. climb of 272' per NM to 400.

Rwy 36, 400-2¾ or std. w/min. climb of 235' per NM to 600.

TAKEOFF OBSTACLE NOTES:

Rwy 11, tree 481' from DER, 563' right of centerline, 32' AGL/69' MSL.

Tree 650' from DER, 551' left of centerline, 25' AGL/67' MSL.

Trees beginning 5943' from DER, 1152' left of centerline, up to 189' AGL/230' MSL.

Trees beginning 1 NM from DER, 2025' left of centerline, up to 186' AGL/228' MSL.

Trees beginning 1 NM from DER, 1660' left of centerline, up to 209' AGL/251' MSL.

Rwy 18, tree 107' from DER, 522' right of centerline, 33' AGL/77' MSL.

Tree 178' from DER, 481' right of centerline, 38' AGL/82' MSL.

Trees beginning 207' from DER, left and right of centerline, up to 57' AGL/78' MSL.

CON'T

old

22 JAN 2026 to 19 FEB 2026

22 JAN 2026 to 19 FEB 2026



26022





26022

**PORTLAND, ME (CON'T)****PORTLAND INTL JETPORT (PWM) (CON'T)**

Rwy 18 (CON'T), trees beginning 403' from DER, 503' right of centerline, up to 66' AGL/110' MSL.

Trees beginning 1038' from DER, left and right of centerline, up to 65' AGL/109' MSL.

Trees beginning 1257' from DER, left and right of centerline, up to 83' AGL/127' MSL.

Trees beginning 1676' from DER, 217' right of centerline, up to 99' AGL/143' MSL.

Trees beginning 4242' from DER, 1132' right of centerline, up to 124' AGL/168' MSL.

Rwy 29, trees beginning 1301' from DER, 789' left of centerline, up to 47' AGL/122' MSL.

Trees 2185' from DER, 830' left of centerline, up to 74' AGL/149' MSL.

Trees beginning 2742' from DER, 811' right of centerline, up to 83' AGL/180' MSL.

Trees beginning 3103' from DER, 1245' left of centerline, up to 114' AGL/189' MSL.

Trees beginning 4218' from DER, 1382' left of centerline, up to 129' AGL/204' MSL.

Rwy 36, building 11' from DER, 149' left of centerline, 2' AGL/46' MSL.

Fence 23' from DER, 495' left of centerline, 21' AGL/68' MSL.

Vehicles on road, beginning 196' from DER, 251' left of centerline, up to 17' AGL/56' MSL.

Trees beginning 364' from DER, 87' left of centerline, up to 60' AGL/73' MSL.

Trees beginning 21' from DER, 252' left of centerline, up to 56' AGL/101' MSL.

Trees beginning 238' from DER, 515' left of centerline, up to 68' AGL/112' MSL.

Trees beginning 1281' from DER, 832' right of centerline, up to 85' AGL/129' MSL.

Trees beginning 1699' from DER, 450' right of centerline, up to 76' AGL/121' MSL.

Trees beginning 2298' from DER, 848' left of centerline, up to 81' AGL/125' MSL.

Tree 3545' from DER, 1437' left of centerline, 93' AGL/138' MSL.

old

PORTSMOUTH, NH**PORTSMOUTH INTL AT PEASE (PSM)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG-A 05APR12 (12096) (FAA)

DEPARTURE PROCEDURE:

Rwy 16, climb heading 165° to 600 before turning left.

TAKEOFF OBSTACLE NOTES:

Rwy 34, building 519' from DER, 439' right of centerline, 16' AGL/115' MSL.

Trees beginning 2752' from DER, 1090' right of centerline, 90' AGL/170' MSL.

PRESQUE ISLE, ME**PRESQUE ISLE INTL (PQI)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 7 02DEC21 (21336) (FAA)

TAKEOFF MINIMUMS:

Rwy 1, 300-1½ w/min. climb of 230' per NM to 1200, or std. w/min. climb of 465' per NM to 800, or 1100-3 for VCOA.

Rwy 10, 300-1½ or std. w/min. climb of 280' per NM to 900.

Rwy 19, std. w/min. climb of 275' per NM to 1600, or 1100-3 for VCOA.

Rwy 28, 300-1½ w/min. climb of 225' per NM to 1600, or std. w/min. climb of 260' per NM to 1000, or 1100-3 for VCOA.

DEPARTURE PROCEDURE:

Rwy 10, climb heading 093° to 1600 before proceeding on course.

VCOA:

Rwys 1, 19, 28, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Presque Isle Intl at or above 1500 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 1, terrain beginning 8' from DER, 372' left of centerline, up to 541' MSL, terrain 164' from DER, 470' left of centerline, 545' MSL.

Sign 174' from DER, 289' right of centerline, 3' AGL/540' MSL.

Terrain, lighting beginning 180' from DER, 149' left of centerline, up to 546' MSL.

Lighting 201' from DER, 150' right of centerline, 3' AGL/541' MSL.

Sign 220' from DER, 320' right of centerline, 3' AGL/542' MSL.

Terrain beginning 296' from DER, 559' right of centerline, up to 553' MSL.

Terrain beginning 580' from DER, 97' left of centerline, up to 565' MSL.

Terrain 891' from DER, 48' right of centerline, 557' MSL.

Fence 896' from DER, 601' right of centerline, 5' AGL/559' MSL.

Building 934' from DER, 258' right of centerline, 12' AGL/567' MSL.

Vehicles on road, tree, NAVAID, fence, terrain beginning 945' from DER, 0' of centerline, up to 574' MSL.

Terrain beginning 1003' from DER, 523' left of centerline, up to 570' MSL.

Tree, terrain, fence, vehicles on road beginning 1082' from DER, 13' left of centerline, up to 59' AGL/613' MSL.

Tree 1344' from DER, 199' right of centerline, 8' AGL/575' MSL.

Vehicles on road, fence, terrain, tree beginning 1346' from DER, 32' right of centerline, up to 620' MSL.

Tree 2365' from DER, 470' left of centerline, 68' AGL/620' MSL.

Trees beginning 2397' from DER, 409' right of centerline, up to 30' AGL/646' MSL.

Tree, terrain, vehicles on road beginning 2490' from DER, 331' right of centerline, up to 36' AGL/659' MSL.

Pole, terrain beginning 2584' from DER, 139' right of centerline, up to 38' AGL/662' MSL.

Tree 2617' from DER, 181' left of centerline, 39' AGL/622' MSL.

Tree, terrain, building beginning 2635' from DER, 236' right of centerline, up to 47' AGL/672' MSL.

Tree, vehicles on road, poles, terrain beginning 2685' from DER, 272' right of centerline, up to 49' AGL/699' MSL.

Trees beginning 3390' from DER, 240' left of centerline, up to 67' AGL/644' MSL.

Vehicles on road, terrain, pole beginning 3550' from DER, 175' right of centerline, up to 718' MSL.

CON'T

22 JAN 2026 to 19 FEB 2026

22 JAN 2026 to 19 FEB 2026



26022

