

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 07/09/2026	APWS Task ID: FF37957A3175462199C0549E7225E882	APWS Project ID: 7EC5AEB88D7E4474A327AF788D742C87
Procedure: LOC RWY 17 AMDT 6		Enroute: NO	Specialist: Weston, Daniel		Agreement Number:
Airport ID: PASM			Airport City: ST MARY'S		State: AK
Facility ID: SMA	Facility Type: LOC	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: PENDING AIRNAV DATA USED. ASSIGNED MAG VAR, PASM: OLD 12E/2015-NEW 7E/2030. CONTACT RAKE MCGRAW 405-954-8711. KMZ FILES: AMDT_6_1 MISSED ADJUSTMENT FILE AMDT_6_2 FULL ADJUSTED FILE QUALITY 38 CHECKED QUALITY 13 CHECKED					




FIPC BASIC FORM								
PROCEDURE: LOC RWY 17 AMDT 6			AIRPORT NAME: ST MARY'S		AIRPORT ID: PASM	SPECIAL CONTROL NO: KP-03-086-26		
FAC ID: SMA		CITY: ST MARY'S			ST: AK	ORIG CHART DATE: 07/09/2026		
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: FF37957A3175462199C0549E7225E882				
PREFLIGHT NOTES								
REVIEWER:					DATE:			
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT			
							YES	NO
					CPV COMPLETE?		X	
PROCEDURE RESULTS								
INSPECTION DATE: 05/28/2026	CREW #: VN075	N #: N91	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT			
FLIGHT INSPECTOR SIGNATURE: joel f hawkley @ 05/28/2026 20:04			PRINTED NAME: HAWKLEY, JOEL FEWENS			NOTAM INITIATED? ☐ YES ☒ NO		
FLIGHT INSPECTOR REMARKS:								
IN-FLIGHT OBSTACLE REPORT								
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:			

LOC/DME I-SMA 109.1 Chan 28	APP CRS 175°	Rwy Ldg TDZE Apt Elev	6000 306 315
---	------------------------	-----------------------------	---

LOC RWY 17
ST MARY'S (KSM)(PASM)

DME required.	MISSED APPROACH: Climb to 800 then climbing right turn to 4000 on heading 350° and on ENM VOR/DME R-124 to ZUGTA/ENM 34.3 DME and hold.
⚠ Circling NA east of Rwy 17-35. VDP NA when using MOU/PAMO altimeter setting.	
⚠ Circling Rwy 7 NA at night. When local altimeter setting not received, use MOU/PAMO altimeter setting and increase all MDAs 40 feet and S-LOC 17 visibility Cats C and D ½ SM.	

AWOS-3P 128.7	ANCHORAGE CENTER 124.0	CTAF 122.3
-------------------------	----------------------------------	----------------------



CATEGORY	A	B	C	D
S-17	700-1 394 (400-1)		700-1½ 394 (400-1½)	
CIRCLING	760-1 445 (500-1)	780-1 465 (500-1)	780-1½ 465 (500-1½)	880-2 565 (600-2)


LOC/DME I-SMA 109.1 Chan 28	APP CRS 170°	Rwy Idg TDZE Apt Elev 6008 302 312
---	------------------------	--

LOC RWY 17


ST MARY'S (KSM)(PASM)

DME required.	MISSED APPROACH: Climb to 800 then climbing right turn to 2600 on heading 025° and on I-SMA north course to SAWNY/I-SMA 6.2 DME and hold, continue climb-in-hold to 2600.
▼ ▲ Circling NA east of Rwy 17-35. Inop table does not apply to Cats A and B. For inop ALS, increase Cat C/D visibility to 1½ SM.	

AWOS-3P 128.7	ANCHORAGE CENTER 124.0	CTAF 122.30
-------------------------	----------------------------------	-----------------------



800	2600	I-SMA N crs	SAWNY I-SMA 6.2	SAWNY I-SMA 6.2	Remain within 10 NM
↑	hdg 025°				
		I-SMA 2.2	JEMTU I-SMA 3.7		
		COPMI I-SMA 1.5			
			≤ 3.00° TCH 51		
			1160	2000	
		0.5	0.6	1.6 NM	2.5 NM
CATEGORY	A	B	C	D	
S-17	700-1	398 (400-1)			
CIRCLING	820-1	508 (600-1)	820-1½	508 (600-1½)	880-2
					568 (600-2)





Federal Aviation Administration

Initial Development Notification for AIRNAV Pending Records

To: Brian Murphy, Manager Aeronautical Data Team, AJV-A31

From: Patrick Mulqueen, Manager Instrument Flight Procedures Quality Control, AJV-A44

Subject **ACTION:** Request for Pending Records **PASM__ST MARY'S, , AK US**

The Magnetic Variation (MV) data for the airport(s) and/or facility(s) listed will be revised effective concurrent with the publication of the procedure(s) listed below. Estimated Chart Date: 1/22/2026

Current/Assigned MV **E 12** **2015** New MV **E 7** **2030**

ECD	Airport ID	Procedure Name	Task Report Type Selectio
1/22/2026	PASM	LOC RWY 17 AMDT 6	MAGVAR IFP RETIREMENTS (IOAA
1/22/2026	PASM	RNAV (GPS) RWY 17 AMDT 4	MAGVAR
1/22/2026	PASM	RNAV (GPS) RWY 35. AMDT 3	MAGVAR IFP RETIREMENTS (IOAA
1/22/2026	PASM	ST MARY'S TAKEOFF (OBSTACLE) DEPARTURE PASM	MAGVAR

NAVAID ID / RWY	Type / Old No	Use / New RWY/Notes
I-SMA	ILS	ILS
RWY	24	25
RWY	6	7

SMA NDB decommissioning.
Rwy 17/35 numbers are not changing.

If you have any questions please notify: Casimir.L.Tabaka@faa.gov

Processed: Friday, July 18, 2025