

**Federal Aviation
Administration**

Transmittal Letter 24-12

April 12, 2024

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
5/16/2024	NC	Edenton	Northeastern Rgnl	4/7059	4/5/2024	RNAV (GPS) RWY 19, Amdt 2C

AIRAC Date: 16 MAY 2024

FDC 4/7059 EDE IAP NORTHEASTERN RGNL, EDENTON, NC. RNAV (GPS) RWY 19, AMDT 2C... LPV DA 219 ALL CATS. LNAV/VNAV DA 289/HAT 270, VIS 7/8 ALL CATS. LNAV MDA 400/HAT 381, VIS 1 1/8 ALL CATS. CIRCLING CAT A/B HAA 501, CAT C HAA 541, CAT D HAA 561. APT ELEV 19. TDZE 19. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ELIZABETH CITY ALTIMETER SETTING AND INCREASE LPV DA TO 276 FEET; INCREASE LNAV/VNAV DA TO 355 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL MDAS 60 FEET AND LNAV VISIBILITY CAT C/D 1/4 SM, AND CIRCLING VISIBILITY CAT C 1/4 SM. CHANGE PBN REQUIREMENTS NOTE TO READ: RNP APCH - GPS. DELETE ASTERISK IN PROFILE FROM VDP. DELETE PROFILE NOTE: *LNAV ONLY. CHART NOTE: RWY 19 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 34:1 IS NOT CLEAR. THIS IS RNAV (GPS) RWY 19, AMDT 2D. 2404042022-PERM