

**Federal Aviation  
Administration**

**Transmittal Letter 21-08**

**February 19, 2021**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
3/25/2021	MD	Salisbury	Salisbury-Ocean City Wicomico	1/1270	2/9/2021	RNAV (GPS) RWY 5, Amdt 1

**25 MARCH 2021**

FDC 1/1270 SBY IAP SALISBURY-OCEAN CITY WICOMICO RGNL, SALISBURY, MD. RNAV (GPS) RWY 5, AMDT 1... CIRCLING CAT C MDA 560/HAA 507, CAT D MDA 700/HAA 647. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE GEORGETOWN ALTIMETER SETTING: INCREASE LPV DA TO 394 FEET AND INCREASE ALL CATS VISIBILITY 1/4 SM; INCREASE LNAV/VNAV DA TO 512 FEET AND ALL CATS VISIBILITY 1/4 SM; INCREASE ALL MDA 60 FEET AND LNAV CAT C/D AND CIRCLING CAT D VISIBILITY 1/4 SM. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 49C (120F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 49C. THIS IS RNAV (GPS) RWY 5, AMDT 1A. 2102041920-PERM