

**Federal Aviation
Administration**

Transmittal Letter 22-01

November 12, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
12/30/2021	FL	Vero Beach	Vero Beach Rgnl	1/8935	11/4/2021	RNAV (GPS) RWY 4, Amdt 1C

AIRAC Date: 30 DECEMBER 2021

FDC 1/8935 VRB IAP VERO BEACH RGNL, VERO BEACH, FL. RNAV (GPS) RWY 4, AMDT 1C... CIRCLING CAT C MDA 660/HAA 636, CAT D MDA 820/HAA 796, CAT C VIS 1 3/4, CAT D VIS 2 1/2. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FORT PIERCE ALTIMETER SETTING AND INCREASE LPV DA TO 320 FEET; INCREASE LNAV/VNAV DA TO 378 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL MDAS 40 FEET AND LNAV CAT C/D AND CIRCLING CAT C/D VISIBILITY 1/4 SM. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT D 800-2 1/2, NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 4, AMDT 1D. 2110272238-PERM