

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name CLMNT (RNAV)	Number THREE	STAR Computer Code CLMNT.CLMNT3	Superseded Number TWO	Dated 05/19/2022	Effective Date 9 JUL 2026				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BISKS	BISKS.CLMNT3	BISKS	BISKS						AT/ABOVE FL240
			HEMSI	199.54	21.00	10000	1300		BETWEEN 15000 AND FL190
			CLMNT	199.50	26.50	6000	1300		BETWEEN 9000 AND 11000
CRANS	CRANS.CLMNT3	CRANS	CRANS						
			BISKS	199.58	19.82	FL180	1300		AT/ABOVE FL240
			HEMSI	199.54	21.00	10000	1300		BETWEEN 15000 AND FL190
			CLMNT	199.50	26.50	6000	1300		BETWEEN 9000 AND 11000
DULEE	DULEE.CLMNT3	DULEE	DULEE						
			CRANS	198.57	93.61	FL180	1300		
			BISKS	199.58	19.82	FL180	1300		AT/ABOVE FL240
			HEMSI	199.54	21.00	10000	1300		BETWEEN 15000 AND FL190
			CLMNT	199.50	26.50	6000	1300		BETWEEN 9000 AND 11000

ARRIVAL ROUTE DESCRIPTION:

DJT: FROM CLMNT ON TRACK 214.07/12.45 TO MAZEL.

LANDING DJT RWY 10L, 14: FROM MAZEL ON TRACK 214.02/5.00 TO CROSS FRWAY AT 4000, THEN ON TRACK 223.68/8.01 TO JUUNO, THEN ON TRACK 224.00/3.01 TO CROSS SANZZ AT 4000 AND AT 210 KIAS, THEN ON TRACK 271.41/5.00 TO CROSS DLMAN AT 4000, THEN ON TRACK 271.41. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING DJT RWY 28R: FROM MAZEL ON TRACK 214.02/5.00 TO CROSS FRWAY AT 4000, THEN ON TRACK 175.90/9.07 TO CROSS HETMO AT 4000 AND AT 210 KIAS, THEN ON TRACK 176.57/2.62 TO TROLN, THEN ON TRACK 099.00/3.04 TO CROSS WTCAP AT 4000, THEN ON TRACK 099.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING DJT RWY 32: FROM MAZEL ON TRACK 214.02/5.00 TO CROSS FRWAY AT 4000, THEN ON TRACK 175.90/9.07 TO CROSS HETMO AT 4000 AND AT 210 KIAS, THEN ON TRACK 175.35/9.65 TO EHMON, THEN ON TRACK 141.33/4.38 TO CROSS KIDGE AT 4000, THEN ON TRACK 141.33. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING 06FA/F45: FROM CLMNT ON TRACK 214.07/12.45 TO MAZEL, THEN ON TRACK 214.02/5.00 TO CROSS FRWAY AT 4000, THEN ON TRACK 271.09/3.71 TO CROSS AMILA AT 4000, THEN ON HEADING 270.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BCT: FROM CLMNT ON TRACK 214.07/12.45 TO MAZEL, THEN ON TRACK 218.59/9.43 TO CROSS KLUBZ AT 5000, THEN ON TRACK 223.66/3.54 TO JUUNO, THEN ON TRACK 203.82/4.37 TO HUSPU, THEN ON TRACK 182.59/9.90 TO JESNA, THEN ON TRACK 209.47/2.92 TO CROSS WHILE AT 5000, THEN ON HEADING 210.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY.

CHART NOTE: DO NOT FILE CRANS, BISKS TRANSITIONS - TO BE ASSIGNED BY ATC.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CLMNT (RNAV)	THREE	CLMNT.CLMNT3	TWO	05/19/2022	9 JUL 2026

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT CLMNT: HOLD N, LT, 199.50 INBOUND, 10 NM LEGS.
CHART HOLDING AT CRANS: HOLD N, RT, 198.57 INBOUND, 10 NM LEGS.
CHART HOLDING AT BISKIS: HOLD N, LT, 199.58 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

CHART: NORTH PALM BEACH COUNTY GENERAL AVIATION CTAF

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
BCT	BOCA RATON	FL
F45	WEST PALM BEACH	FL
06FA	JUPITER	FL
DJT	WEST PALM BEACH	FL

LOST COMMUNICATIONS PREFERENCES:**REMARKS:**

ABBREV AMDT.
THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
295 FT SHIPS EVALUATED OVER WATER.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: DJT 06W/2010
CHART AT DLMAN TERMINUS: DJT LDG RWY 10L, 14
CHART AT WTCAP TERMINUS: DJT LDG RWY 28R
CHART AT KIDGE TERMINUS: DJT LDG RWY 32
CHART AT AMILA TERMINUS: LDG 06FA/F45
CHART AT WHILE TERMINUS: LDG BCT

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CLMNT (RNAV)	THREE	CLMNT.CLMNT3	TWO	05/19/2022	9 JUL 2026

FLIGHT INSPECTED BY:**ORGANIZATION:****DATE:**

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/ VALIDATION.

Flight Inspected Signature:

Digitally signed by
TARA N MARTINELLI

Apr 28, 2026

DEVELOPED BY:

THOMAS KUKLISH

AJV-A432

04/09/2026

Developed By Signature:

TARA N MARTINELLI

Digitally signed by

Apr 28, 2026

Digitally signed by

APPROVED BY:

TARA MARTINELLI

AJV-A432

Approved By Signature:

TARA N MARTINELLI

Apr 28, 2026

CHANGES:

1. REMOVED ALL PBI IDENTIFIERS AND REPLACED WITH DJT.
2. ALL IDENTs UPDATED FROM FOUR-LETTER TO THREE-LETTER.
3. ADDITIONAL FLIGHT DATA CHANGED "MAG VAR: KPBI 06W/2010" TO "MAG VAR: DJT 06W/2010".
4. COMMUNICATIONS: REMOVED CHART: PALM BEACH APP CON.


REASONS:

1. AIRPORT NAME CHANGE FROM PBI TO DJT.
2. IAW 8260.19K 4-5-12G.
3. IAW 8260.19K 4-5-12J.
4. IAW 8260.19K 4-5-12F.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)


Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CLMNT (RNAV)	THREE	CLMNT.CLMNT3	TWO	05/19/2022	9 JUL 2026

Graphic Depiction 1

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Graphic Depiction 2




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CLMNT (RNAV)	THREE	CLMNT.CLMNT3	TWO	05/19/2022	9 JUL 2026

Graphic Depiction 3



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name CLMNT (RNAV)		Number THREE		STAR Computer Code CLMNT.CLMNT3		Superseded Number TWO		Dated 05/19/2022	Effective Date 9 JUL 2026
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
BISKS	275853.73N / 0793717.06W	Y		IF			AT/ABOVE FL240		BISKS.CLMNT3
HEMSI	273825.28N / 0794249.20W	Y	FB	TF	193.54	21.00	15000BFL190		
CLMNT	271234.69N / 0794945.41W	Y	FB	TF	193.50	26.50	9000B11000	AT 250K	
En Route Transition									
CRANS	281812.76N / 0793201.69W	Y		IF					CRANS.CLMNT3
BISKS	275853.73N / 0793717.06W	Y	FB	TF	193.58	19.82	AT/ABOVE FL240		
HEMSI	273825.28N / 0794249.20W	Y	FB	TF	193.54	21.00	15000BFL190		
CLMNT	271234.69N / 0794945.41W	Y	FB	TF	193.50	26.50	9000B11000	AT 250K	
En Route Transition									
DULEE	294950.52N / 0790857.43W	Y		IF					DULEE .CLMNT3
CRANS	281812.76N / 0793201.69W	Y	FB	TF	192.57	93.61			
BISKS	275853.73N / 0793717.06W	Y	FB	TF	193.58	19.82	AT/ABOVE FL240		
HEMSI	273825.28N / 0794249.20W	Y	FB	TF	193.54	21.00	15000BFL190		
CLMNT	271234.69N / 0794945.41W	Y	FB	TF	193.50	26.50	9000B11000	AT 250K	
Common Route									
CLMNT	271234.69N / 0794945.41W	Y		IF			9000B11000	AT 250K	CLMNT.CLMNT3
MAZEL	270133.65N / 0795618.98W	Y	FB	TF	208.07	12.45			
Common Route									
CLMNT	271234.69N / 0794945.41W	Y		IF			9000B11000	AT 250K	CLMNT.CLMNT3
MAZEL	270133.65N / 0795618.98W	Y	FB	TF	208.07	12.45			
FRWAY	265708.04N / 0795856.71W	Y	FB	TF	208.02	05.00	AT 4000		
AMILA	265648.90N / 0800304.61W	Y	FO	TF	265.09	03.71	AT 4000		
K06FA,KF45				VM	264.00				

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name CLMNT (RNAV)	Number THREE		STAR Computer Code CLMNT.CLMNT3		Superseded Number TWO		Dated 05/19/2022	Effective Date 9 JUL 2026	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
Common Route									
CLMNT	271234.69N / 0794945.41W	Y		IF			9000B11000	AT 250K	CLMNT.CLMNT3
MAZEL	270133.65N / 0795618.98W	Y	FB	TF	208.07	12.45			
KLUBZ	265335.21N / 0800200.01W	Y	FB	TF	212.59	09.43	AT 5000		
JUUNO	265046.47N / 0800425.15W	Y	FB	TF	217.66	03.54			
HUSPU	264636.21N / 0800554.80W	Y	FB	TF	197.82	04.37			
JESNA	263641.54N / 0800515.39W	Y	FB	TF	176.59	09.90			
WHILE	263400.39N / 0800633.18W	Y	FO	TF	203.47	02.92	AT 5000		
KBCT				VM	204.00				
Runway Transition									
MAZEL	270133.65N / 0795618.98W	Y		IF					
FRWAY	265708.04N / 0795856.71W	Y	FB	TF	208.02	05.00	AT 4000		
JUUNO	265046.47N / 0800425.15W	Y	FB	TF	217.68	08.01			
SANZZ	264823.51N / 0800629.59W	Y	FB	TF	218.00	03.01	AT 4000	AT 210K	
DLMAN	264759.30N / 0801203.78W	Y	FO	TF	265.41	05.00	AT 4000		
KDJT:RWY 10L,RWY 14				FM	265.41				
Runway Transition									
MAZEL	270133.65N / 0795618.98W	Y		IF					
FRWAY	265708.04N / 0795856.71W	Y	FB	TF	208.02	05.00	AT 4000		
HETMO	264810.68N / 0795710.08W	Y	FB	TF	169.90	09.07	AT 4000	AT 210K	
TROLN	264535.18N / 0795641.32W	Y	FB	TF	170.57	02.62			
WTCAP	264525.57N / 0795317.99W	Y	FO	TF	093.00	03.04	AT 4000		
KDJT:RWY 28R				FM	093.00				
Runway Transition									
MAZEL	270133.65N / 0795618.98W	Y		IF					
FRWAY	265708.04N / 0795856.71W	Y	FB	TF	208.02	05.00	AT 4000		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name CLMNT (RNAV)	Number THREE	STAR Computer Code CLMNT.CLMNT3		Superseded Number TWO		Dated 05/19/2022	Effective Date 9 JUL 2026		
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG</u> <u>TYPE</u>	<u>TC</u>	<u>DIST</u> <u>(NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
HETMO	264810.68N / 0795710.08W	Y	FB	TF	169.90	09.07	AT 4000	AT 210K	
EHMON	263840.12N / 0795510.74W	Y	FB	TF	169.35	09.65			
KIDGE	263532.51N / 0795144.49W	Y	FO	TF	135.33	04.38	AT 4000		
KDJT:RWY 32				FM	135.33				