

**Federal Aviation
Administration**

Transmittal Letter 22-23

September 16, 2022

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
11/3/2022	IL	Peoria	General Downing - Peoria Intl	2/8235	9/9/2022	ILS OR LOC RWY 31, Amdt 7D

AIRAC Date: 3 NOVEMBER 2022

FDC 2/8235 PIA IAP GENERAL DOWNING - PEORIA INTL, PEORIA, IL. ILS OR LOC RWY 31, AMDT 7D...
CHANGE CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LINCOLN ALTIMETER
SETTING AND INCREASE S-ILS 31 DA TO 939 FEET; INCREASE ALL MDAS 100 FEET ; AND CIRCLING
VISIBILITY CAT C/D 1/2 SM. CHANGE MISSED APPROACH INSTRUCTIONS TO READ: CLIMB TO 1200 THEN
CLIMBING LEFT TURN TO 2400 DIRECT PIA VORTAC AND HOLD, CONTINUE CLIMB-IN-HOLD TO 2400.
DELETE CHART NOTE: CIRCLING RWY 13, 31 NA AT NIGHT. CHART NOTE: FOR INOPERATIVE ALS, WHEN
USING LINCOLN ALTIMETER SETTING INCREASE ILS-31 ALL CATS VISIBILITY TO RVR 4500. ALTERNATE
MINIMUMS: ILS: STANDARD - NA WHEN LOCAL WEATHER NOT AVAILABLE; LOC: STANDARD EXCEPT CAT
D 800-2 1/4, NA WHEN LOCAL WEATHER NOT AVAILABLE. FAS OBST: 829 AAO 403702N/0893634W. THIS IS
ILS OR LOC RWY 31, AMDT 7E. 2207252014-PERM