

FAA FORM 8260 - 3 / April 2006 (computer generated) PAGE 1 OF 6 PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

INCREASE ALL DA 36 FEET AND MDA 40 FEET, INCREASE LNAV CATS C AND D VISIBILITY 1/8 MILE AND CIRCLING CAT D VISIBILITY 1/4 MILE.

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.

CHART NOTE: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING RWY 14 PROCEDURES NA AT NIGHT.

QUALITY
6
CHECKED

CITY AND STATE
MONTEVIDEO, MN

ELEVATION: 1035 TDZE: 1034
AIRPORT NAME:
MONTEVIDEO-CHIPPEWA COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 14, ORIG
4 APRIL 2013

SUP:
AMDT: NONE
DATED:

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KMVE
RUNWAY RW14
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR
REFERENCE PATH DATA SELECTOR 0
REFERENCE PATH IDENTIFIER (APPROACH ID) W14A
LTP/FTP LATITUDE 445821.5080N
LTP/FTP LONGITUDE 0954251.9425W
LTP/FTP ELLIPSOIDAL HEIGHT +02889
FPAP LATITUDE 445710.5900N
FPAP LONGITUDE 0954136.0000W
THRESHOLD CROSSING HEIGHT (TCH) 00045.0
TCH UNITS SELECTOR (METERS OR FEET USED) F
GLIDEPATH ANGLE (GPA) 03.00
COURSE WIDTH AT THRESHOLD 106.75
LENGTH OFFSET 1536
HORIZONTAL ALERT LIMIT (HAL) 40.0
VERTICAL ALERT LIMIT (VAL) 50.0

CRC REMAINDER

8B3DBA56

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K3
LTP ORTHOMETRIC HEIGHT +03152
FPAP ORTHOMETRIC HEIGHT +03152

QUALITY
6
CHECKED

CITY AND STATE

MONTEVIDEO, MN

ELEVATION: 1035

TDZE: 1034

AIRPORT NAME:

MONTEVIDEO-CHIPPEWA COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 14, ORIG
4 APRIL 2013

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KMVEK3FR14	ACLAPS	010CLAPSK3EA0E	IF						18000		A JS	
SUSAP	KMVEK3FR14	ACLAPS	020ZARTUK3EA0EY	020TF		27680235		+ 03400				A JS	
SUSAP	KMVEK3FR14	ACLAPS	030ZARTUK3EA0EE	AR HF		14060040		+ 03400				A JS	
SUSAP	KMVEK3FR14	ADAWSO	010DAWSOK3EA0E	A IF						18000		A JS	
SUSAP	KMVEK3FR14	ADAWSO	020ZARTUK3EA0EE	B 010TF		06740162		+ 03400				A JS	
SUSAP	KMVEK3FR14	AMOX	010MOX K3D 0V	A IF						18000		A JS	
SUSAP	KMVEK3FR14	AMOX	020ZARTUK3EA0EE	B 010TF		16910272		+ 03400				A JS	
SUSAP	KMVEK3FR14	R	010ZARTUK3EA0E	I IF				+ 03400		18000		A JS	
SUSAP	KMVEK3FR14	R	020WUMIRK3EA1E	F 051TF		14060062		+ 02600			RW14 K3PGA	JS	
SUSAP	KMVEK3FR14	R	020WUMIRK3EA2WALPV		ALNAV/VNAV ALNAV							JS	
SUSAP	KMVEK3FR14	R	030RW14 K3PG0GY	M 031TF		14070048		01079		-300		A JS	
SUSAP	KMVEK3FR14	R	040	0 M CA		1407		+ 01284				A JS	
SUSAP	KMVEK3FR14	R	050YIBUGK3EA0EY	DF				+ 03300				A JS	
SUSAP	KMVEK3FR14	R	060YIBUGK3EA0EE	R HM		32090040		+ 03300				A JS	

[illegible][illegible]

CITY AND STATE MONTEVIDEO, MN	ELEVATION: 1035 THRE: 1034 AIRPORT NAME: MONTEVIDEO-CHIPPEWA COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG 4 APRIL 2013	SUP:
				AMDT: NONE
				DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
5
CHECKER

CITY AND STATE MONTEVIDEO, MN	ELEVATION: 1035 THRE: 1034 AIRPORT NAME: MONTEVIDEO-CHIPPEWA COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG 4 APRIL 2013	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	CLAPS	CLAPS	010		IF		FB					
	CLAPS	ZARTU	020		TF		FO	2.0	276.8 (278.8T)	023.5	AA 03400	
	CLAPS	ZARTU	030	IAF	HF	R	FO		140.6 (142.6T)	004.0	AA 03400	
	DAWSO	DAWSO	010	IAF	IF		FB					
	DAWSO	ZARTU	020		TF		FB	1.0	067.4 (069.4T)	016.2	AA 03400	
	MOX	MOX	010	IAF	IF		FB					
	MOX	ZARTU	020		TF		FB	1.0	169.1 (171.1T)	027.2	AA 03400	
		ZARTU	010	FACF	IF		FB				AA 03400	
		WUMIR	020	FAF	TF		FB	0.5	140.6 (142.6T)	006.2	AA 02600	
		RW14	030	MAP	TF		FO	0.3	140.7 (142.7T)	004.8	AT 01079	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		140.7 (142.7T)		AA 01284	
	YIBUG	050		DF		FO				AA 03300	
	YIBUG	060		HM	R	FO		320.9 (322.9T)	004.0	AA 03300	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	MOX	N453355.46	W0955809.61	N4533.924	W09558.160
	CLAPS	N450334.50	W0951923.36	N4503.575	W09519.389
	DAWSO	N450124.62	W0961339.89	N4501.410	W09613.665
	WUMIR	N450209.52	W0954656.55	N4502.159	W09546.943
	YIBUG	N444912.88	W0953306.30	N4449.215	W09533.105
	ZARTU	N450705.28	W0955214.90	N4507.088	W09552.248
	RW14	N445821.51	W0954251.94	N4458.359	W09542.866

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW14	01034	45

QUALITY
6
CHECKED

CITY AND STATE MONTEVIDEO, MN	ELEVATION: 1035	THRE: 1034	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG 4 APRIL 2013	SUP:
	AIRPORT NAME: MONTEVIDEO-CHIPPEWA COUNTY				AMDT: NONE
					DATED: