

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
ABR VOR/DME	JELKU (FB)	023.07 / 31.96	3000	LNAV: RW13
EVUKY	HUVOS (FB)	246.23 / 9.03	3000	CLIMB TO 3500 DIRECT RNORD AND HOLD.
JELKU (IAF)	MAILI (NOPT) (FB)	040.69 / 5.00	3000	
HUVOS (IAF)	MAILI (NOPT) (FB)	220.80 / 5.00	3000	ADDITIONAL FLIGHT DATA: HOLD SE, RT, 311.03 INBOUND. CHART FAS OBST: 1414 TREE 454948N/0974536W STEVC TO RW13: 3.00/38. CHART ABERDEEN ASOS
GICAY (IAF)	MAILI (NOPT) (FB)	101.38 / 24.32	3000	
MAILI (IF/IAF)	STEVC (FB)	130.75 / 6.05	3000	
STEVC (FAF)	WEBKI/2.10 NM TO RW13 (FB)	130.81 / 3.07		
(SEE FORM 8260-10)				

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD NW MAILI, RT, 130.75 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC: 130.81 FAF: STEVC DIST FAF TO MAP: 5.17 THLD: 5.17
- MIN. ALT: MAILI 3000, STEVC 3000, WEBKI/2.10 NM TO RW13 2020
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM: RW13 4000

MAG VAR: 4E EPOCH YEAR: 2015

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A X														
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1760	1	445	1760	1	445		NA			NA				
CIRCLING	2000	1	682	2000	1	682		NA			NA				

NOTES:
CHART NOTE: USE ABERDEEN ALTIMETER SETTING; WHEN NOT RECEIVED, USE WHEATON ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET.
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: PROCEDURE NA AT NIGHT.
(SEE FORM 8260-10)

CITY AND STATE BRITTON, SD	ELEVATION: 1318 THRE: 1315 AIRPORT NAME: BRITTON MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 13, AMDT 1 10 JANUARY 2013	SUP: AMDT: ORIG-A DATED 04/08/2010
-------------------------------	---	------------------------------	--	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
WEBKI/2.10 NM TO RW13	RW13 (MAP) (FO)	130.81 / 2.10	
RW13 (MAP)	1718 MSL	130.81	
1718 MSL	RNORD (FO)		3500

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON ABR VOR/DME AIRWAY RADIALS 304 CW 109.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED.

CITY AND STATE

BRITTON, SD

ELEVATION: 1318

THRE: 1315

AIRPORT NAME:

BRITTON MUNI

FACILITY IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 13, AMDT 1

10 JANUARY 2013

SUP:

AMDT: ORIG-A

DATED: 04/08/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

RCUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ABR	ABR	010		IF		FB					
	ABR	JELKU	020	IAF	TF		FB	2.0	023.1(027.1T)	032.0	AA 03000	
	ABR	MAILI	030		TF		FB	1.0	040.7(044.7T)	005.0	AA 03000	
	EVUKY	EVUKY	010		IF		FB					
	EVUKY	HUVOS	020	IAF	TF		FB	2.0	246.2(250.2T)	009.0	AA 03000	
	EVUKY	MAILI	030		TF		FB	1.0	220.8(224.8T)	005.0	AA 03000	
	GICAY	GICAY	010	IAF	IF		FB					
	GICAY	MAILI	020		TF		FB	1.0	101.4(105.4T)	024.3	AA 03000	
	MAILI	MAILI	010	IAF	HF	R	FO		130.8(134.8T)	004.0	AA 03000	
		MAILI	010	FACF	IF		FB				AA 03000	
		STEVC	020	FAF	TF		FB	0.5	130.8(134.8T)	006.1	AA 03000	
		WEBKI	021	SDF	TF		FB	0.3	130.8(134.8T)	003.1	AA 02020	GS 02021
		RW13	030	MAP	TF		FO	0.3	130.8(134.8T)	002.1	AT 01352	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		130.8(134.8T)		AA 01718	
	RNORD	050		DF		FO				AA 03500	
	RNORD	060		HM	R	FO		311.0(315.0T)	004.0	AA 03500	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ABR	N452502.48	W0982207.39	N4525.041	W09822.123
	EVUKY	N460337.34	W0973901.29	N4603.622	W09739.022
	GICAY	N460332.58	W0982952.63	N4603.543	W09829.877
	HUVOS	N460033.50	W0975112.84	N4600.558	W09751.214
	JELKU	N455327.47	W0980118.19	N4553.458	W09801.303
	MAILI	N455700.58	W0975615.81	N4557.010	W09756.264
	RNORD	N454047.33	W0973258.33	N4540.789	W09732.972
	STEVC	N455245.00	W0975006.94	N4552.750	W09750.116
	WEBKI	N455035.02	W0974659.77	N4550.584	W09746.996
	RW13	N454906.17	W0974452.03	N4549.103	W09744.867

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW13	01315	38



CITY AND STATE BRITTON, SD	ELEVATION: 1318	THRE: 1315	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 13, AMDT 1 10 JANUARY 2013	SUP:
	AIRPORT NAME: BRITTON MUNI				AMDT: ORIG-A
					DATED: 04/08/2010