

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

AIRPORT ID 2S8	PROCEDURE NAME RNAV (GPS) RWY 2	ORIGINAL/AMENDMENT ORIG	CITY WILBUR	STATE WA
AIRPORT ELEVATION 2183	TDZE 2183	SUPERSEDED	ORIGINAL/AMENDMENT NONE	DATED
FACILITY RNAV	COORDINATES OF FACILITIES	ACTUAL EFFECTIVE DATE 5 SEPTEMBER 2024	REQUIRED EFFECTIVE DATE ROUTINE	MAG VAR 15E
				EPOCH YEAR 2015
				CANCEL/SUSPEND

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
WIPES	IAF	UXICY		TF	FB	1.00	020.47	12.97	5000
OWOSE	IAF	UXICY		TF	FB	1.00	355.65	9.23	5000
UXICY	IF	YOLDU		TF	FB	1.00	021.21	6.00	4100
YOLDU	FAF	ALISY/2.31 NM RW02		TF	FB	0.30	021.28	3.64	
ALISY/2.31 NM RW02		RW02	MAP	TF	FO	0.30	021.28	2.31	
RW02	MAP	2600 MSL		CA			021.28		2600
2600 MSL		WIPES		DF	FO	1.00			5000

MISSED APPROACH

MAP:

LNAV: RW02

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2600, THEN CLIMBING RIGHT TURN TO 5000 DIRECT WIPES AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- PROFILE STARTS AT UXICY
- FAC: 021.28 FAF: YOLDU DIST FAF TO MAP: 5.95 DIST FAF TO THLD: 5.95
- MIN ALT: UXICY 5000, YOLDU 4100, ALISY/2.31 NM RW02 2940
- DIST TO THLD FROM OM: MM: IM: 150 HAT: GS ANT: OM: MM: IM:
- MIN GP INCPT: GP ALT AT FAF:
- GP ANGLE: 34:1 IS CLEAR 20:1 IS CLEAR TCH:
- MSA FROM: RW02 6100



PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: CIRCLING RWY 20 NA AT NIGHT.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE EPH ALTIMETER SETTING AND INCREASE ALL MDAS 240 FEET AND LNAV VISIBILITY CAT C/D 5/8 SM, AND CIRCLING VISIBILITY CAT B/C/D 3/4 SM.

ADDITIONAL FLIGHT DATA:

HOLD S, RT, 015.47 INBOUND.
CHART FAS OBST: 2265 TREE 474512N/1184527W.
CHART VDP AT 0.99 NM TO RW02.
CHART NOTE: VDP NA WITH EPH ALTIMETER SETTING.
YOLDU TO RW02: 3.00/40.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA

<u>CATEGORY:</u>	A			B			C			D			E		
<u>FINAL TYPE</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>
LNAV MDA	2520	1	337	2520	1	337	2520	1	337	2520	1	337			
CIRCLING	2660	1	477	2760	1	577	2960	2 1/4	777	2960	2 1/2	777			

CHANGES - REASONS

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:** ZSE, AMGR

FLIGHT CHECKED BY

TROY E DEVINE

Digitally signed by

RAKE MCGRAW

OFFICE

FPO

DATE

07/23/2024

Digitally signed by

RAKE MCGRAW

OFFICE

AJV-A33

DATE

02/12/2024

DEVELOPED BY

JOHN BORDY (DUSTIN HARDISON)

Digitally signed by

RAKE MCGRAW

OFFICE

AJV-A33

DATE

09/05/2024

APPROVED BY

JOHN BORDY

TITLE

MANAGER

