FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated.

			,	Jennigs are in leet abov	e airport cicvati	on. Distances are	iii iiadiicai iiiiics. Visibiiities are iii state	ie illies of feet it vit diffess c	trierwise iriaicatea.			
DP NAN	<u>1E</u>					NUMBER	DP COMPUTER CODE	SUPERSEDED	NUMBER	DAT		ACTUAL EFFECTIVE DAT
DILLON						TWO	DLN2.DLN	ONE		02/01/	2018	31 DECEMBER 2020
TYPE:	OBSTACLE	<u>COPTER</u>	SID	SPECIAL	RNAV							
TAKEOF INBOUN		IB ON HEADIN	ME AT OR AB	OVE 12000 BEF			ECT DILLON VOR/DME, CON COURSE. EXPECT FILED AL					:N (HOLD S, RT, 016.25
IKANSI	ION KOUTES (C	TRANSIT		<u>).</u> <u>FROM</u>			TO					CROSSING
[RANSI]	TION NAME	COMPUTER		FIX/NAVAID	<u> </u>	FIX	<u>IO</u> <u>(/NAVAID</u>	COURSE	DISTANCE	MEA	MOCA	ALTITUDE/FIXES
NOTE: F	DURAL DATA NO RNAV 1. GPS REQUIRED	OTES:										
RWY 07	F MINIMUMS: 25, 35: NA- EN\ STANDARD.	/IRONMENTAL	L.									
	FF OBSTACLES RWY 17, GRD, AI		GINNING 5 F	Γ FROM DER, 9 F	FT LEFT OF	CENTERLIN	E, UP TO 4767 FT MSL. AIRF	FIELD LT 9 FT FROM	DER, 10 FT RIG	GHT OF C	ENTERLIN	IE, 2 FT AGL/4762 FT MSL.
	DLLING OBSTAC CLES MANDATIN		E DEVELOPM	IENT: RWY 17: 1	0174 FT MS	SL AAO 45334	8.00N/1120857.00W.					
LOST C	OMMUNICATION	IS PROCEDU	RES:									
CHART REFERE	NAL FLIGHT DA HOLDING PATTI NCE MAG VAR: TS SERVED:	ERN AT DILLO	POCH YR: 202	HOLD S, RT, 016	6.25 INBOU	ND, 7 MILE LE		C	:ITY			STATE
			LLEY FIELD			KRVF		_	BRIDGES			<u> </u>
		KODT VA	LLLT FILLD			KKVI		I VVIIN E	DRIDGES			IVI I
<u>COMMU</u> ZLC	NICATIONS:											
FIXES A	ND/OR NAVAID	<u>S</u> :										
REMARI		MENT - DOES I	NOT OUALIEN	' AS A PERIODIC	PEWEW							ONALIA
	IATED AMENDI	TENT - DOES I	INOT QUALIFT	AS AT ENIODIC	ZINEVIEVV.							3
												CHECKED

DP NAME DILLON	NUMBER TWO	DP COMPUTER CODE DLN2.DLN	SUPERSEDED NUMBER ONE	DATED 02/01/2018	ACTUAL EFFECTIVE DATE 31 DECEMBER 2020
FLIGHT INSPECTED BY			OFFICE	DATE	
PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL	29, 2020 SUBJE	CT: FLIGHT INSPECTION REV	IEW NOT REQUIRED.		
	Digitally sig	ned by			
DEVELOPED BY	MARK D A	DAMS	<u>OFFICE</u>	DATE	
DEANNA.M.FIELDS DEANNA.M.FIELDS	Sep 03, 2	2020	AJV-A412	08/14/2020	
Aug 21, 2020					
APPROVED BY		Digitally signed by	OFFICE	DATE	<u>TITLE</u>
JULIE MORGAN		MARK D ADAMS	AJV-A41		
		Sep 03, 2020			
REQUIRED EFFECTIVE DATE					
ROUTINE					
COORDINATED WITH:					
A4A ALPA AOPA AOPA APA HAI NBAA	OTHER: ZLO	C, AMGR			

CHANGES - REASONS:

ALL REFERENCE TO K7S1 CHANGED TO KRVF, AIRPORT NAME CHANGED FROM TWIN BRIDGES TO RUBY VALLEY FIELD - RESOLUTION 24-2020, A RESOLUTION RE-NAMING THE TWIN BRIDGES AIRPORT.

DP ROUTE DESCRIPTION: TAKEOFF RWY 17: THE WORDING CLIMB HEADING CHANGED TO CLIMB ON HEADING - FAA ORDER 8260.46G CRITERIA.

ONALITY 3 CHECKED

FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE DEPARTURE (DATA RECORD)

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	<u>DATED</u>	ACTUAL EFFECTIVE DATE
DILLON						TWO	DLN2.DLN	ONE	02/01/2018	31 DECEMBER 2020
FIX/NAVAID	LAT/LONG	<u>C</u>	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
RW17 (AER)	453240.80N/1121758.47W	N	-	-	-	-				
5300 MSL		-	-	VA	182.43	-	AT/ABOVE 5300			
DILLON VOR/DME	451454.87N/1123249.67W	Υ	FO	DF	-	-	AT/ABOVE 12000	RIGHT TURN		
DILLON VOR/DME	451454.87N/1123249.67W	Υ	FO	НА	028.25	7.00	12000	RIGHT TURN		

