

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KSPK	<u>PROCEDURE NAME</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> 1	<u>CITY</u> SPANISH FORK	<u>STATE</u> UT		
<u>AIRPORT ELEVATION</u> 4530	<u>TDZE</u>	<u>SUPERSEDED</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>DATED</u> 01/03/2019	<u>MAG VAR</u> 11E	<u>EPOCH YEAR</u> 2020
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 3 NOVEMBER 2022	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
VERNE	IAF	UKROY	NOPT	TF	FB	1.00	083.22	19.32	9600
FRNZY	IAF	UKROY	NOPT	TF	FB	1.00	013.21	12.68	9600
UKROY	IF/IAF	ZAMUX		TF	FB	1.00	083.49	5.49	7800
ZAMUX		NEVME		TF	FB	1.00	083.55	4.29	6800
NEVME	FAF	OGXIB	MAP	TF	FO	0.30	083.62	5.00	
OGXIB	MAP	4930 MSL		CA			083.62		
4930 MSL		VERNE		DF	FO	1.00			11500

MISSED APPROACH

MAP:
OGXIB

MISSED APPROACH INSTRUCTIONS:

(DO NOT EXCEED 185 KIAS UNTIL TURN COMPLETION) CLIMBING RIGHT TURN TO 11500 DIRECT VERNE AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:** ZLC, SLC APP CON, AMGR

FLIGHT CHECKED BY

GARY J VEER

Digitally signed by
CASIMIR L TABAKA

OFFICE

FPO

DATE

08/18/2022

DEVELOPED BY

APRIL SARMENTO

Digitally signed by
APRIL T SARMENTO
Apr 14, 2022

Jun 21, 2022

OFFICE

AJV-A432

DATE

03/31/2022

APPROVED BY

CASIMIR TABAKA

Digitally signed by
CASIMIR L TABAKA
Apr 26, 2022

OFFICE

AJV-A430

DATE

TITLE
MANAGER

