

**US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION**

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
BIYAD (IAF)	HORVA (NOPT) (FB)	111.01 / 8.00	3900	LP: RW05 LNAV: RW05
AYAGU (IAF)	HORVA (NOPT) (FB)	351.16 / 8.00	3900	CLIMB TO 3500 DIRECT FIDOD AND HOLD.
HORVA (IF/IAF)	GELKE (FB)	051.23 / 4.80	3000	
GELKE	WIXIT (FB)	051.39 / 3.17	2400	ADDITIONAL FLIGHT DATA: HOLD NE, RT, 232.29 INBOUND. CHART FAS OBST: 689 TREE 663200N/1524137W CHART FAS OBST: 589 TREE 663231N/1524025W WAAS CHANNEL # 99622 REFERENCE PATH ID: W05A WIXIT TO RW05: 3.00/40. 1199 AAO 663142N/1525244W CHART 739 TREE 663247N/1524529W 1249 AAO 663144N/1525301W LTP HAE: 140.4 M
WIXIT (FAF)	RIPOY/2.60 NM TO RW05 (FB)	051.52 / 3.43		
RIPOY/2.60 NM TO RW05 (SEE FORM 8260-10)	RW05 (MAP) (FO)	051.64 / 2.60		

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD SW HORVA, RT, 051.23 INBOUND, 3900 FT. IN LIEU OF PT (IAF)
- FAC: 051.52 FAF: WIXIT DIST FAF TO MAP: 6.03 THLD: 6.03
- MIN. ALT: HORVA 3900, GELKE 3000, WIXIT 2400, RIPOY/2.60 NM TO RW05 1300
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM:

MAG VAR: 22E EPOCH YEAR: 2005

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		X							
CATEGORY ==>>>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LP MDA	960	1	522	960	1	522	960	1 1/2	522							
LNAV MDA	1060	1	622	1060	1	622	1060	1 3/4	622							
CIRCLING	1100	1	659	1160	1	719	1200	2 1/4	759							

NOTES:
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: USE BETTLES ALTIMETER SETTING



CITY AND STATE ALLAKAKET, AK	ELEVATION: 441 THRE: 438 AIRPORT NAME: ALLAKAKET	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 5, AMDT 1 25 AUG 2011	SUP:
				AMDT: ORIG-A
				DATED 06/05/2008

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW05 (MAP)	841 MSL	051.64	
841 MSL	FIDOD (FO)		3500

TAA

	FROM	TO	ALT
1.	351/30 CW 111/30 (NOPT)	351/6 CW 111/6	6500
2.	351/6 CW 111/6	HORVA (IF/IAF) (FB)	3900
3.	111/30 CW 231/30	111/11 CW 231/11	6300
4.	111/11 CW 231/11	BIYAD (IAF) (FB)	4300
5.	231/30 CW 351/30	231/11 CW 351/11	5300
6.	231/11 CW 351/11	AYAGU (IAF) (FB)	4300

QUALITY
2
CHECKED

CITY AND STATE ALLAKAKET, AK	ELEVATION: 441 THRE: 438	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 5, AMDT 1 25 AUG 2011	SUP:
	AIRPORT NAME: ALLAKAKET			AMDT: ORIG-A
				DATED: 06/05/2008

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	PFAL
RUNWAY	RW05
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	0
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W05A
LTP/FTP LATITUDE	663301.0900N
LTP/FTP LONGITUDE	1523807.2385W
LTP/FTP ELLIPSOIDAL HEIGHT	+01404
FPAP LATITUDE	663325.9100N
FPAP LONGITUDE	1523433.2300W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER 3FDA2AC8

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	PA
LTP ORTHOMETRIC HEIGHT	+01336
FPAP ORTHOMETRIC HEIGHT	+01336



CITY AND STATE ALLAKAKET, AK	ELEVATION: 441 THRE: 438	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 5, AMDT 1 25 AUG 2011	SUP:
	AIRPORT NAME: ALLAKAKET			AMDT: ORIG-A
				DATED: 06/05/2008

