

**Federal Aviation  
Administration**

**Transmittal Letter 22-15**

**MAY 27, 2022**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/14/2022	MT	Wolf Point	L M Clayton	2/9494	5/11/2022	RNAV (GPS) RWY 29, Amdt 1A

**AIRAC Date: 14 JULY 2022**

FDC 2/9494 OLF IAP L M CLAYTON, WOLF POINT, MT. RNAV (GPS) RWY 29, AMDT 1A... CIRCLING CAT C MDA 2660/HAA 671, CAT D MDA 2780/HAA 791; VIS CAT C 2, CAT D 2 1/2. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WOKAL FLD/GLASGOW-VALLEY COUNTY ALTIMETER SETTING: INCREASE LPV DA TO 2330 FT AND VISIBILITY 3/8 SM, LNAV/VNAV DA TO 2380 FT AND VISIBILITY 1/2 SM; INCREASE ALL MDA 160 FT AND LNAV AND CIRCLING VISIBILITY CAT C/D 1/2 SM. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT D 800-2 1/2, NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 29, AMDT 1B. 2205051307-PERM