U.S. Department of Transportation

Federal Aviation Administration

Transmittal Letter 24-19

July 19, 2024

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

.......EFFECTIVEUPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
9/5/2024	LA	New Orleans	Louis Armstrong New Orleans	4/8996	45440	RNAV (GPS) Y RWY 11, Amdt 2B

AIRAC Date: 5 SEPTEMBER 2024

FDC 4/8996 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. RNAV (GPS) Y RWY 11, AMDT 2B... CHANGE UNCOMPENSATED BARO-VNAV NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -1C OR ABOVE 54C. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. DELETE PROFILE NOTE: *LNAV ONLY. DELETE ASTERISK FROM MINIMUM ALTITUDE AT WEKTA 1.40 NM TO RW11 500. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 2.80/TCH 72.9). THIS IS RNAV (GPS) Y RWY 11, AMDT 2C. 2405061437-PERM