

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date				
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022				
TRANSITION ROUTES:									
This is a corrected copy of the procedure published in NFDD 071. ** See page 6 for details. **									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
ACORI	ACORI.VUUDU1	ACORI	ACORI						
			BULZI	137.92	124.30	FL200	2600		
			SNAPY	156.02	38.62	FL200	2600		
			NICKI	156.21	38.49	FL200	2600		
			MOLIE	149.02	91.36	FL200	2600		
			SANTR	169.25	25.81	FL200	2600		
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220
			RACNO	136.30	17.75	11000	2600		AT FL190
			LUCYS	081.30	14.05	11000	1400		AT/BELOW 15000
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	1400		
DEFUN	DEFUN.VUUDU1	DEFUN	DEFUN						
			CABLO	097.70	66.78	FL200	2600		
			BULZI	127.06	46.28	FL200	2600		
			SNAPY	156.02	38.62	FL200	2600		
			NICKI	156.21	38.49	FL200	2600		
			MOLIE	149.02	91.36	FL200	2600		
			SANTR	169.25	25.81	FL200	2600		
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220
			RACNO	136.30	17.75	11000	2600		AT FL190
			LUCYS	081.30	14.05	11000	1400		AT/BELOW 15000
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	1400		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name VUUDU (RNAV)		Number ONE	STAR Computer Code VUUDU.VUUDU1	Superseded Number NONE	Dated	Effective Date 05/19/2022			
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
ENEME	ENEME.VUUDU1	ENEME	ENEME						
			FETAL	192.77	31.28	FL200	2600		
			DOFFY	187.10	55.56	FL200	2600		
			MOLIE	176.93	74.18	FL200	2600		
			SANTR	169.25	25.81	FL200	2600		
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220
			RACNO	136.30	17.75	11000	2600		AT FL190
			LUCYS	081.30	14.05	11000	1400		AT/BELOW 15000
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	1400		
GAWKS	GAWKS.VUUDU1	GAWKS	GAWKS						AT/BELOW FL310
			BAGGS	108.03	13.50	FL200	2600		
			NOILS	114.66	05.85	FL200	2600		AT/ABOVE FL280
			PEBOE	114.36	23.80	FL200	2600		AT/BELOW FL260
			PACLA	118.11	15.00	FL200	2600		BETWEEN FL240 AND FL250
			TROPS	118.23	09.17	FL180	2600		AT/BELOW FL220
			RACNO	118.30	23.69	11000	2600		AT FL190
			LUCYS	081.30	14.05	11000	1400		AT/BELOW 15000
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	1400		
LUCYS	LUCYS.VUUDU1	LUCYS	LUCYS						AT/BELOW 15000
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000
			VUUDU	093.17	10.51	9000	1400		
MOLIE	MOLIE.VUUDU1	MOLIE	MOLIE						
			SANTR	169.25	25.81	FL200	2600		
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name VUUDU (RNAV)		Number ONE		STAR Computer Code VUUDU.VUUDU1		Superseded Number NONE			Dated	Effective Date 05/19/2022
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250	
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220	
			RACNO	136.30	17.75	11000	2600		AT FL190	
			LUCYS	081.30	14.05	11000	1400		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	1400			
SABEE	SABEE.VUUDU1	SABEE	SABEE						AT/BELOW FL250	
			TROPS	141.07	22.24	FL180	2600		AT/BELOW FL220	
			RACNO	118.30	23.69	11000	2600		AT FL190	
			LUCYS	081.30	14.05	11000	1400		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	1400			
SWAGS	SWAGS.VUUDU1	SWAGS	SWAGS						AT/BELOW FL250	
			LUCYS	353.42	34.08	11000	1400		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	1400			
ZPLEN	ZPLEN.VUUDU1	ZPLEN	ZPLEN							
			IISLY	167.79	61.77	FL200	2600			
			DOFFY	161.00	95.89	FL200	2600			
			MOLIE	176.93	74.18	FL200	2600			
			SANTR	169.25	25.81	FL200	2600			
			HORUT	169.63	17.00	FL200	2600		AT/BELOW FL260	
			FANTE	169.35	19.35	FL200	2600		BETWEEN FL240 AND FL250	
			HUCUR	135.43	16.07	FL180	2600		AT/BELOW FL220	
			RACNO	136.30	17.75	11000	2600		AT FL190	
			LUCYS	081.30	14.05	11000	1400		AT/BELOW 15000	
			SHRVY	081.42	12.82	9000	1400		BETWEEN 11000 AND 13000	
			VUUDU	093.17	10.51	9000	1400			



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022

ARRIVAL ROUTE DESCRIPTION:

KPBI: FROM VUUDU ON TRACK 093.47/2.65 TO CROSS TARTY BETWEEN 9000 AND 11000 AND AT 250 KIAS, THEN ON TRACK 116.26/10.00 TO CROSS HLIBT AT OR BELOW 9000.
LANDING KPBI RWY 10L, 14: FROM HLIBT ON TRACK 117.23/6.34 TO CROSS GULLO AT 5000. EXPECT ILS OR LOC RWY 10L, RNAV (RNP) Z RWY 14 APPROACH.
LANDING KPBI RWY 28R, 32: FROM HLIBT ON TRACK 118.43/15.08 TO CROSS JANDS AT OR ABOVE 8000, THEN ON TRACK 118.14/7.39 TO CROSS BEKAH AT 6000, THEN ON TRACK 098.78/7.64 TO CROSS COTEB AT 6000 AND AT 210 KIAS, THEN ON TRACK 098.78. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING 06FA/F45: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 090.02/1 1.54 TO SHZAM, THEN ON HEADING 091.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING KBCT: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 158.86/15.48 TO VETCH, THEN ON TRACK 110.94/12.23 TO SCALE, THEN ON TRACK 099.00/5.50 TO DIVRR, THEN ON TRACK 099.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING KSUA: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 031.76/19.47 TO MSQTO, THEN ON HEADING 050.00 . EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES

RNAV 1 - DME/DME/IRU OR GPS. GAWKS TRANSITION: GPS.

EQUIPMENT REQUIREMENT NOTES

RADAR REQUIRED

PROCEDURAL DATA NOTES:

CHART NOTE: DO NOT FILE LUCYS OR MOLIE TRANSITION - TO BE ASSIGNED BY ATC.
NOTE: SABEE TRANSITION FOR TPA AREA DEPARTURES.
NOTE: JET AIRCRAFT ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT EXONS: HOLD SW, RT, 050.00 INBOUND, 10 NM LEGS.
CHART HOLDING AT GAWKS: HOLD W, LT, 108.03 INBOUND, 10 NM LEGS.
CHART HOLDING AT HORUT: HOLD N, RT, 169.35 INBOUND, 10 NM LEGS.
CHART HOLDING AT MOLIE: HOLD N, RT, 169.25 INBOUND, 10 NM LEGS.
CHART HOLDING AT RACNO: HOLD NW, RT, 118.30 INBOUND, 10 NM LEGS.
CHART HOLDING AT TROPS: HOLD NW, RT, 117.30 INBOUND, 10 NM LEGS.
CHART HOLDING AT VUUDU: HOLD W, LT, 093.17 INBOUND, 10 NM LEGS.
CHART HOLDING AT WATES: HOLD W, RT, 106.61 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

CHART: PALM BEACH APP CON.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022

AIRPORTS SERVED:

WEST PALM BEACH, FL (KPBI)
BOCA RATON, FL (KBCT)
WEST PALM BEACH, FL (F45)
JUPITER, FL (06FA)
STUART, FL (KSUA)

LOST COMMUNICATIONS PROCEDURE:REMARKS:

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
WATES, EXONS WP ARE STAND-ALONE HOLDING.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0) REFERENCE
MAG VAR: KPBI 06W/2010
CHART AT GULLO TERMINUS: KPBI LDG RWY 10L/14
CHART AT COTEB TERMINUS: KPBI LDG RWY 28R/32
CHART AT SHZAM TERMINUS: LDG 06FA/F45
CHART AT DIVRR TERMINUS: LDG KBCT
CHART AT MSQTO TERMINUS: LDG KSUA

FLIGHT INSPECTED BY:

GARY BELL

Name

FIOG

Organization

03/16/2022

Date

Digitally signed by

DAVID TEFFETELLER

Signature

Apr 11, 2022

DEVELOPED BY:

VICKI TURNER

Name

DESIGN IMPLEMENTATION MANAGER
AJV-22

Organization

10/26/2021

Date

Digitally signed by

DAVID TEFFETELLER

Signature

Apr 11, 2022

APPROVED BY:

LONNIE EVERHART

Name

AJV-A430

Organization

Date

Digitally signed by

DAVID TEFFETELLER

Signature

Apr 11, 2022



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022

CHANGES:

4/5/22: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 03/21/22.

1. REMOVED "OR AS ASSIGNED BY ATC" IN ARRIVAL ROUTE DESCRIPTIONS FOR 'LANDING 06FA/F45' AND 'LANDING KSUA'.
2. CHANGED PBN REQUIREMENT NOTES FROM "GAWKS TRANSITION: RNAV 1 - GPS" TO "GAWKS TRANSITION: GPS".
3. REMOVED PROCEDURAL DATA NOTE "NOTE: LUCYS/MOLIE TRANSITIONS, ATC ASSIGNED ONLY" AND ADDED "CHART NOTE: DO NOT FILE LUCYS OR MOLIE TRANSITION - TO BE ASSIGNED BY ATC".
4. REMOVED AIRPORT NAMES FROM AIRPORTS SERVED.
5. REMOVED "HIGHER MEAS FOR COMM and DME/DME/IRU SOLUTIONS" FROM REMARKS.
6. CHANGED MAGVAR NOTE IN ADDITIONAL FLIGHT DATA FROM "REFERENCE MAGNETIC VARIATION = KPBI 06W/2010" TO "MAG VAR: KPBI 06W/2010".
7. CHANGED LANDING 06FA/F45 ARRIVAL ROUTE DESCRIPTION FROM "...THEN ON TRACK 090.02/16.54 TO YIGBO," TO "...THEN ON TRACK 090.02/11.54 TO SHZAM,".
8. REMOVED PROCEDURAL DATA NOTE: "NOTE: DESCEND VIA MACH NUMBER UNTIL INTERCEPTING 280 KIAS, MAINTAIN 280 KIAS UNTIL SLOWED BY THE STAR OR BY ATC".
9. ADDITIONAL FLIGHT DATA: CHANGED CHARTING FROM "CHART AT GULLO TERMINUS: LDG KPBI RWY 10L/14" AND "CHART AT COTEB TERMINUS: LDG KPBI RWY 28R/32" TO "CHART AT GULLO TERMINUS: KPBI LDG RWY 10L/14" AND "CHART AT COTEB TERMINUS: KPBI LDG RWY 28R/32".
10. ADDITIONAL FLIGHT DATA: CHANGED "CHART AT YIGBO TERMINUS: LDG 06FA/F45" TO "CHART AT SHZAM TERMINUS: LDG 06FA/F45".
11. REPLACED FIX YIGBO WITH SHZAM IN 8260-2 FILE.

04/08/22: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 04/05/22.


1. UPDATED PRB REQUIREMENTS NOTES TO: RNAV 1 – DME/DME/IRU OR GPS. GAWKS TRANSITIONS: GPS.
2. UPDATED ARRIVAL ROUTE DESCRIPTION TO: LANDING KPBI RWY 10L, 14: FROM HLIBT ON TRACK 117.23/6.34 TO CROSS GULLO AT 5000. EXPECT ILS OR LOC RWY 10L, RNAV (RNP) Z RWY 14 APPROACH.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022


Graphic Depiction 3

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022

Graphic Depiction 4





FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022

Graphic Depiction 3




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
VUUDU (RNAV)	ONE	VUUDU.VUUDU1	NONE		05/19/2022

Graphic Depiction 4



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name VUUDU (RNAV)		Number ONE		STAR Computer Code VUUDU.VUUDU1		Superseded Number NONE		Dated	Effective Date 05/19/2022
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
ACORI	314623.36N / 0855129.51W	Y		IF					ACORI .VUUDU1
BULZI	302224.93N / 0840434.47W	Y	FB	TF	131.92	124.30			
SNAPY	294851.17N / 0834223.61W	Y	FB	TF	150.02	38.62			
NICKI	291520.19N / 0832031.80W	Y	FB	TF	150.21	38.49			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	143.02	91.36			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
En Route Transition									
DEFUN	304851.27N / 0860753.09W	Y		IF					DEFUN .VUUDU1
CABLO	304629.00N / 0845024.00W	Y	FB	TF	091.70	66.78			
BULZI	302224.93N / 0840434.47W	Y	FB	TF	121.06	46.28			
SNAPY	294851.17N / 0834223.61W	Y	FB	TF	150.02	38.62			
NICKI	291520.19N / 0832031.80W	Y	FB	TF	150.21	38.49			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	143.02	91.36			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name VUUDU (RNAV)	Number ONE	STAR Computer Code VUUDU.VUUDU1	Superseded Number NONE	Dated	Effective Date 05/19/2022
------------------------------	---------------	------------------------------------	---------------------------	-------	------------------------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			

En Route Transition

ENEME	304212.09N / 0822609.31W	Y		IF					ENEME .VUUDU1
FETAL	301103.69N / 0823024.76W	Y	FB	TF	186.77	31.28			
DOFFY	291522.73N / 0823138.10W	Y	FB	TF	181.10	55.56			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	170.93	74.18			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			

En Route Transition

GAWKS	271053.38N / 0830515.17W	Y		IF			AT/BELOW FL310		GAWKS.VUUDU1
BAGGS	270803.28N / 0825027.20W	Y	FB	TF	102.03	13.50			
NOILS	270610.61N / 0824414.80W	Y	FB	TF	108.66	05.85	AT/ABOVE FL280		
PEBOE	265837.28N / 0821857.49W	Y	FB	TF	108.36	23.80	AT/BELOW FL260	AT 280K	
PACLA	265256.70N / 0820324.97W	Y	FB	TF	112.11	15.00	FL240BFL250		
TROPS	264927.76N / 0815355.96W	Y	FB	TF	112.23	09.17	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	112.30	23.69	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name VUUDU (RNAV)	Number ONE	STAR Computer Code VUUDU.VUUDU1	Superseded Number NONE	Dated	Effective Date 05/19/2022				
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
LUCYS	264358.54N / 0811417.39W	Y		IF			AT/BELOW 15000		LUCYS.VUUDU1
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
En Route Transition									
MOLIE	280155.53N / 0821825.55W	Y		IF					MOLIE.VUUDU1
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
En Route Transition									
SABEE	270516.20N / 0821129.33W	Y		IF			AT/BELOW FL250	AT 280K	SABEE.VUUDU1
TROPS	264927.76N / 0815355.96W	Y	FB	TF	135.07	22.24	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	112.30	23.69	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
En Route Transition									
SWAGS	261037.07N / 0810559.93W	Y		IF			AT/BELOW FL250	AT 280K	SWAGS.VUUDU1
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	347.42	34.08	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name VUUDU (RNAV)	Number ONE	STAR Computer Code VUUDU.VUUDU1	Superseded Number NONE	Dated	Effective Date 05/19/2022				
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
ZPLEN	314128.42N / 0834021.06W	Y		IF					ZPLEN.VUUDU1
IISLY	304237.70N / 0831757.72W	Y	FB	TF	161.79	61.77			
DOFFY	291522.73N / 0823138.10W	Y	FB	TF	155.00	95.89			
MOLIE	280155.53N / 0821825.55W	Y	FB	TF	170.93	74.18			
SANTR	273708.56N / 0821003.14W	Y	FB	TF	163.25	25.81			
HORUT	272047.06N / 0820440.37W	Y	FB	TF	163.63	17.00	AT/BELOW FL260	AT 280K	
FANTE	270211.41N / 0815827.71W	Y	FB	TF	163.35	19.35	FL240BFL250		
HUCUR	265156.49N / 0814434.78W	Y	FB	TF	129.43	16.07	AT/BELOW FL220		
RACNO	264024.83N / 0812928.08W	Y	FB	TF	130.30	17.75	AT FL190	AT 280K	
LUCYS	264358.54N / 0811417.39W	Y	FB	TF	075.30	14.05	AT/BELOW 15000		
SHRVY	264711.98N / 0810025.77W	Y	FB	TF	075.42	12.82	11000B13000		
VUUDU	264742.70N / 0804841.88W	Y	FB	TF	087.17	10.51			
Common Route									
VUUDU	264742.70N / 0804841.88W			IF					VUUDU.VUUDU1
OWLLL	264749.62N / 0804546.53W		FB	TF	087.47	02.62	AT 9000	AT 250K	
SHZAM	264901.36N / 0803256.82W		FO	TF	084.02	11.54			
06FA, F45				VM	085.00				
Common Route									
VUUDU	264742.70N / 0804841.88W	Y		IF					VUUDU.VUUDU1
OWLLL	264749.62N / 0804546.53W	Y	FB	TF	087.47	02.62	AT 9000	AT 250K	
VETCH	263400.67N / 0803754.15W	Y	FB	TF	152.86	15.48			
SCALE	263050.38N / 0802444.09W	Y	FB	TF	104.94	12.23			
DIVRR	263032.93N / 0801836.73W	Y	FO	TF	093.00	05.50			
KBCT				FM	093.00				
Common Route									
VUUDU	264742.70N / 0804841.88W	Y		IF					VUUDU.VUUDU1

QUALITY
18
CHECKED

QUALITY
18
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name VUUDU (RNAV)		Number ONE		STAR Computer Code VUUDU.VUUDU1		Superseded Number NONE		Dated	Effective Date 05/19/2022
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
OWLLL	264749.62N / 0804546.53W	Y	FB	TF	087.47	02.62	AT 9000	AT 250K	
MSQTO	270524.57N / 0803617.54W	Y	FO	TF	025.76	19.47			
KSUA				VM	044.00				
Common Route									
VUUDU	264742.70N / 0804841.88W	Y		IF					VUUDU.VUUDU1
TARTY	264749.70N / 0804544.54W	Y	FB	TF	087.47	02.65	9000B11000	AT 250K	
HLIBT	264420.94N / 0803515.82W	Y	FB	TF	110.26	10.00	AT/BELOW 9000		
Runway Transition									
HLIBT	264420.94N / 0803515.82W	Y		IF			AT/BELOW 9000		
GULLO	264202.59N / 0802839.81W	Y	FB	TF	111.23	06.34	AT 5000		
KPBI:RWY 10L,RWY 14									
Runway Transition									
HLIBT	264420.94N / 0803515.82W	Y		IF			AT/BELOW 9000		
JANDS	263833.86N / 0801942.64W	Y	FB	TF	112.43	15.08	AT/ABOVE 8000		
BEKAH	263546.10N / 0801204.61W	Y	FB	TF	112.14	07.39	AT 6000		
COTEB	263523.54N / 0800333.67W	Y	FO	TF	092.78	07.64	AT 6000	AT 210K	
KPBI:RWY 28R,RWY 32				FM	092.78				

