

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name BEREE (RNAV)	Number THREE	STAR Computer Code BEREE.BEREE3	Superseded Number TWO	Dated 02/23/2023	Effective Date 11 JUL 2024				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CRIED	CRIED.BEREE3	CRIED	CRIED						
			POWND	324.60	34.25	10000	2100		
			WUUKY	324.37	10.62	10000	2100		BETWEEN FL240 AND FL300
			BEREE	324.40	20.00	5000	2100		BETWEEN FL200 AND FL230
OUTLN	OUTLN.BEREE3	OUTLN	OUTLN						
			VEEYO	267.51	10.00	10000	2100		BETWEEN FL240 AND FL300
			BEREE	267.50	20.00	5000	2100		BETWEEN FL200 AND FL230
PNUTS	PNUTS.BEREE3	PNUTS	PNUTS						
			CLEWS	282.49	82.83	10000	3100		
			POPSY	281.68	35.00	10000	3100		
			MUZZY	281.32	10.00	10000	2100		BETWEEN FL240 AND FL300
			BEREE	281.24	20.00	5000	2100		BETWEEN FL200 AND FL230
POPSY	POPSY.BEREE3	POPSY	POPSY						
			MUZZY	281.32	10.00	10000	2100		BETWEEN FL240 AND FL300
			BEREE	281.24	20.00	5000	2100		BETWEEN FL200 AND FL230
POWND	POWND.BEREE3	POWND	POWND						
			WUUKY	324.37	10.62	10000	2100		BETWEEN FL240 AND FL300
			BEREE	324.40	20.00	5000	2100		BETWEEN FL200 AND FL230
STUFT	STUFT.BEREE3	STUFT	STUFT						
			POWND	345.34	21.17	10000	2100		
			WUUKY	324.37	10.62	10000	2100		BETWEEN FL240 AND FL300
			BEREE	324.40	20.00	5000	2100		BETWEEN FL200 AND FL230
YUYUN	YUYUN.BEREE3	YUYUN	YUYUN						
			WAITT	260.89	106.87	10000	2800		
			PLMER	258.89	11.24	10000	2100		



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name			Number	STAR Computer Code		Superseded Number			Dated	Effective Date
BEREE (RNAV)			THREE	BEREE.BEREE3		TWO			02/23/2023	11 JUL 2024
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
			OUTLN	267.83	26.02	10000	2100			
			VEEYO	267.51	10.00	10000	2100		BETWEEN FL240 AND FL300	
			BEREE	267.50	20.00	5000	2100		BETWEEN FL200 AND FL230	

ARRIVAL ROUTE DESCRIPTION:

FROM BEREE ON TRACK 311.77/17.53 TO CROSS BELLS BETWEEN 15000 AND 17000 AND AT 270 KIAS, THEN ON TRACK 311.88/6.68 TO CROSS TACKE BETWEEN 13000 AND 15000 AND AT 270 KIAS, THEN ON TRACK 312.37/7.59 TO CROSS WARDZ BETWEEN 12000 AND 13000 AND AT 240 KIAS, THEN ON TRACK 312.21/11.21 TO CROSS DIETZ AT 12000 AND AT 210 KIAS, THEN ON TRACK 356.31/11.84 TO WHOOT, THEN ON TRACK 356.31/12.27 TO HEDMN, THEN ON TRACK 356.31. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: FOR USE WHEN DFW IS OPERATING IN A SOUTH FLOW. WHEN DFW IS OPERATING IN A NORTH FLOW, FILE AND EXPECT THE WHINY (RNAV) STAR.

NOTE: OUTLN TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

NOTE: POPSY TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

NOTE: POWND TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BEREE: HOLD SE, LT, 324.40 INBOUND, 10 NM LEGS.

CHART HOLDING AT CLEWS: HOLD E, LT, 282.53 INBOUND, 10 NM LEGS.

CHART HOLDING AT OUTLN: HOLD E, LT, 267.83 INBOUND, 10 NM LEGS.

CHART HOLDING AT POPSY: HOLD E, RT, 281.68 INBOUND, 10 NM LEGS.

CHART HOLDING AT POWND: HOLD SE, LT, 324.60 INBOUND, 10 NM LEGS.

CHART HOLDING AT WAITT: HOLD E, LT, 260.89 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

CHART: DALLAS REGIONAL APP CON

AIRPORTS SERVED:

AIRPORT ID
KDFW

CITY
DALLAS-FORT WORTH

STATE
TX

LOST COMMUNICATIONS PREFERENCES:

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BEREE (RNAV)	THREE	BEREE.BEREE3	TWO	02/23/2023	11 JUL 2024

REMARKS:**ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: KDFW 04E/2015

CHART AT HEDMN TERMINUS: LDG KDFW RWYS 13L/R, 17L/C/R, 18L/R.

FLIGHT INSPECTED BY:

NICHOLAS A VARNER

ORGANIZATION:

FPO

DATE:

04/08/2024

Flight Inspected Signature:

Digitally signed by

ROBERT G HAMILTON

Apr 10, 2024

DEVELOPED BY:

KWEKU DONKOR

AJV-A433

12/09/2023

Developed By Signature:

Digitally signed by

KWEKU DONKOR

Feb 09, 2024

APPROVED BY:

BEV BORDY

AJV-A430

Approved By Signature:

Digitally signed by

ROBERT G HAMILTON

Feb 26, 2024

CHANGES:

1. CHANGED SPEED RESTRICTION AT BELLS FROM 280 TO 270 KIAS.
2. CHANGED SPEED RESTRICTION AT TACKE FROM 280 TO 270 KIAS.
3. CHANGED SPEED RESTRICTION AT WARDZ FROM 260 TO 240 KIAS.
4. CHANGED SPEED RESTRICTION AT BEREE FROM 280 TO 290 KIAS.

REASONS:


- 1-4. ATC REQUESTED.

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BEREE (RNAV)	THREE	BEREE.BEREE3	TWO	02/23/2023	11 JUL 2024
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name BEREE (RNAV)	Number THREE	STAR Computer Code BEREE.BEREE3		Superseded Number TWO		Dated 02/23/2023	Effective Date 11 JUL 2024		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
CRIED	312114.28N / 0953941.09W	Y		IF					CRIED.BEREE3
POWND	315030.45N / 0960038.09W	Y	FB	TF	328.60	34.25			
WUUKY	315933.95N / 0960710.95W	Y	FB	TF	328.37	10.62	FL240BFL300	AT 290K	
BEREE	321637.51N / 0961932.54W	Y	FB	TF	328.40	20.00	FL200BFL230	AT 290K	
En Route Transition									
OUTLN	321552.83N / 0954410.29W	Y		IF					OUTLN.BEREE3
VEEYO	321608.16N / 0955557.87W	Y	FB	TF	271.51	10.00	FL240BFL300	AT 290K	
BEREE	321637.51N / 0961932.54W	Y	FB	TF	271.50	20.00	FL200BFL230	AT 290K	
En Route Transition									
PNUTS	313623.54N / 0933219.90W	Y		IF					PNUTS.BEREE3
CLEWS	315922.71N / 0950543.56W	Y	FB	TF	286.49	82.83			
POPSY	320845.10N / 0954525.00W	Y	FB	TF	285.68	35.00			
MUZZY	321123.41N / 0955646.92W	Y	FB	TF	285.32	10.00	FL240BFL300	AT 290K	
BEREE	321637.51N / 0961932.54W	Y	FB	TF	285.24	20.00	FL200BFL230	AT 290K	
En Route Transition									
POPSY	320845.10N / 0954525.00W	Y		IF					POPSY.BEREE3
MUZZY	321123.41N / 0955646.92W	Y	FB	TF	285.32	10.00	FL240BFL300	AT 290K	
BEREE	321637.51N / 0961932.54W	Y	FB	TF	285.24	20.00	FL200BFL230	AT 290K	
En Route Transition									
POWND	315030.45N / 0960038.09W	Y		IF					POWND.BEREE3
WUUKY	315933.95N / 0960710.95W	Y	FB	TF	328.37	10.62	FL240BFL300	AT 290K	
BEREE	321637.51N / 0961932.54W	Y	FB	TF	328.40	20.00	FL200BFL230	AT 290K	
En Route Transition									
STUFT	312939.60N / 0955602.31W	Y		IF					STUFT.BEREE3

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name BEREE (RNAV)		Number THREE		STAR Computer Code BEREE.BEREE3		Superseded Number TWO		Dated 02/23/2023	Effective Date 11 JUL 2024
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
POWND	315030.45N / 0960038.09W	Y	FB	TF	349.34	21.17			
WUUKY	315933.95N / 0960710.95W	Y	FB	TF	328.37	10.62	FL240BFL300	AT 290K	
BEREE	321637.51N / 0961932.54W	Y	FB	TF	328.40	20.00	FL200BFL230	AT 290K	
En Route Transition									
YUYUN	322705.31N / 0925447.14W	Y		IF					YUYUN.BEREE3
WAITT	321630.83N / 0950020.98W	Y	FB	TF	264.89	106.87			
PLMER	321506.47N / 0951330.14W	Y	FB	TF	262.89	11.24			
OUTLN	321552.83N / 0954410.29W	Y	FB	TF	271.83	26.02			
VEEYO	321608.16N / 0955557.87W	Y	FB	TF	271.51	10.00	FL240BFL300	AT 290K	
BEREE	321637.51N / 0961932.54W	Y	FB	TF	271.50	20.00	FL200BFL230	AT 290K	
Common Route									
BEREE	321637.51N / 0961932.54W	Y		IF			FL200BFL230	AT 290K	BEREE.BEREE3
BELLS	322912.00N / 0963400.00W	Y	FB	TF	315.77	17.53	15000B17000	AT 270K	
TACKE	323400.00N / 0963930.00W	Y	FB	TF	315.88	06.68	13000B15000	AT 270K	
WARDZ	323930.00N / 0964542.00W	Y	FB	TF	316.37	07.59	12000B13000	AT 240K	
DIETZ	324736.00N / 0965454.00W	Y	FB	TF	316.21	11.21	AT 12000	AT 210K	
WHOOT	325928.02N / 0965449.42W	Y	FB	TF	000.31	11.84			
HEDMN	331145.90N / 0965444.67W	Y	FO	TF	000.31	12.27			
KDFW				FM	000.31				