

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
 VOR STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MAP: BUD VOR

CLIMBING RIGHT TURN TO 2900 IN BUD VOR HOLDING PATTERN.

ADDITIONAL FLIGHT DATA:
**HOLD E, RT, 261.00 INBOUND.
 FAS OBST: 1339 AAO 403700N/0825021W.**

1. PT L SIDE OF COURSE 081.00 OUTBOUND 2900 FT WITHIN 10 MILES OF BUD VOR (IAF)

2. _____

3. FAC 261.00 FAF _____ DIST FAF TO MAP _____ THLD _____

4. MIN. ALT _____

8. MSA FROM: **BUD VOR 3100**

MAG VAR: **5W** EPOCH YEAR: **1985**

MINIMUMS

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A	STANDARD @								
CATEGORY =====>	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
CIRCLING	1640	1	647	1640	1	647	1640	1 3/4	647	1640	2	647				

NOTES:

EQUIPMENT REQUIREMENTS NOTE: RADAR REQUIRED FOR PROCEDURE ENTRY. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.

**CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE OHIO STATE UNIVERSITY ALTIMETER SETTING:
 INCREASE ALL MDAS 100 FEET AND VISIBILITY CATS C AND D 1/2 SM.**



CITY AND STATE MARION, OH	ELEVATION: 993 AIRPORT NAME: MARION MUNI	TDZE:	FACILITY IDENTIFIER: BUD	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR-A, AMDT 1A 24 MAY 2018	SUP AMDT 1 DATE 08/30/2007
-------------------------------------	--	-------	------------------------------------	---	--