

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
NDB STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.27

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
ACO VOR/DME	FETCH LOM	082.36 / 27.99	2900	MAP: 4.67 MILES AFTER FETCH LOM
				CLIMB TO 1800 THEN CLIMBING RIGHT TURN TO 2900 DIRECT FETCH LOM AND HOLD.
				ADDITIONAL FLIGHT DATA: HOLD SE, RT, 322.97 INBOUND. FAS OBST: 1399 AAO 411233N/0803747W FETCH LOM TO RW32: 3.16/50. CHART AIRPORT ELEV: 1192 CHART: ASR

1. PT L SIDE OF COURSE 142.89 OUTBOUND 2900 FT WITHIN 10 MILES OF FETCH LOM (IAF)
 2. _____
 3. FAC 322.89 FAF FETCH LOM DIST FAF TO MAP 4.67 THLD 4.67
 4. MIN. ALT FETCH LOM 2800
 8. MSA FROM: YN LOM 090-270 3600, 270-090 3000

MAG VAR: 8W EPOCH YEAR: 1990

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT									ALTERNATE: N A X					
CATEGORY ==>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-32	1700	4000	515	1700	4000	515	1700	5500	515	1700	5500	515			
CIRCLING	1700	1	508	1700	1	508	1700	1 1/2	508	1760	2	568			

NOTES:
 CHART NOTE: WHEN VGSI INOP, CIRCLING RWY 5 NA AT NIGHT.

CITY AND STATE YOUNGSTOWN/WARREN, OH	ELEVATION: 1192 THRE: 1185	FACILITY IDENTIFIER: YN	PROCEDURE NO./AMD NO./EFFECTIVE DATE: NDB RWY 32, AMDT 20 15 DEC 2011	SUP
	AIRPORT NAME: YOUNGSTOWN-WARREN RGNL			AMDT 19
	DATE 04/10/2008			

