

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
AHTIY (IAF)	EWBUF (NOPT) (FB)	311.51 / 8.90	3100	LNAV: RW24 CLIMB TO 3000 DIRECT MEHIF AND HOLD. ADDITIONAL FLIGHT DATA: HOLD SW, RT, 059.53 INBOUND. CHART FAS OBST: 1706 TOWER 395426N/0804026W DAHPI TO RW24: 3.04/40
WISKE (IAF)	EWBUF (NOPT) (FB)	150.95 / 9.97	3100	
EWBUF (IF/IAF)	DAHPI (FB)	239.77 / 6.05	2800	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD NE EWBUF, RT, 239.77 INBOUND, 3100 FT. IN LIEU OF PT (IAF)
- FAC: 239.70 FAF: DAHPI DIST FAF TO MAP: 4.85 THLD: 4.85
- MIN. ALT: EWBUF 3100, DAHPI 2800
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM: RW24 3400

MAG VAR: 8W

EPOCH YEAR: 2000

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A	FOR THIS AIRPORT	ALTERNATE: N A	X									
CATEGORY ==>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1960	1	747	1960	1 1/4	747	1960	2 1/4	747		NA				
CIRCLING	1960	1	746	1960	1 1/4	746	1960	2 1/4	746		NA				

NOTES:

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WHEELING ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT AHTIY VIA V8-92-214 SOUTHEAST BOUND.

CITY AND STATE	ELEVATION: 1214 TDZE: 1213	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
MOUNDSVILLE, WV	AIRPORT NAME:		RNAV (GPS) RWY 24, ORIG	AMDT: NONE
	MARSHALL COUNTY		12 MAR 2009	DATED

QUALITY
2
CHECKED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

PAGE 2 OF 3 PAGES

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
	AHTIY	AHTIY	010	IAF	IF		FB				
	AHTIY	EWBUF	020		TF		FB	1.0	311.5(304T)	008.9	03100
	EWBUF	EWBUF	010		HF	R	FB		239.8(232T)	004.0	03100
	WISKE	WISKE	010	IAF	IF		FB				
	WISKE	EWBUF	020		TF		FB	1.0	151.0(143T)	010.0	03100
		EWBUF	010	FACF	IF		FB				03100
		DAHPI	020	FAF	TF		FB	0.5	239.8(232T)	006.1	02800
		RW24	030	MAP	TF		FO	0.3	239.7(232T)	004.9	01234

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
	MEHIF	040		DF		FO	1.0			03000
	MEHIF	050		HM	R	FO	2.0	059.5(052T)	004.0	03000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AHTIY	N395451.85	W0802305.23	N3954.864	W08023.087
	DAHPI	N395601.70	W0803855.45	N3956.028	W08038.924
	EWBUF	N395946.65	W0803244.81	N3959.778	W08032.747
	MEHIF	N394548.45	W0805539.90	N3945.808	W08055.665
	WISKE	N400744.89	W0804033.94	N4007.748	W08040.566
	RW24	N395301.08	W0804352.18	N3953.018	W08043.870

RUNWAY DATA	THRESHOLD
RWY	ELEVATION TCH
RW24	01194 40

CITY AND STATE
MOUNDSVILLE, WV

ELEVATION: 1214 TDZE: 1213
 AIRPORT NAME:
MARSHALL COUNTY

FACILITY
 IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 24, ORIG
12 MAR 2009

SUP:
 AMDT: **NONE**
 DATED: