

U.S. Department of Transportation  
Federal Aviation Administration

**RNAV STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	T O	COURSE AND DISTANCE	ALTITUDE	
WOWYE WP (IAF)	WOFIL WP (NOPT) (TF) (FB)	278.97/5.00	4000	MAP: RW19  CLIMBING LEFT TURN TO 4000 DIRECT GIBBE WP AND HOLD  ADDITIONAL FLIGHT DATA: HOLD N, RT, 194 INBOUND FAS OBST: 1139 TREES 424025/770416 CHART: 1219 TREES 424038/770421 NUFXO WP TO RW19: 3.09/40 FINAL SEGMENT: TF
OJIVO WP (IAF)	WOFIL WP (NOPT) (TF) (FB)	098.82/5.00	4000	
WOFIL WP (IF/IAF)	NUFXO WP (TF) (FB)	188.89/5.00	2600	
RW19 (MAP)	GIBBE WP (DF) (FO)		4000	

- PT NA SIDE OF COURSE OUTBOUND FT WITHIN            MILES OF            (IAF)
- HOLD N WOFIL WP, RT, 188.89 INBOUND, 4000 FT IN LIEU OF PT (IAF)**
- FAC: 188.90 FAF: NUFXO WP DIST FAF TO MAP:            - THLD: 5.00
- MIN. ALT: **WOFIL WP 4000, NUF XO WP 2600, 2.00 NM TO RW19 1620**
- DIST TO THLD FROM OM:            MM:            IM:            150 HAT:            100 HAT:            GS ANT:
- MIN GS INCPT:            GS ALT AT:            OM:            MM:            IM:
- GS ANGLE:            TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 12W EPOCH YEAR: 95

**MINIMUMS**

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15 FOR THIS AIRPORT	ALTERNATE: N	A	X									
CATEGORY	A			B			C			D			E		
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV MDA	1400	1	432	1400	1	432	1400	1 1/4	432	1400	1 1/2	432			
CIRCLING	1480	1	503	1600	1	623	1680	2	703	1780	2 1/2	803			

NOTES:

CITY AND STATE <b>PENN YAN, NY</b>	ELEVATION: <b>977</b> TDZE: <b>968</b> AIRPORT NAME: <b>PENN YAN</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>JUN 13 2002</b> <b>RNAV (GPS) RWY 19, ORIG</b>	SUP: AMDT: <b>NONE</b> DATED
---------------------------------------	---	-------------------------------------	--	------------------------------------

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

FROM	TO	ALTITUDE
1. 099/30 CW 279/30	WOFIL WP IF(IAF) (FB) (NOPT)	4000
2. 279/30 CW 009/30)	WOWYE WP (IAF) (FB)	4000
3. 009/30 CW 099/30	OJIVO WP (IAF) (FB)	4000

CITY AND STATE

PENN YAN, NY

ELEVATION: 977 TDZE: 968

AIRPORT NAME:

PENN YAN

FACILITY IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:

JUN 13 2002

RNAV (GPS) RWY 19, ORIGINAL

SUP:

AMDT: NONE

DATED: