

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

**TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KHKA	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 18	<u>ORIGINAL/AMENDMENT</u> ORIG-A	<u>CITY</u> BLYTHEVILLE	<u>STATE</u> AR		
<u>AIRPORT ELEVATION</u> 256	<u>TDZE</u> 255	<u>SUPERSEDED</u> RNAV (GPS) RWY 18	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>DATED</u> 06/05/2008	<u>MAG VAR</u> 1E	<u>EPOCH YEAR</u> 1995
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 7 OCTOBER 2021	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

**TERMINAL ROUTES**

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
ZIBOS	IAF	TASOE	NOPT	TF	FB	1.00	087.84	5.00	2500
JUDIG	IAF	TASOE	NOPT	TF	FB	1.00	267.96	5.00	2500
TASOE	IF/IAF	YORUN		TF	FB	1.00	177.90	6.25	2000
YORUN	FAF	AGVUW/3.10 NM TO RW18		TF	FB	0.30	177.90	2.15	
AGVUW/3.10 NM TO RW18		RW18	MAP	TF	FO	0.30	177.90	3.10	
RW18	MAP	620 MSL		CA			177.90		
620 MSL		JIMIN		DF	FO	1.00			2500

**MISSED APPROACH**

**MAP:**

LNAV: RW18

**MISSED APPROACH INSTRUCTIONS:**

CLIMB TO 2500 DIRECT JIMIN AND HOLD.

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**



**PROFILE:**

- 1. PT                      SIDE OF COURSE                      OUTBOUND                      FT WITHIN                      MILES OF                      (IAF)
- 2. HOLD N TASOE, RT, 177.90 INBOUND, 2500 FT. IN LIEU OF PT (IAF), MAX 6000.
- 3. FAC: 177.90                      FAF: YORUN                      DIST FAF TO MAP: 5.25                      DIST FAF TO THLD: 5.25
- 4. MIN ALT:    TASOE 2500, YORUN 2000, AGVUW/3.10 NM TO RW18 1280
- 5. DIST TO THLD FROM OM:                      MM:                      IM:                      150 HAT:                      GS ANT:
- 6. MIN GP INCPT:                      GP ALT AT FAF :                      OM:                      MM:                      IM:
- 7. GP ANGLE:                      34:1: IS CLEAR                      20:1: IS CLEAR                      TCH:
- 8. MSA FROM:    RW18 2300

**PBN REQUIREMENTS NOTE:**

RNP APCH - GPS.

**NOTES:**

**ADDITIONAL FLIGHT DATA:**

YORUN TO RWY18: 3.04/48  
 459 AAO 360013N/0894957W  
 HOLD S, RT, 357.90 INBOUND.  
 CHART FAS OBST: 359 TREE 355714N/0894942W.  
 CHART VDP AT 1.00 NM TO RW18.

**MINIMUMS:**

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA  NA WHEN LOCAL WEATHER NOT AVAILABLE.; STANDARD

CATEGORY:	A			B			C			D			E			
	FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
RNAV MDA	620	1	365	620	1	365		NA			NA					
CIRCLING	760	1	504	780	1	524		NA			NA					

**CHANGES - REASONS**

1. REMOVED FEEDER FROM LUMXU TO ZIBOS - V140 CANCELLATION, DYR VORTAC DECOMMISSIONING.
2. REMOVED FEEDER FROM ICJIX TO ZIBOS - V9 CANCELLATION GQE VOR/DME DECOMMISSIONING.
3. REMOVED FEEDER FROM DYR VORTAC TO JUDIG AND ASSOCIATED NOTES - DYR VORTAC DECOMMISSIONING.
4. ADDED CA LEG TO MISSED APPROACH IAW .58B 3-5-2 - NOT PREVIOUSLY DOCUMENTED.
5. REMOVED CHART NOTE: DME/DME RNP-0.3 NA AND ADDED PBN REQUIREMENTS NOTE RNP APCH - GPS. 8260.19I, 8-6-8B2.
6. ADDED "MAX 6000" TO PROFILE VIEW LINE 2 - IAW 8260.19I, 8-6-7M,B,2.
7. MOVED BACKUP ALTIMETER NOTE TO PART C REMARKS AS A CONTINGENCY NOTE - BOTH ALTIMETER SOURCES ON WMSCR
8. UPDATED AIRPORT ELEVATION FROM 255 FT TO 256 FT - IAW ACTIVE AIRNAV DATA.
9. CHANGED CIRCLING HAA FROM 505 FT TO 504 FT - AIRPORT ELEVATION UPDATED, IAW ACTIVE AIRNAV DATA.
10. ADDED 20:1 IS CLEAR NOTE - 20:1S DO NOT EXIST, IAW .19I, 8-6-7,G.
11. CHANGED "YORUN TO RW18:3.05/48" TO "YORUN TO RW18:3.04/48" - GPA CHANGED FROM 3.05 TO 3.04 BASED ON CURRENT 8260.3D 2-6-1 FORMULA.



**COORDINATED WITH:**

**A4A**  **ALPA**  **AOPA**  **APA**  **HAI**  **NBAA**  **OTHER:** AMGR, ZME

**FLIGHT CHECKED BY**

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL 29, 2020, SUBJECT:  
FLIGHT INSPECTION REVIEW NOT REQUIRED

**OFFICE** *Digitally signed by* **DATE**

**LONNIE EVERHART**

Jun 03, 2021

**DEVELOPED BY**

DAVID TEFFETELLER (JANTZEN TAYLOR)

*Digitally signed by*  
**LONNIE EVERHART**

Jun 03, 2021

**OFFICE** **DATE**  
AJV-A432 04/29/2021

**APPROVED BY**

LONNIE EVERHART

*Digitally signed by*  
**LONNIE EVERHART**

Jun 03, 2021

**OFFICE** **DATE**  
AJV-A430

**TITLE**  
MANAGER

