

U.S. Department of Transportation
Federal Aviation Administration

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
LACIE INT	DOMVY WP (TF) (FB)	000.11 / 19.44	4000	LNAV: RW23	
TIVUC WP (IAF)	OKZUS WP (TF) (FB) (NoPT)	122.71 / 5.00	3500	CLIMBING RIGHT TURN TO 3500 DIRECT OKZUS WP AND HOLD.	
DOMVY WP (IAF)	OKZUS WP (TF) (FB) (NoPT)	302.85 / 5.00	3500		
OKZUS WP (IF/IAF)	DIPGE/2.59 NM TO JUNYA WP (TF) (FB)	211.53 / 2.59	2700	ADDITIONAL FLIGHT DATA: FAS OBST: 1459 TREE 414633/762557 DESCENT ANGLE JUNYA TO RW23: 3.00/37 FINAL SEGMENT: (TF)	
DIPGE	JUNYA WP (TF) (FB)	211.53 / 2.59	2500		
RW23 (MAP)	1800 MSL (CA)	227.15			
1800 MSL	OKZUS WP (DF) (FO)		3500		

- PT NA SIDE OF COURSE OUTBOUND FT WITHIN _____ MILES OF _____ (IAF)
- HOLD NE OKZUS WP, RT, 211.53 INBOUND, 3500 FT IN LIEU OF PT (IAF)
- FAC: 227.15 FAF: JUNYA WP DIST FAF TO MAP: - THLD: 5.49
- MIN. ALT: OKZUS WP 3500, DIPGE 2700, JUNYA WP 2500
- DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____
- MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____
- GS ANGLE: _____ TCH: 34:1 IS CLEAR
- MSA FROM: RW23 3900

MAG VAR: 12W EPOCH YEAR: 00

MINIMUMS

TAKEOFF:	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: <input type="checkbox"/> N <input checked="" type="checkbox"/> A <input type="checkbox"/> X											
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1800	1 1/4	1067	1800	1 1/2	1067		NA			NA				
CIRCLING	2020	1 1/4	1290	2020	1 1/2	1290		NA			NA				

NOTES:
USE TRI-CITIES, NY ALTIMETER SETTING
GPS OR RNP-0.3 REQUIRED, DME/DME RNP-0.3 NA

CITY AND STATE TOWANDA, PA	ELEVATION: 730 TDZE: 733 AIRPORT NAME: BRADFORD COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: OCT 30 2003 RNAV (GPS) RWY 23, ORIG	SUP: AMDT: NONE DATE
--------------------------------------	---	-------------------------------------	---	-----------------------------------