

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
AMARG (IF/IAF)	TETIE (FB)	219.85 / 4.38	2800	LNAV: RW23
TETIE	CEXAR (FB)	219.81 / 3.52	2400	
				CLIMB TO 2700 DIRECT DOVGE AND VIA TRACK 231.67 TO NURBE AND HOLD.
				ADDITIONAL FLIGHT DATA: HOLD SW, RT, 049.62 INBOUND. CHART FAS OBST: 865 TREE 390245N/0853555W CHART VDP AT 1.06 MILES TO RW23. CEXAR TO RW23: 3.04/40. CHART: JPG A AND B MOA CHART: JPG D MOA CHART: R-3403 A, B CHART: MUSCATATUCK NATIONAL WILDLIFE REFUGE

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD NE AMARG, RT, 219.85 INBOUND, 2800 FT. IN LIEU OF PT (IAF)
- FAC: 219.78 FAF: CEXAR DIST FAF TO MAP: 4.97 THLD: 4.97
- MIN. ALT: AMARG 2800, TETIE 2800, CEXAR 2400, FANTN/1.90 NM TO RW23 1400
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW23 2500

MAG VAR: 2W EPOCH YEAR: 1985

MINIMUMS																
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE:	N	A	X						
CATEGORY	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	1120	1	365	1120	1	365	1120	1	365							
CIRCLING	1180	1	423	1220	1	463	1220	1 1/2	463							

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.
 CHART PLANVIEW NOTE: NOPT FOR ARRIVALS AT AMARG VIA V128 NORTHWEST BOUND.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SHELBYVILLE ALTIMETER SETTING AND SEE 8260-10



CITY AND STATE NORTH VERNON, IN	ELEVATION: 757 TDZE: 755 AIRPORT NAME: NORTH VERNON	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 23, ORIG 27 AUG 2009	SUP: AMDT: NONE DATED
------------------------------------	---	------------------------------	--	-----------------------------

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

INCREASE ALL MDA 100 FEET, INCREASE LNAV CAT C VISIBILITY 1/4 MILE.

CHART NOTE: VDP NA WHEN USING SHELBYVILLE ALTIMETER SETTING.



CITY AND STATE NORTH VERNON, IN	ELEVATION: 757 TDZE: 755 AIRPORT NAME: NORTH VERNON	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 23, ORIG 27 AUG 2009	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	AMARG	AMARG	010	IAF	HF	R	FB		219.9 (218T)	004.0	02800
		AMARG	010	FACF	IF		FB				02800
		TETIE	011	SDF	TF		FB	0.5	219.9 (218T)	004.4	02800
		CEXAR	020	FAF	TF		FB	0.5	219.8 (218T)	003.5	02400
		FANTN	021	SDF	TF		FB	0.3	219.8 (218T)	003.1	0140001411
		RW23	030	MAP	TF		FO	0.3	219.8 (218T)	001.9	00795

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	DOVGE	040		DF		FB	1.0			
	NURBE	050		TF		FO	1.0	231.7 (230T)		02700
	NURBE	060		HM	R	FO	2.0	049.6 (048T)	004.0	02700

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AMARG	N391308.69	W0852543.13	N3913.145	W08525.719
	CEXAR	N390654.27	W0853156.40	N3906.905	W08531.940
	DOVGE	N390123.31	W0853725.16	N3901.389	W08537.419
	FANTN	N390428.53	W0853421.31	N3904.476	W08534.355
	NURBE	N385445.24	W0854724.60	N3854.754	W08547.410
	TETIE	N390941.08	W0852910.28	N3909.685	W08529.171
	RW23	N390258.30	W0853550.91	N3902.972	W08535.849

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW23	00755	40



CITY AND STATE
 NORTH VERNON, IN

ELEVATION: 757 TDZE: 755
 AIRPORT NAME:
 NORTH VERNON

FACILITY IDENTIFIER:
 RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
 RNAV (GPS) Y RWY 23, ORIG
 27 AUG 2009

SUP:
 AMDT: NONE
 DATED: