

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
BOI VORTAC (IAF)	JUNGA (FB)	209.99 / 7.16	6000	LNAV: RW29
JUNGA (IF)	FATAV (FB)	289.80 / 5.00	4500	
FATAV (FAF)	WORAT/2.10 NM TO RW29 (FB)	289.74 / 3.95		CLIMB TO 4200 DIRECT DEFKI AND HOLD.
WORAT/2.10 NM TO RW29	RW29 (MAP) (FO)	289.74 / 2.10		
RW29 (MAP)	2937 MSL	289.74		
2937 MSL	DEFKI (FO)		4200	
				ADDITIONAL FLIGHT DATA: HOLD W, RT, 109.79 INBOUND. CHART FAS OBST: 2719 TREE 433405N/1162827W CHART: 2729 TREE 443343N/1162751W FATAV TO RW29: 3.00/45. CHART CIRCLING ICON FAC CROSSES RW29 THLD.

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. PROFILE STARTS AT JUNGA
3. FAC: 289.74 FAF: FATAV DIST FAF TO MAP: 6.05 THLD: 6.05
4. MIN. ALT: JUNGA 6000, FATAV 4500, WORAT/2.10 NM TO RW29 3240
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: 34:1 IS NOT CLEAR
8. MSA FROM: RW29 8700

MAG VAR: 16E EPOCH YEAR: 2000

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY ==>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
CIRCLING	3060	1	523	3060	1	523	3100	1 1/2	563	3220	2 1/4	683			

NOTES:
 CHART NOTE: CIRCLING TO RWY 29 NA AT NIGHT. @ CAT D 800-2 1/4
 CHART NOTE: DME/DME RNP-0.3 NA. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON BOI VORTAC AIRWAY RADIALS 216 CW 301.
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.
 (SEE FORM 8260-10)

CITY AND STATE	ELEVATION: 2537 TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
NAMPA, ID	AIRPORT NAME:	RNAV	RNAV (GPS)-B, ORIG	NONE
	NAMPA MUNI		17 OCTOBER 2013	DATED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CALDWELL INDUSTRIAL ALTIMETER SETTING AND INCREASE ALL MDA 40 FT AND VISIBILITY CAT C 1/4 SM.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED.

QUALITY
CHECKED

CITY AND STATE NAMPA, ID	ELEVATION: 2537 TDZE: AIRPORT NAME: NAMPA MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS)-B, ORIG 17 OCTOBER 2013	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute-miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	BOI	BOI	010	IAF	IF		FB					
	BOI	JUNGA	020		TF		FB	1.0	210.0 (226.0T)	007.2	AA 06000	
		JUNGA	010	FACF	IF		FB				AA 06000	
		FATAV	020	FAF	TF		FB	0.5	289.8 (305.8T)	005.0	AA 04500	
		WORAT	021	SDF	TF		FB	0.3	289.7 (305.7T)	004.0	AA 03240	GS 03243
		RW29	030	MAP	TF		FO	0.3	289.7 (305.7T)	002.1	AT 03220	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		289.7 (305.7T)		AA 02937	
	DEFKI	050		DF		FO				AA 04200	
	DEFKI	060		HM	R	FO		109.8 (125.8T)	005.0	AA 04200	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BOI	N433310.12	W1161131.67	N4333.169	W11611.528
	DEFKI	N433802.89	W1163728.15	N4338.048	W11637.469
	FATAV	N433106.75	W1162410.40	N4331.113	W11624.173
	JUNGA	N432811.36	W1161835.99	N4328.189	W11618.600
	WORAT	N433324.95	W1162834.65	N4333.416	W11628.578

QUALITY
3
CHECKED

CITY AND STATE NAMPA, ID	ELEVATION: 2537	TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS)-B, ORIG 17 OCTOBER 2013	SUP:
	AIRPORT NAME: NAMPA MUNI		RNAV		AMDT: NONE
					DATED: