

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
ACO VOR/DME (IF/IAF)	YOSTE/ 10.00 DME/RADAR	227.43 / 10.00	3000	MAP: 5.47 MILES AFTER YOSTE/10.00 DME/RADAR OR AT ACO 15.47 DME FIX	
				CLIMB TO 3000 THEN LEFT TURN DIRECT BSV VOR/DME AND HOLD.	
				ADDITIONAL FLIGHT DATA: HOLD S, RT, 008.00 INBOUND. FAS OBST: 1429 AAO 405806N/0812303W 1449 AAO 410004N/0812220W CHART: ASR. CHART VDP AT 14.19 DME; DISTANCE VDP TO THLD 1.28 MILES. YOSTE TO RW23: 2.98/47.	

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD NE ACO VOR/DME, RT, 205.00 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
3. FAC 227.43 FAF YOSTE/ 10.00 DME/RADAR DIST FAF TO MAP 5.47 THLD 5.47
4. MIN. ALT ACO VOR/DME 3000, YOSTE 3000
8. MSA FROM: ACO VOR/DME 360-180 3600, 180-360 3100

MAG VAR: 4W EPOCH YEAR:1965

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A				STANDARD			
CATEGORY ==>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-23	1680	2400	454	1680	2400	454	1680	4000	454	1680	5000	454			
CIRCLING	1760	1	532	1760	1	532	1760	1 1/2	532	1780	2	552			

NOTES:
 CHART NOTE: DME OR RADAR REQUIRED.
 CHART PLANVIEW NOTE: NOPT FOR ARRIVAL ON ACO VOR/DME AIRWAY RADIALS 065 CW 123.



CITY AND STATE AKRON, OH	ELEVATION: 1228 TDZE: 1226 AIRPORT NAME: AKRON-CANTON RGNL	FACILITY IDENTIFIER: ACO	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 23, AMDT 10 13 JAN 2011	SUP VOR OR GPS RWY 23 AMDT 9B DATE 04/08/2010
-----------------------------	---	-----------------------------	--	--