

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
GOKLY (IF/IAF)	YIXER (FB)	268.41 / 5.00	2600	LNAV: RW27
YIXER (FAF)	ZOBUG/3.00 NM TO RW27 (FB)	268.34 / 1.67		CLIMB TO 3100 DIRECT GIRFA AND HOLD.
ZOBUG/3.00 NM TO RW27	RW27 (MAP) (FO)	268.34 / 3.00		
RW27 (MAP)	1235 MSL	268.34	3100	ADDITIONAL FLIGHT DATA: HOLD W, RT, 088.12 INBOUND. CHART FAS OBST: 1049 TREE 390035N/0941049W 1119 AAO 390012N/0940815W YIXER TO RW27: 3.50/46 CHART CIRCLING ICON.
1235 MSL	GIRFA (FO)			

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD E GOKLY, RT, 268.41 INBOUND, 3100 FT. IN LIEU OF PT (IAF)
- FAC: 268.34 FAF: YIXER DIST FAF TO MAP: 4.67 THLD: 4.67
- MIN. ALT: GOKLY 3100, YIXER 2600, ZOBUG/3.00 NM TO RW27 1960
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 3E EPOCH YEAR: 2000

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A X														
CATEGORY =====>	A	B	C	D	E										
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1360	1	542	1360	1	542		NA			NA				
CIRCLING	1460	1	625	1460	1	625		NA			NA				

NOTES:
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED.
CHART NOTE: PROCEDURE NA AT NIGHT.
CHART NOTE: USE CHARLES B WHEELER DOWNTOWN ALTIMETER SETTING.

CITY AND STATE GRAIN VALLEY, MO	ELEVATION: 835 TDZE: 818 AIRPORT NAME: EAST KANSAS CITY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 13 NOVEMBER 2014	SUP:
				AMDT: NONE
				DATED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	178/30 CW 358/30 (NOPT)	GOKLY (IF/IAF) (FB)	3100
2.	358/30 CW 178/30	GOKLY (IF/IAF) (FO)	3100

QUALITY
9
CHECKED

CITY AND STATE GRAIN VALLEY, MO	ELEVATION: 835 TDZE: 818	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 13 NOVEMBER 2014	SUP:
	AIRPORT NAME: EAST KANSAS CITY			AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	GOKLY	GOKLY	010	IAF	HF	R	FO		268.4 (271.4T)	004.0	AA 03100	
		GOKLY	010	FACF	IF		FB				AA 03100	
		YIXER	020	FAF	TF		FB	0.5	268.4 (271.4T)	005.0	AA 02600	
		ZOBUG	021	SDF	TF		FB	0.3	268.3 (271.3T)	001.7	AA 01960	GS 01978
		RW27	030	MAP	TF		FO	0.3	268.3 (271.3T)	003.0	AT 00864	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		268.3 (271.3T)		AA 01235	
	GIRFA	050		DF		FO				AA 03100	
	GIRFA	060		HM	R	FO		088.1 (091.1T)	004.0	AA 03100	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	GIRFA	N390104.19	W0942639.54	N3901.070	W09426.659
	GOKLY	N390036.70	W0940003.61	N3900.612	W09400.060
	YIXER	N390043.91	W0940628.38	N3900.732	W09406.473
	ZOBUG	N390046.24	W0940837.03	N3900.771	W09408.617
	RW27	N390050.33	W0941227.91	N3900.839	W09412.465

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW27	00818	46



CITY AND STATE GRAIN VALLEY, MO	ELEVATION: 835 AIRPORT NAME: EAST KANSAS CITY	TDZE: 818	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 13 NOVEMBER 2014	SUP:
					AMDT: NONE
					DATED: