



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
LDA/DME - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):  
CHART PLANVIEW NOTE: LDA/GLIDE SLOPE  
CHART PROFILE NOTE: USE I-DLS DME WHEN ON THE LOCALIZER COURSE.

CITY AND STATE THE DALLES, OR	ELEVATION: 247      THRE: 243	FACILITY IDENTIFIER: I-DLS	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: LDA/DME RWY 25, AMDT 1 12 DECEMBER 2013	SUP:
	AIRPORT NAME: COLUMBIA GORGE RGNL/THE DALLES MUNI			AMDT:      ORIG-A
				DATED:      07/29/2010





U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

LDA STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - LDA

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	VECCU	VECCU	010	IAF	HF	R	FO		238.0 ()	T01.0	AA 05300	
	VECCU	CITAV	020		CF		FB		238.0 ()	002.5	AA 04500	
		CITAV	010	FACF	IF		FB				AA 04500	
		LIREY	020	FAF	CF		FB		238.0 ()	002.5	AA 03800	
		MX25	030	MAP	CF		FO		238.0 ()	007.4	AT 00499	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		238.0 ()		AA 01600	
		050		VI	L	FB		120.0 ()			
	JIREN	060		CF		FO		164.7 ()	004.0	AA 07000	
	JIREN	070		HM	L	FO		344.7 ()	T01.0	AA 07000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	LTJ	N454248.90	W1210603.00	N4542.815	W12106.050
	IDLS (DME)	N453705.80	W1210945.40	N4537.097	W12109.757
	JIREN	N452753.52	W1210810.01	N4527.892	W12108.167
	VECCU	N454053.27	W1205200.64	N4540.888	W12052.011
	CITAV	N454009.28	W1205528.73	N4540.155	W12055.479
	LIREY	N453925.92	W1205853.34	N4539.432	W12058.889
	MX25	N453717.44	W1210856.04	N4537.291	W12108.934
	RW25	N453716.42	W1210938.28	N4537.274	W12109.638
	IDLS (LOC)	N453707.30	W1210943.47	N4537.122	W12109.725

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW25	00243	43

CITY AND STATE THE DALLES, OR	ELEVATION: 247	THRE: 243	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: COLUMBIA GORGE RGNL/THE DALLES MUNI		I-DLS	LDA/DME RWY 25, AMDT 1 12 DECEMBER 2013	AMDT: ORIG-A
					DATED: 07/29/2010