

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
LOC STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE
HCM VORTAC	LISPE INT/I-FYJ 14.37 DME	286.45 / 16.60	2000
HPW VORTAC (IAF)	LISPE INT/I-FYJ 14.37 DME (NOPT)	022.63 / 10.31	2000
LISPE INT/I-FYJ 14.37 DME (IF/IAF)	NEZZZ INT/I-FYJ 5.16 DME	094.13 / 9.20 (I-FYJ)	1700

MAP: 4.40 NM AFTER NEZZZ INT/I-FYJ 5.16 DME OR AT (CFFHD)/I-FYJ 0.77 DME FIX

CLIMB TO 500 THEN CLIMBING RIGHT TURN TO 2000 DIRECT HCM VORTAC AND HOLD, CONTINUE CLIMB-IN-HOLD TO 2000, OR AS DIRECTED BY ATC.

ALTERNATE MA (DO NOT CHART): CLIMB TO 500 THEN CLIMBING RIGHT TURN TO 2000 DIRECT HPW VORTAC AND HOLD.

ADDITIONAL FLIGHT DATA:

**HOLD SE, RT, 335.00 INBOUND.
 CHART IN PLANVIEW: ALTERNATE MA HOLDING, HOLD S HPW VORTAC, RT, 003.00 INBOUND.
 CHART FAS OBST: 115 TREE 373057N/0764822W
 CHART 375 TOWER 373006N/0765215W.
 CHART VDP AT 1.61 DME
 DISTANCE VDP TO THLD 0.84 NM.
 CHART IN PLANVIEW: HPW VORTAC.
 NEZZZ TO RW10: 3.50/52.7.
 CHART CIRCLING ICON.
 CHART HPW 10.31 DME AT LISPE.
 FAC CROSSES RWY C/L EXTENDED 1594 FT FROM THLD.
 CHART PLANVIEW NOTE: LOC OFFSET 3.00 DEGREES.**

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD W LISPE, RT, 094.13 INBOUND, 2000 FT. IN LIEU OF PT (IAF)
- FAC 094.13 FAF NEZZZ INT/I-FYJ 5.16 DME DIST FAF TO MAP 4.40 THLD 4.40
- MIN. ALT LISPE 2000, NEZZZ 1700, XIPYY/I-FYJ 2.42 DME 680*
- MSA FROM: **HCM VORTAC 1700**

MAG VAR: 11W EPOCH YEAR: 2010

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N	A	X												
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-10	680	1	666	680	1	666		NA			NA				
CIRCLING	680	1	660	680	1	660		NA			NA				

XIPYY FIX MINIMUMS

S-10	380	1	366	380	1	366		NA			NA				
CIRCLING	480	1	460	620	1	600		NA			NA				

NOTES:

**CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON HPW VORTAC AIRWAY RADIALS 323 CW 025.
 *760 WHEN USING NEWPORT NEWS ALTIMETER SETTING.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE NEWPORT NEWS ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET AND INCREASE S-10 CAT B AND CIRCLING CAT B VISIBILITY 1/4 SM.
 CHART NOTE: VDP NA WHEN USING NEWPORT NEWS ALTIMETER SETTING.**

CITY AND STATE WEST POINT, VA	ELEVATION: 20 TDZE: 14 AIRPORT NAME: MIDDLE PENINSULA RGNL	FACILITY IDENTIFIER: I-FYJ	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: LOC RWY 10, ORIG 15 SEPTEMBER 2016	SUP 4
				AMDT NONE
				DATE

QUALITY
4
CHECKED